## 2000 DODGE PLYMOUTH CHRYSLER NEON (PL)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

## VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Type Other Line Series Body Style Engine Check Digit Year Plant Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S.
2	Make	B = Dodge P = Plymouth C = Chrysler
3	Vehicle type	3 = Pass Car
4	Passenger Safety	E = Restraint System Active Driver and Passenger Air Bag
5	Vehicle Line	S = Neon
6	Series	2=Low Line 4=High Line
7	Body Style	6 = 4 Door Sedan
8	Engine	C = 2.0L 4 Cyl. 16V SOHC (ECB) A = 1.8L 4 Cyl. 16V SOHC (EBD)
9	Check Digit	
10	Model Year	Y = 2000
11	Assembly Plant	D = Belvidere
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

# **Group – 001**


## **Component Parts for Mopar Accessories**



001–100	001–200	001-300	001–600
Audio & Electronics	Carriers & Cargo Hauling	Driving Convenience	Fog Lights & Electrical
001-900 Security			

### **GROUP 1 - Component Parts for Mopar Accessories**


Illustration Title	Group-Fig. No
Audio & Electronics	
Player Kit - CD Changer - 12 Disc	Fig. 001-110
Carriers & Cargo Hauling	
Roof Rack - Removable	Fig. 001-205
Bike Carrier, Hitch Mount Fold-Down Style	Fig. 001-210
Bike Carrier, Roof Mount Fork Mount Style	Fig. 001-212
Bike Carrier, Roof Mount Upright Style	Fig. 001-214
Ski Carrier - Hitch Mount	Fig. 001-220
Carrier Kit (Two Pair) Roof Mount	Fig. 001-222
Trailer Tow	Fig. 001-240
Wiring Package - Trailer Tow	Fig. 001-290
Driving Convenience	
Speed Control Kit	Fig. 001-310
Fog Lights & Electrical	
Fog Lamps	Fig. 001-610
Security	
Alarm- EVS Base System	Fig. 001-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						RF Modu	lator, Powe	er Cord	, Din Cord, Hand Held and IR Remote
	ler and Opera	-		isc Magazi					
	8220 4730	1	D, P		41				PLAYER KIT, CD Changer - 12 Disc
	5013 804AA	1	D, P		41				MODULATOR, FM
	5013 800AA-		D, P		41				HARDWARE KIT, Mounting
	5013 806AA	1	D, P		41				CHANGER, CD
	5013 802AA	1	D, P		41				CONTROLLER, CD Wireless
	5013 805AA	1	D, P		41				MAGAZINE, CD Changer
	5013 803AA	1	D, P		41				CONTROLLER, CD Wired
	4465 117	1	D, P		41				ADAPTOR, A/C
9	5013 801AA	1	D, P		41				DIN CORD, CD Player
	YMOUTH - CHRY	SLER NE							
SERIES =Low Line H=High Line	LINE Z= RHD D= Dodge D= Chrysl P= Plymo	ler	BODY 41 = 4 Doo	or, 104.0WB	ENGIN ECB = EBD =	NE :2.0L 4 Cyl. \$ : 1.8L 4Cyl S	SOHC OHC	DD5 = 5 DGC = 7 DG0 = 7	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

### **Roof Rack - Removable** Figure 001-205

		PART								
IT	ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	8220 4798	1							RACK KIT, Roof - Removable
	2	5019 509AA	1							STRAP, Roof Rack, Consists of: 1-
										steel strap




DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Bike Carrier, Hitch Mount Fold-Down Style Figure 001-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 LIVI	NOWBER	Q11	LINL	JERIES	ВОВТ	LINGINE	TRANS	TIXIIVI	DESCRIPTION
NOTE: F	olds down for			k, has anti		<b>5.</b>			
1	8220 4452	1	D, P		41				CARRIER PACKAGE, Bike
2	4762 880	1	D, P		41				STRAP KIT, Velcro, Consists of: Long and 1-Short
3	5016 775AA	1	D, P		41				STRAP KIT, Bike Carrier Latch,
4	4762 882	1	D, P		41				Consists of: 2-Rubber Straps LOCK KIT, Bike Carrier Handle
5	5016 774AA	1	D, P		41				BOLT KIT, Security
6	5016 610AA	1	D, P		41				HARDWARE KIT, Accessory, T-Handle
ODGE - PI SERIES =Low Line	_YMOUTH - CHRY LINE Z= RHD	SLER NE	BODY	or, 104.0WB	ENGII	NE =2.0L 4 Cyl. S			MISSION 5 Speed Manual

# Bike Carrier, Roof Mount Fork Mount Style Figure 001-212




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	Hardware Kit als			arrier Kit.					
1	8230 0585	1	D, P		41				CARRIER KIT, Bike, Fork - Mount
2	5016 512AA	1	D, P		41				HARDWARE KIT, Accessory,
									Contains: 2 T-Slots, 4 Dome Washers, 4 M6x1x16mm Screws
									and 2 M6 Lockwashers
3	5016 513AA	1							STRAP, Cargo Tie Down, Contains
									2 Straps
	-								
DGE - P	LYMOUTH - CHRY	SLER NE	ON (PL)						
	LINE				ENGIN	NIE .		TDANCE	MICCIONI
ERIES			BODY	or 104.0WB	ECB -	NE -2 01 4 Cvl S	SOHC		MISSION 5 Speed Manual
ERIES Low Line High Line	z= RHD	<b>;</b>		or, 104.0WB	ECB =	=2.0L 4 Cyl. S = 1.8L 4Cyl S	SOHC OHC	DD5 = 5 DGC = 3	MISSION 5 Speed Manual 3 Speed Automatic All Automatic

# Bike Carrier, Roof Mount Upright Style Figure 001-214




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3471	1							CARRIER KIT, Bike, Upright - Mour
	5016 512AA	1	D, P		41				HARDWARE KIT, Accessory, Contains: 2 T-Slots, 4 Dome Washers, 4 M6x1x16mm Screws and 2 M6 Lockwashers
3	5016 513AA	1							STRAP, Cargo Tie Down, Contains 2 Straps
4	5018 194AA	1							HARDWARE KIT, Bike Carrier
<b>ODGE - PL'</b> ERIES =Low Line	MOUTH - CHRY LINE Z= RHD	SLER NE	BODY	or, 104.0WB	ENGIN ECB =	2.0L 4 Cyl. S	OHC	DD5 = 5	MISSION 5 Speed Manual
=High Line	D= Dodge D= Chrys P= Plymo	ler			EBD =	= 1.8L 4Cyl So	OHC	DGC = DG0 = A	3 Speed Automatic All Automatic All Manuall





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	,		•					-	
	or use with a 1			er.	44				CARRIED KIT OU: 4 Dei:
1 2	8220 4454 4762 881	1 1	D, P		41 41				CARRIER KIT, Ski - 4 Pair STRAP KIT, Bike Carrier Latch
3	4762 882	1	D, P		41 41				LOCK KIT, Bike Carrier Handle
4	5016 774AA	1	D, P D, P		41				BOLT KIT, Security
5	5016 610AA	<u>'</u> 	D, P		41				HARDWARE KIT, Accessory,
J	3010 010/01	•	Σ, 1		71				Replacement T-Handle
									_
DOE	VMOUTH OUT		-ON (B: )						
RIES Low Line High Line			BODY	or, 104.0WB	ENGIN ECB =	NE =2.0L 4 Cyl. \$ = 1.8L 4Cyl S	SOHC	DD5 = 5	MISSION 5 Speed Manual 3 Speed Automatic

### Carrier Kit (Two Pair) Roof Mount Figure 001-222

**PART** 







DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**SERIES** 

L=Low Line H=High Line


LINE Z= RHD D= Dodge D= Chrysler P= Plymouth

BODY 41 = 4 Door, 104.0WB **ENGINE** 

ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic

### **Trailer Tow** Figure 001-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5890	1	D, P		41				RECEIVER KIT, Trailer Tow
2									HITCH, Trailer, (NOT SERVICED)
									(Not Serviced)
3	5019 180AA	1	D, P		41				HARDWARE KIT, Hitch
4	5016 666AA	1	D, P		41				PIN, Hitch
5									DRAWBAR, Attachment, Serviced
									Kit, (NOT SERVICED) (Not
									Serviced)
6									COVER KIT, Trailer Tow, Serviced
									Kit, (NOT SERVICED) (Not
									Serviced)
-7	8220 5158	1	D, P		41				WIRING PACKAGE, Trailer Tow, 4
									Way Flat Connector

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5158	1	D, P		41				WIRING PACKAGE, Trailer Tow
2	6015 756	<u>'</u> 1	D, P		<del></del>				STRAP, Tie, 7 inch
3	0010700	•	٥, ١						STRAP, Tie, Serviced in Package
· ·									(NOT SERVICED) (Not Serviced
4									WIRING, Trailer Tow - 4 Way,
									Serviced in Package, (NOT
									SERVICED) (Not Serviced)
5	8220 4602	1	D, P		41				BRACKET KIT, Trailer Tow
<b>DGE - PI</b> RIES	_YMOUTH - CHR\ LINE	SLER NE	EON (PL)—— BODY		ENGI			TDANG	MISSION
RIES .ow Line High Line	Z= RHD	e		or, 104.0WB	ECB =	NE =2.0L 4 Cyl. S0 = 1.8L 4Cyl S0	OHC OHC	DD5 = 5 DGC =	MISSION 5 Speed Manual 3 Speed Automatic All Automatic

D= Chrysler P= Plymouth

DG0 = All Automatic
DBB = All Manuall




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4546	1	D, P		41				CONTROL PACKAGE, Speed
									Control
2	4793 585	1	D, P		41				CLOCKSPRING
3	QA76 1AZ	1							SWITCH, Speed Control
4	QA77 1AZ	1							SWITCH, Speed Control
5	0154 613	4							SCREW, Pan Head Tapping, .164-
									32x.625
6	ST87 LAZAA	1	D, P		41				COVER, Steering Wheel Back, Blac
7	4591 046	1	D, P						PLATE, Speed Control Servo
8	6500 274	2	D, P						LOCK NUT, M6x1.0x6
9									SERVO, Speed Control, Same as
									Production Parts, (NOT
									SERVICED) (Not Serviced)
10	4459 055AB	1	D, P		41				CLIP, Cable Routing
11	4669 582AB	1	D, P		41				HARNESS, Speed Control, Servo to
									Reservoir
12	6101 818	2							SCREW
13	4669 788	1	D, P		41				RESERVOIR, Speed Control
									Vacuum
14									WIRING, Speed Control, Serviced in
									Kit, (NOT SERVICED) (Not
									Serviced)
15	6015 756	1	D, P						STRAP, Tie

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




	1 010									
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		<u> </u>								
	1	8220 5046	1	D, P		41				LIGHT PACKAGE, Fog
-	2	4794 306AB	1	D, P		41				SWITCH, Multifunction
	3	1701000/12	•	۵, ۱						WIRING, Fog Lamp, Serviced in
	Ü									Package, (NOT SERVICED) (Not
										Serviced)
-	4									WIRING, Serviced in Package, (NOT
										SERVICED) (Not Serviced)
	5	4641 780	1	D, P						STRAP, Tie, 7 inch
_	6	6101 447	6							NUT, M6x1.0
	7	5288 514AB	1	D, P		41				LAMP, Fog, Right
	8	5288 515AB	1	D, P		41				LAMP, Fog, Left
_										
-										
_										
_										
_										
-										
_										
_										

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Alarm- EVS Base System Figure 001-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I EIVI	NUMBER	WIT	LINE	SERIES	ВОВТ	ENGINE	CNANI	I IVIIVI	DESCRIPTION
NOTE: Ite	ms # 6-7-8 ar	e Wiring	n Harnesse	es for Optio	onal Featu	es			
	8220 3763	1	D, P		41				MODULE KIT, Alarm without Keyles
	5012 164AA	1	D, P		41				MODULE, Security Alarm
	8220 3198	1	D, P		41				SIREN, Alarm
4	4886 374AA	1	D, P		41				TRANSMITTER, Alarm or Keyless,
5	4636 141	1	D, P		41				Two Included BATTERY, Transmitter, Two Included
-6	8220 4216	1	D, P		41				WIRING KIT, Park and Headlight
	8220 5189	1	D, P		41				WIRING KIT, Alarm without Keyless
	8220 5190	1	D, P		41				SENSOR KIT, Shock
	MOUTH - CHRY	SLER NE							
SERIES _=Low Line H=High Line	LINE Z= RHD D= Dodge D= Chrysl P= Plymo	ler	BODY 41 = 4 Doo	or, 104.0WB	ENGIN ECB = EBD =	NE =2.0L 4 Cyl. S = 1.8L 4Cyl S	SOHC OHC	DD5 = 5 DGC = 7 DG0 = 7	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

# Group – 002 Front Suspension & Drive






### **GROUP 2 - Front Suspension & Drive**

Illustration Title	Group-Fig. No
Front Suspension	
Suspension, Front	Fig. 002-105
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-205

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
	TIEW	NOWBER	l dii	LINE	SERIES	БОРТ	ENGINE	IKANS	TRIM DESCRIPTION
$\bigcirc$	NOTE: Sa								
		IEAVY DUTY							
		rm Feel Susp				ig Suspeni	sion		
		uropean Homo							
		ZRJ]= Spring		Types For	und on Indiv	vidual Veh	iclel Sales	Code Listir	
		6505 116AA							NUT, M14X2
	2	5272 226	2						MOUNT AND BEARING, Strut,
									Upper
	3	5272 227	2						SEAT AND BEARING, Suspension
	_								Strut
	4								SPRING, Front Suspension Coil
		5272 603	1						[SDB, SDC, SDF] [ZCC, ZRC]
		5070.004							Tag#603
		5272 604	1						[SDB, SDC, SDF] [ZCD, ZRD]
(5) (25)		E070 C0E	4						Tag#604
		5272 605	1						[SDB, SDC, SDF] [ZCE, ZRE] Tag#605
		5272 606	1						[SDB, SDC, SDF] [ZCF, ZRF]
		3272 000	'						Tag#606
		5272 607	1						[SDB, SDC, SDF] [ZCG, ZRG]
		0212 001	•						Tag#607
25	-	5272 608	1						[SDB, SDC, SDF] [ZCH, ZRH]
									Tag#608
		5272 609	1						[SDB, SDC, SDF] [ZCJ, ZRJ]
(30) (26)									Tag#609
$(15) \qquad (29) \qquad (29)$	5	4656 060AB	2						SHIELD, Suspension
	6	5272 223AB	2						BUMPER, Jounce
	7	4656 083	2						ISOLATOR, Spring
$\begin{array}{c} (14) \\ (14) \\ (15) \\ (17) \\ (17) \\ (18) \\ (19) \\ (1$	8								STRUT, Front Suspension
		4656 174AC	2	D, Z					[SDF-SDB]
(26)		5272 325AD							[SDC]
	9	6101 445	6						NUT AND WASHER, Hex Nut-Cone
									Washer, M8 x 1.25
(33) (28)	10								ARM, Control
		5272 236	1						Right
		5272 237	1						Left
(24)	11	4656 010	1						BALL JOINT, Lower Control Arm,
	40	1004 745	4						Less Seal Boot
(22) (15) (31)		4694 745	1						FITTING, Ball Joint, Zirc
(22) (15)		4656 464AA-	1						SEAL, Ball Joint
		4656 012AB 5272 324	2						BUSHING, Control Arm LINK, Sway Eliminator
$(21) \qquad (17) \qquad (16) \qquad (3)$	15	3272 324	2						LINK, Sway Ellitiliator
(a) (32)									
20 (32)	DODGE - PLY SERIES	MOUTH - CHRY	SLER NE			ENGI			TRANSMISSION
(18)	L=Low Line	Z= RHD		BODY 41 = 4 Doo	or, 104.0WB	ECB =	=2.0L 4 Cyl. S	SOHC	DD5 = 5 Speed Manual
(19)	H=High Line	D= Dodge D= Chrys	e ·ler			EBD =	= 1.8L 4Cyl S	OHC	DGC = 3 Speed Automatic DG0 = All Automatic
		D= Chrys P= Plymo	outh						DBB = All Manuall
		-							

# Suspension, Front Figure 002-105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6504 742	2							SCREW AND WASHER, Hex Head
10	0004 742								M14 x 2 x 115.0
17	6505 595AA	2							NUT, M14X2
18	4656 513AA	2							CLAMP, Stabilizer Bar
19	6505 727AA	4							SCREW, Hex Head, M8x1.25x25.00
20	5272 327	<u>.</u> 1							BAR, Front Sway
21	4656 512AA	2							CUSHION, Sway Eliminator
22	6505 015AA	2							SCREW, Front Control Arm Rear
	0000 010/11	_							Pivot Att M14x2.00x130.00
-23	6506 039AA-	2							SCREW, Hex Head, Front Control
									Arm Rear Pivot Att M16x2.
									00x130.0
24									KNUCKLE, Front
	4656 090AC	1							Right
	4656 091AC	1							Left
25	6505 525AA	4							SCREW, M14x2.00x70.00
26	6505 232AA	4							NUT, M14x2.00
-27	5019 074AA-	2							BOLT PACKAGE, Camber
									Adjustment
28	6501 248	2							BOLT, Hex Flange Head, M12x1.
									75x57
29	6501 247	2							NUT, M12x1.75
30	6505 595AA	2							NUT, M14X2
31	4668 361AB	1							PLATE, Suspension
32	6505 982AA	3							SCREW, Hex Head, M8x1.25x20.0
33	6505 743AA	2							SCREW, M14x2.00x60.00
-34	6506 039AA-	2							SCREW, Hex Head, Front Control
									Arm Rear Pivot Att M16x2.
									00x130.0 (to Crossmember)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

4	
2	3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ales Co									
_	BL 4 Cyl. SOH								
_	DL 4 Cyl. SOH Sp. Manual Tra		alve						
_	Sp. Manuai 11a Sp. Auto. Tran								
1	op. /tato. Train								SHAFT, Axle Half
	4668 953AC	1				EBD,			Left
						ECB			
	4668 952AE	1				EBD,	DD5		[DD5], Right
	1000 05015					ECB	<b>D</b> .00		(DOOL B) 14
2	4668 956AD	1					DGC		[DGC], Right BOOT KIT, Half Shaft, Inner
2	5014 912AA	1					DGC		w/or w/o ABS, Right
	5014 913AA	<u>·</u> 1				EBD,			w/or w/o ABS, Left
						ECB			·
3	5014 914AA	2				EBD,			BOOT KIT, Half Shaft, Outer, w/o
						ECB			w/o ABS
4	4797 704	2				EBD,			CIRCLIP, Half Shaft
E	6505 309AA	2				ECB			NUT, (Use one Time Only)
5	6505 309AA	2							NOT, (Use one Time Only)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Group – 004 Parking Brake





Illustration Title Group-Fig. No.

**Parking Brake Lever and Cables** 


Lever and Cables ..... Fig. 004-105







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									CABLE, Parking Brake
	4509 892AC	1							Rear with Disc/Drum, Right
	4509 894AC	1							Rear with Disc/Disc with or without
									ABS, Right
2	4509 778AB	1							LEVER, Park Brake, Assy
3	6505 669AA	2							NUT, Hex Flange, M8x1.25
4									CABLE, Parking Brake
	4509 893AC	1							Rear with Disc/Drum, Left
	4509 895AC	1							Rear with Disc/Disc with or without
									ABS, Left
5	6502 337	4							NUT, M10x1.5
6									EQUALIZER, Parking Brake Cable,
									(Service in Lever Assy), (NOT
									SERVICED) (Not Serviced)
-7	3420 1686	2							BOLT, Hex Flange Head, M12x1.
									18x35, Parking Brake Brkt Attach
									Backing Plate
8	5209 922	1							SWITCH, Parking Brake
9									SCREW, Tap/Hex Flg Hd Light
									Switch to P/Brk Lvr Mtg .190-24x.
									750, (NOT SERVICED) (Not
									Serviced)




DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 005 Service Brakes




005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
000			

### **GROUP 5 - Service Brakes**

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes, Front	Fig. 005-105
Rear Brakes	
Brakes, Rear Drum	Fig. 005-205
Brakes, Rear Disc	Fig. 005-207
Power Brake Booster	
Booster, Power Brake	Fig. 005-305
Brake Master Cylinder	
Master Cylinder	Fig. 005-405
Anti-Lock Brake Control	Fig. 005-410
Brake Lines and Hoses	
Lines and Hoses, Brake without Anti-Lock Brakes	Fig. 005-505
Lines and Hoses, Brake with Anti-Lock Brakes	Fig. 005-545
Brake Pedals	
Pedal, Brake	Fig. 005-605

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales C	odes:								
[BRA]=	POWER FRON	T DISC	REAR DR	RUM					
[BRD]=4	1-WHEEL DISC								
[BRX]=	FRONT DISC/R	EAR D	RUM						
[BRF]= <i>i</i>	ANTI-LOCK 4-W	VHEEL-	DISC						
[ACR]=0	COMPETITION	GROUF	)						
1	4762 551	1							PISTON PACKAGE, Disc Brake, wit
									BRA
2	4364 779	1							SEAL PACKAGE, Brake Caliper
3	4238 717	1							CAP, Bleeder
4									CALIPER, Disc Brake
	5014 428AA	1							with BRA, Right
	5014 429AA	1							with BRA, Left
	5014 742AA	1							with BRF,BRX, Right
	5014 743AA	1							with BRF,BRX, Left
5	4383 471	1							BUSHING, Disc Brake Caliper
6	5014 431AA	1							SCREW, Bleeder
7	4423 573	1							SLEEVE, Disc Brake Caliper
8	6502 527	4							BOLT, Hex Flange Head, M8-1.
									25x68.50
9									PAD KIT, Disc Brake
	5014 527AA	1							[BRD] [BRX]
		1							[BRF, ACR] Domestic
		1							[BRF] Export
	5014 438AA	1							[BRF] Domestic
		1							[BRA]
	5086 506AA	1							Mexico Only
10	4670 292AC	1							HUB, Wheel
11	6501 053	5							STUD, M12x1.5x41.5
12	6503 067	5							STUD, Hub, with ACR
13	4668 361AB	1							RETAINER
14	4668 442AA	1							BEARING, Wheel
15	6505 982AA	3							SCREW, Hex Head, Retainer
									Attaching
16									SENSOR, Anti-Lock Brakes
	5273 332	1							Right
	5273 333	1							Left
17	5273 038AA	2							ROTOR, Brake
18	3420 1686	2							BOLT, Hex Flange Head, M12x1.
									18x35
-19	4423 572	1							PISTON, Brake, with BRF,BRX


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Brakes, Front Figure 005-105






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5014 425AA	1							CYLINDER, Wheel
-2	4238 717	1							CAP, Bleeder
3	4238 728	1							SOCKET, Brake Adjusting Screw
4	4383 543	1							CLIP, Brake Shoe Hold Down
5									LEVER, Park Brake Adjusting
	4762 530	1							Right
	4762 531	1							Left
6	4762 537	1							SHOE KIT, Brake
7	4238 730	1							SPRING, Brake Shoe Return
8	4238 851	1							SPRING, Brake Auto Adjuster Lever
9									PLATE, Brake Backing
	5014 928AA	1							Right
	5014 929AA	1							Left
10									LEVER, Park Brake Adjusting
	5014 996AA	1							Right
	5014 997AA	1							Left
11	5273 983	2							DRUM, Brake
12	4746 174	2							STUD, Wheel
13									HUB AND BEARING, Brake
	4509 766	2							Without ABS, Right And Left
	4509 767	2							With ABS, Right And Left
14	4509 396	2							CAP, Wheel Bearing
15	6504 266	20							NUT, Wheel, M12x1.50
16	4509 544	2							SEAL, Brake Support
17	4238 716	1							CLIP, Parking Brake Pin Lever
18	4238 721	1							PLUG, Brake Adjusting Hole
19	6503 579	8							BOLT AND CONED WASHER, Hex
									Head, M10x1.5x30
20	4762 536	1							PIN, Brake Shoe Hold Down
21									BOLT, Wheel Cylinder, (NOT
									SERVICED) (Not Serviced)
22									ADJUSTER, Parking Brake
	4762 534	1							Right
	4762 535	1							Left
23	4509 893AD	2							CABLE, Parking Brake
24	5015 004AA	1							SPRING, Brake Shoe Return
-25									NUT, Push Rear Drum Retainer for
_									M12 Stud, (NOT SERVICED) (Not
									Serviced)
26	4238 715	1							SCREW, Rear Wheel Brake Cylinder
									Mounting

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Brakes, Rear Drum Figure 005-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEWI	NUMBEK	Q I Y	LINE	SERIES	אַטטם	ENGINE	IRANS	IKIM	DESCRIPTION
27									PLATE, Anchor (Service in Backing
									Plate), (NOT SERVICED) (Not Serviced)
28	5014 431AA	1							SCREW, Bleeder
-29	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
		_				<u></u>			
			_	_	_	_			
DGE - PL	YMOUTH - CHRY	SLER NE	EON (PL)——		ENO:			TDANO	MOISSIM
RIES Low Line High Line	LINE Z= RHD D= Dodge	1	BODY 41 = 4 Doo	r, 104.0WB	ENGIN ECB = FBD =	NE :2.0L 4 Cyl. S : 1.8L 4Cyl S	OHC	DD5 = 5	MISSION 5 Speed Manual 3 Speed Automatic
-i iigii LINE	D= Doage D= Chrysl P= Plymo	er			EBU =	- 1.0L 4091 S		DG0 = A	3 Speed Automatic All Automatic All Manuall

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
$\overline{7}$ $\overline{4}$ $\overline{3}$	1									CALIPER, Disc Brake
$\mathcal{T}$		5014 784AA	1							Right
\		5014 785AA	1							Left
	2	4383 879	1							BOOT, Brake Piston
	3	4383 471	1							BUSHING, Disc Brake Caliper
	4	4423 573	1							SLEEVE, Disc Brake Caliper
	5	5014 431AA 4238 717	1							SCREW, Bleeder CAP, Bleeder
	7	6502 527	4							BOLT, Hex Flange Head, M8-1.
		0002 027								25x68.50
	8	4509 553AB	2							ROTOR, Brake
(5)	9									NUT, Wheel Chrome, M12x1.5
		6502 738	20							w/Style Wheels
		6504 266	20							w/Wheel Covers
	10	4509 396	2							CAP, Wheel Bearing
	11									HUB AND BEARING, Brake
		4509 766	2							w/o ABS
		4509 767	2							w/ABS
	-12	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
	13 14	4509 504	1							SOCKET, Brake Adjusting Screw
		4383 541	1							SPRING, Park Brake Shoe Return Upper
		5014 930AA	1							Lower
(26)	15	4383 543	1							CLIP, Brake Shoe Hold Down
	16	4383 539	1							NUT, Parking Brake Adjusting
	17									ADAPTER, Disc Brake Caliper
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		4762 684	1							Right
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		4762 685	1							Left
	18	4238 733	1							PIN, Brake Shoe Hold Down
	19	4238 721	1							PLUG, Brake Adjusting Hole
	20									LEVER, Park Brake Adjusting
(18)		4882 208	1							Right
		4882 209 4509 503	1 1							Left SCREW, Parking Brake
$\begin{array}{c} (32) \end{array}$	21 22	4509 505	'							SENSOR, Anti-Lock Brakes
	22	5273 330	1							Right
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5273 331	1							Left
	23	4383 880	1							SEAL, Caliper Piston
	24	4383 878	1							PISTON, Brake
/ 15)	25	6503 579	8							BOLT AND CONED WASHER, Hex
$(20) \qquad (3)$										Head, M10x1.5x30
$\begin{array}{c c} (19) & \\ \hline \end{array}$	26	4509 544	2							SEAL, Brake Support
	27	4746 174	2							STUD, Wheel
(17)										
	DODGE - PL	YMOUTH - CHRYS	SLER NE	ON (PL)——						
(32)	SERIES L=Low Line	LINE		BODY 41 = 4 Doo	r 104 0WR	ENGIN ECR =	IE 2.0L 4 Cyl. S	SOHC	TRANSM	MISSION Speed Manual
(25)	H=High Line	D= Dodge		-71 - 4 D00	, 107.0VVD	EBD =	1.8L 4Cyl S	OHC	DGC = 3	Speed Automatic
(16) $(14)$		D= Chrysle P= Plymou	er uth							ll Àutomatic Il Manuall
			-						,	

### **Brakes, Rear Disc** Figure 005-207



### **Booster, Power Brake** Figure 005-305

(5) (8)
6) 4) 10)
9

								1	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	ales Code BRA=	= Disc/D	)rum						
Note: Sa	ales Code BRX=	Disc/D	rum (Expo	ort)					
Note Sa	les Code BRF=	Disc/Di	isc w/ABS						
1									BOOSTER, Power Brake
	5015 157AA	1	D, P						with BRA,BRX
	5015 158AA	1							with BRF
-2									CONNECTOR, Brake Booster
									Vacuum, (NOT REQUIRED)
-3									CONNECTOR, Manifold Vacuum,
									(NOT REQUIRED)
4	4796 355	1							VALVE, Brake Booster Check
5	4509 816	1	D, P						HOSE, Brake Booster
6	2448 761	1							CLAMP, Hose
7	3699 447	1							GASKET, Booster To Dash
8	4883 813AA	1							GROMMET, Brake Booster Check
									Valve
9	6035 334	1							CLIP, Brake Push Rod
10	6502 524	1							NUT, Hex Lock, M8x1.25
11	6101 445	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
-12									TUBE, Brake
	4509 706AC-	1	Z						(Hose, Brake Booster Vac)
	4509 837AB-	1	Z						(Hose, Brake Booster Vac to
									Engine)
-13									DIAPHRAGM, Brake Master
									Cylinder, (Service in the Booster),
									(NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

506 501 2 501 3 468 -4 488 -5 472 6 650			• • • • • • • • • • • • • • • • • • • •
501 2 501 3 468 -4 488 5 472 6 650			506
2 501 3 468 -4 488 5 472 6 650			
$ \begin{array}{c} 3 & 468 \\ -4 & 488 \\ \hline 3 & 6 & 650 \end{array} $		2	501
3 2 2 5 472 6 650		3	468
6 650		-4	488
6 650		5	472
	$\binom{3}{2}$		

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•				•	•	
	es Codes								
	OWER FRONT	DISC/	REAR DRI	UM					
_	-WHEEL DISC NTI-LOCK 4-W		niec.						
_	RONT DISC/RE								
1	ROW BIOOFKE	_/((\ D)	COIVI						MASTER CYLINDER, Brake
	5015 160AA	1							[BRF]
	5015 224AA	1							[BRF] Export
	5015 149AA	1	D, P						[BRA]
	5069 001AA	1	D, P						[BRD]
	5015 159AA	1							[BRX]
2	5015 150AA	1							RESERVOIR, Brake Master Cylind
3	4683 656	1							CAP, Master Cylinder Reservoir
-4	4883 813AA-	1							GROMMET, Brake Booster Check
_									Valve, also M/Cylinder to Reserve
5	4723 395	1							GASKET, Brake Master Cylinder
6	6502 524	1							NUT, Hex Lock, M8x1.25


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Anti-Lock Brake Control** Figure 005-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•		•			
1	5014 869AA	1							HYDRAULIC CONTROL UNIT, Anti-
									Lock Brake System
2	5014 870AA	1							BRACKET, Brake Control Unit
3	5014 871AA	1							MODULE, Anti-Lock Brake System,
									with Screws for Attch
4	6102 150AA	3							SCREW, Tapping, M8x1.25x30.00
5									TUBE, Convoluted
	4364 375	1	D, P						Fuel and Brake (Bundle)
		1	Z						Fuel and Brake (Bundle)
6									NUT
	6036 125AA	1	D, P						.375-24X.850
		1	Z						.375-24X.850
	6036 126AA	1	D, P						.437-24x.825
		1	Z						.437-24x.825
	6036 157AA	1	D, P						.437-24x0.85
		1	Z						.437-24x0.85
7									TUBE, Brake
	4509 780AB	1	D, P						Master Cylinder to HCU, Primary
	4509 834AB	1	Z						Master Cylinder to HCU, Primary
8									TUBE, Brake
	4509 776AC	1	D, P						Master Cylinder to HCU,
	4500 00540		_						Secondary
	4509 825AC	1	Z						Master Cylinder to HCU,
0	4500 704 AD								Secondary
9	4509 781AD	1							TUBE, Brake, HCU to Front Hose,
10									Left
-10	4064 07E	4	D D						TUBE, Convoluted
	4364 375	1	D, P Z						HCU to Front Hose Right
-11		1							HCU to Front Hose Right NUT
-11	6036 125AA-	1	D, P						.375-24x.850
	0030 123AA-	1	Z, r						.375-24x.850
	6036 126AA-	1	D, P						.437-24x.825
	0000 120/01	1	Z						.437-24x.825
	6036 157AA-	1	D, P						.437-24x0.85
	0000 1017.01	1	Z, .						.437-24x0.85
12									NUT
	6036 125AA	1							.375-24x.850
	6036 126AA	1							.437-24x.825
13									NUT
	6036 125AA	1							.375-24x.850
	6036 126AA	1							.437-24x.825
	3000 12011A	'							. 107 2 17.1020

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Anti-Lock Brake Control

Fig	jure 005-410	ntroi								
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6036 157AA	1	D, P Z						.437-24x0.85 .437-24x0.85
(12)										
(6)										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										
	<u> </u>									

(13)


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Lines and Hoses, Brake without Anti-Lock Brakes Figure 005-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1								
Sales Co	des:								
BRA= PC	OWER FRONT	DISC/F	REAR DRU	JM					
BRD=4-V	VHEEL DISC								
BRF=AN	TI-LOCK 4-WH	IEEL-D	ISC						
BRA= Di	sc/Drum								
BRX= Di	sc/Drum								
1									HOSE, Brake
	4509 802AB	1							Drum,Right Rear
	4509 803AB	1							Drum,Left Rear
	4509 808AB	1							Disc,Right Rear
	4509 809AB	1							Disc,Left Rear
2	6505 344AA	2							SCREW, Hex Flange Head Tappir
									M6.3 x 1.81 x 20.00, Drum
3									HOSE, Brake
	4509 794AB	1							[BRD, BRA, BRX], Right Front
	4509 795AB	1							[BRD, BRA, BRX], Left Front
	4860 044AA	1							[BRF], Right Front
	4860 045AA	1							[BRF], Left Front
4	6505 801AA	2							SCREW, Hex Head
5	6502 114	4							WASHER, Brake Hose
6	3420 1686	2							BOLT, Hex Flange Head, M12x1.
									18x35
7	6101 712	2							NUT, U, M6x1
8	4509 856AC	1	Z						TUBE, Brake, Right Front
9	4509 847AC	1	Z						TUBE, Brake, Left Front
10									CLIP, Fuel Tube
	5278 180AB	4	D, P						and Brake U/Body 5 Tube
		4	Z						and Brake U/Body 5 Tube
	5278 181AA	2	D, P						and Brake Rear Rail 3 Tube
		2	Z						and Brake Rear Rail 3 Tube
	5278 182AB	1	D, P						and Brake Dash 4 Tube
	5278 218AA	1	Z						and Brake Dash 4 Tube
	5278 179AB	1	Z						and Brake Dash 7 Tube
		1	D, P						and Brake Dash 7 Tube
-11									CLIP, Tube
	4495 636	4	D, P						and Brake Rail Kick Up
		3	Z						and Brake Rail Kick Up
	4546 674	1	Z						and Brake Front Rail
-12									VALVE, Proportioning
	5015 181AA-	2	D, P						with BRA
	5015 182AA-	2	, -						with BRX
13									TUBE, Brake
	.YMOUTH - CHRY LINE	SLER NE	E <b>ON (PL)</b> —— BODY		ENGIN	 NE		TRANS	MISSION
=Low Line H=High Line	Z= RHD	ler	-	or, 104.0WB	ECB =	=2.0L 4 Cyl. S = 1.8L 4Cyl S		DD5 = 5 DGC = 7 DG0 = 7	5 Speed Manual 3 Speed Automatic All Automatic All Manuall

# Lines and Hoses, Brake without Anti-Lock Brakes Figure 005-505




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		4509 779AC	1	D, P						Left Front
		4509 847AD	1	Z						Left Front
	14	5066 871AA	1	D, P						TUBE, Brake, Rt Front
	15									TUBE, Brake, Rt Rear
		5066 872AA	1	D, P						
		5066 874AA	1	Z						
	16									TUBE, Brake, Lt Rear
		5066 873AA	1	D, P						
		5066 875AA	1	Z						
	-17									NUT
		6036 126AA-	1	D, P						.437-24x.825, used with Rough
										Stock Tubing
			1	Z						.437-24x.825, used with Rough
										Stock Tubing
		6036 125AA-	1	D, P						.375-24x.850, used with Rough
										Stock Tubing
			1							.375-24x.850, used with Rough
_										Stock Tubing
		6036 157AA-	2	D, P						.437-24x0.85, used with Rough
										Stock Tubing
			2	Z						.437-24x0.85, used with Rough
_										Stock Tubing

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Lines and Hoses, Brake with Anti-Lock Brakes Figure 005-545




	PART	0.77		055:50	Dooy	ENGINE			DECCE PROPERTY OF
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOSE, Brake
	4509 808AB	1							Disc, Right
	4509 809AB	1							Disc, Left
2	6502 114	4							WASHER, Brake Hose
3	6505 801AA	2							SCREW, Hex Head
4	6505 344AA	2							SCREW, Hex Flange Head Tap
									M6.3 x 1.81 x 20.00
5									HOSE, Brake
	4860 044AA	1							Right Front
	4860 045AA	1							Left Front
6	6505 801AA	2							SCREW, Hex Head
7	6502 114	4							WASHER, Brake Hose
8	3420 1686	2							BOLT, Hex Flange Head, M12x
									18x35
9	6101 712	2							NUT, U, M6x1
10									SENSOR, Anti-Lock Brakes
	5273 330	1							Rear, Right
	5273 331	1							Rear, Left
11									CLIP, Fuel Tube
	5278 179AA	1	D, P						and Brake Dash 7 Tube
		1	Z						and Brake Dash 7 Tube
	5278 180AB	4	D, P						and Brake U/Body 5 Tube
		4	Z						and Brake U/Body 5 Tube
	5278 181AA	2	D, P						and Brake Rear Rail 3 Tube
		2	Z						and Brake Rear Rail 3 Tube
	5278 182AB	1	D, P						and Brake Dash 4 Tube
	5278 218AA	1	Z						and Brake Dash 4 Tube
-12									CLIP, Tube
	4495 636	4	D, P						and Brake Rail Kick Up
		3	Z						and Brake Rail Kick Up
	4546 674	1	Z						and Brake Front Rail
13									TUBE, Brake, Rt Rear
	5066 869AA	1	D, P						
	5066 877AA	1	Z						
14									TUBE, Brake, Rt Front
	5066 868AA	1	D, P						
	5066 876AA	1	Z						
15									TUBE, Brake, Lt Rear
-	5066 870AA	1	D, P						, , , , , , , , , , , , , , , , , , , ,
	5066 878AA	1	Z .						
	3000 0, 0, 0	•	_						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




	PART	ОТУ		OFFICE	DODY	ENOINE	TDANG	TDIM	DECORIDATION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL, Brake And Clutch
	4509 768AB	1	Z						with Bracket with Auto Trans
	4509 769AE	1	Z						with Bracket with Manual Tra
	5273 646AB	1	D, P						with Bracket with Auto Trans
	5273 854AE	1	D, P						with Bracket with Manual Tra
2	6500 197	1	D, P						NUT, M10x1.5
3									BUSHING, Pedal Shaft
	2467 770	2	Z						
		2	D, P						
4	4671 336	1							SWITCH, Stop Lamp
5									PAD, Pedal
	4779 027	1	D, P						with Auto Trans
		1	Z						with Auto Trans
6	6035 334	1							CLIP, Brake Push Rod
-7	6101 446	3							NUT AND WASHER
8									SHAFT, Brake Pedal Pivot
	4683 022	1	D, P						
		1	Z						
-9									PAD, clutch
	4683 021	1	Z						and Brake with Manual Trans
		1	D, P						and Brake with Manual Trans


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 006 Clutch





### **GROUP 6 - Clutch**

Illustration Title	Group-Fig. No.
Clutch Clutch and Disc, (DD5)	Fig. 006-110
Clutch Housing Housing, Clutch and Mounting Bolts, (DD5)	Fig. 006-210
Clutch Controls Linkage, Clutch, (DD5)	Fig. 006-310 Fig. 006-312 Fig. 006-315
Clutch Pedals Pedal, Clutch, (DD5)	Fig. 006-410

## Clutch and Disc, (DD5) Figure 006-110

2		
	3	

1754	PART	OTV		OFDIFO	DODY	ENGINE	TDANO	TD184	DECORURTION		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
	NOTE: SALES CODES: DD5 = 5 Spd Manual Trans A578  EBD = 1.8L 4 Cyl - SOHC										
	L 4 Cyl - SOI L 4 Cyl - SOI										
	L 4 Cyl - SOI 1668 400AB	нС 1				EBD,	DD5		CLUTCH, Modular		
•	1000 TOO/ID	•				ECB	DD0		CEO I GI I, Modulai		
2									CLUTCH PACKAGE, (NOT		
									REQUIRED)		
3									BOLT, Hex Head, (NOT REQUIRED)		
									_		
			<del></del>								
									_		
DODGE - PLY	MOUTH - CHRY	SLER NE	ON (PL)								
SERIES L=Low Line	LINE Z= RHD		BODY 41 = 4 Doo	or, 104.0WB	ENGIN ECR =	NE :2.0L 4 Cyl. S	SOHC		MISSION 5 Speed Manual		
H=High Line	D= Dodge	<b>&gt;</b>	= + 500	.,	EBD =	: 1.8L 4Cyl S	OHC	DGC =	3 Speed Automatic		
	D= Chrysl P= Plymo	ler outh						DG0 = I $DBB = I$	All Áutomatic All Manuall		
	.,										


## Housing, Clutch and Mounting Bolts, (DD5) Figure 006-210

5	
2	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:	SALES CODES:	: DD5 =	5 Spd Ma	anual Trans	A578				
	1.8L 4 Cyl - SOI		о ора		7.0.0				
ECB = 2	2.0L 4 Cyl - SOH	НС							
1									HOUSING, Clutch
	4874 130	1	Z			EBD	DD5		
	5003 474AA	1					DD5		
2	6501 755	1					DD5		SCREW AND WASHER, Hex Hea M6x1x16
3	6501 742	3					DD5		SCREW, Hex Head, M12x1.75x50
4									STUD
	6505 314AA	2				ECB			
		2				EBD			
5									PIN, Locating
	4761 099	2	Z			EBD	DD5		,g
		2	_ D, Р			ECB	DD5		
		_	٥, .			202	220		

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SALES CODES		5 Spd Ma	nual Trans	A578				
	8L 4 Cyl - SO		D D				DDC		CDACED Clutch Dadal Adiuston
1	4670 277	1	D, P				DD5		SPACER, Clutch Pedal Adjuster
2 3	4668 999 4796 664	1 1	D, P				DD5 DD5		CABLE, Clutch Release LEVER PACKAGE, Clutch Releas
4	4670 026	1					DD5		BEARING, Clutch Release
5	4670 240	1					DD5		PIVOT, Clutch Release Lever
6									BOOT, Clutch Release Lever
	4670 019	1	D, P				DD5		
	4670 071	1	Z			EBD	DD5		
7	6034 206	1							PIN, Hair, .250 Dia x.766x.059
	VMOUTU OUT	Well Fig. 1.							
DDGE - PI	LYMOUTH - CHR	YSLER NE			ENG	NF		TRANS	MISSION
DDGE - PI ERIES :Low Line	LINE	YSLER NE	BODY	or, 104.0WB	ENGII ECB =		SOHC	TRANS	MISSION 5 Speed Manual
ERIES	LINE Z= RHD e D= Dodg	je	BODY	or, 104.0WB	ECB =	NE =2.0L 4 Cyl. S = 1.8L 4Cyl S	SOHC	DD5 = 5 DGC =	5 Speed Manual 3 Speed Automatic
RIES Low Line	LINE Z= RHD	je sler	BODY	or, 104.0WB	ECB =	=2.0L 4 Cyl. S	SOHC	DD5 = 5 DGC = DG0 = 7	5 Speed Manual

### Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD5) Figure 006-312


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: 0	M FO OODEO	. DD5	5 O 1 Ma	<b></b>	A 570				
	SALES CODES .8L 4 Cyl - SO		: 5 Spa Ma	anuai irans	A578				
1	4670 026	1					DD5		BEARING, Clutch Release
2	.0.0 020	·					220		BOOT, Clutch Release Lever
_	4670 019	1	D, P				DD5		2001, 0.0.0.110.0000 2010.
	4670 071	1	Z			EBD	DD5		
3	4796 664	1					DD5		LEVER PACKAGE, Clutch Releas
4	4670 240	1					DD5		PIVOT, Clutch Release Lever

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Controls, Master Cylinder &Slave Cylinder, Hydraulic Clutch, RHD, (DD5) Figure 006-315




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SALES CODES		5 Spd M	anual Trans	s A578				
	1.8L 4 Cyl - SOI								
	2.0L 4 Cyl - SOI	HC							DDACKET Broke Flyid Becomesin
1									BRACKET, Brake Fluid Reservoir, (NOT REQUIRED)
2									CLIP, Stud, (NOT REQUIRED)
3	4670 268	1	Z				DD5		CLIP, Clutch Tube
4	4670 026	1					DD5		BEARING, Clutch Release
5	6101 695	4					DD5		NUT, Hex Flange Lock, M8x1.25
6	4670 367AB	1	Z				DD5		CLIP, Clutch Tube
7	4668 330AC	1	Z				DD5		ACTUATOR, Hydraulic Clutch,
									Master Cylinder
8	6101 695	4					DD5		NUT, Hex Flange Lock, M8x1.25
9	6101 614	3							SCREW AND WASHER, Hex Head
									M8x1.25x45
10	4668 331AA	1	Z				DD5		ACTUATOR, Hydraulic Clutch, Slav
									Cylinder

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	SALES CODES	: DD5 =	5 Spd Ma	nual Trans	A578				
1	6500 197	1	D, P				DD5		NUT, M10x1.5
2	4511 135AB	1	D, P				DD5		SHAFT, Clutch Pedal
3	4668 328	1	D, P				DD5		SPRING, Clutch Pedal Return
4	2467 770	4	D, P				DD5		BUSHING, Pedal Shaft
5									PEDAL, Clutch
	4668 277	1	D, P				DD5		
	4668 349AA	1	Z				DD5		
6									PAD, clutch
	4683 021	1	Z				DD5		
		1	D, P				DD5		
7	5293 060AC	1	D, P				DD5		SWITCH, Clutch Starter Interlock
8	6034 206	1							PIN, Hair, .250 Dia x.766x.059
-9									PIN, Cotter, M3.2x36, (NOT
									SERVICED) (Not Serviced)
10									BUMPER, Clutch Pedal, (NOT
									SERVICED) (Not Serviced)
-11									STOPPER, Clutch and Brake Peda
									(NOT SERVICED) (Not Serviced)
12									PIN, Clutch Pedal, (NOT SERVICE
									(Not Serviced)
13									PEDAL, Clutch
	4668 277	1	D, P				DD5		
	4668 349AA	1	Z				DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Group – 007 Cooling




007–100 Radiator and Related Parts	007–200	007–300	007–400
	Water Pump and Related Parts	Tank, Coolant Engine	Pulleys and Related Parts
<b>007–500</b>	007–600	007-700	
Drive Belts	Lines, Transmission Oil Cooler	Grilles	

### **GROUP 7 - Cooling**


Illustration Litle	Group-Fig. No
Radiator and Related Parts Radiator and Related Parts	Fig. 007-110
Water Pump and Related Parts  Water Pump and Related Parts	Fig. 007-203
Tank, Coolant Engine Coolant Reserve Tank	Fig. 007-303
Pulleys and Related Parts Pulley and Tensioner	Fig. 007-403
Drive Belts Drive Belts	Fig. 007-503
Lines, Transmission Oil Cooler Lines, Oil Cooler	Fig. 007-603
Grilles Grille and Related Parts	Fig. 007-703

### **Radiator and Related Parts** Figure 007-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes:								
[DD5] = 7	<b>FRANSMISSIO</b>	N - PEI	RF. MANU	AL 5-SPEE	D				
[DGC] =	TRANSMISSIC	N - 3-S	SPEED AU	TOMATIC					
[DGL] = <sup>-</sup>	TRANSMISSIO	N - 4-S	PD. AUTC	MATIC,41	ΤE				
	.8L 4 CYL SOI		SEFI						
	2.0L SOHC 16								
	2.0L 4 CYL SC			•					
_	.6L 4 CYL SO	HC 16V	SMPI						DDAOVET O III AA LI
1	5070 07CAA								BRACKET, Cooling Module
	5278 276AA 5278 277AA	1							Upper,Right
2	6101 718	1 2							Upper,Left SCREW AND WASHER, Oval Head
2	0101 710	2							M6x1x25, Bracket Attaching
3									RADIATOR, Engine Cooling
3	5014 580AA	1				EBD,	DGC		
	30000/1/	•				ECB	200		
	5014 581AA	1				EBD,	DD5		
						ECB			
4									CONDENSER, Air Conditioning
	5014 582AA	1				EBD,	DGC		
						ECB			
		1				EBD,	DD5		
						ECB			
5									FAN, Cooling
	5014 578AA	1				EBD,	DGC		
						ECB			
		1				EBD,	DD5		
0						ECB			MOTOR Redictor For With R.F.I.
6									MOTOR, Radiator Fan, With R.F.I.  Module
	5014 577AA	1				EBD,	DGC		Woddie
	301 <del>4</del> 3777AA	•				ECB	DGG		
		1				EBD,	DD5		
		<u> </u>				ECB			
-7									NUT, Fan Module Retaining
	4762 341	1				EBD,	DD5		Motor to Fan, Left Hand Thread
						ECB			
		1				EBD,	DGC		Motor to Fan, Left Hand Thread
						ECB			
8									SHROUD, Fan
	5014 579AA	1				EBD,	DGC		
						ECB			
ODGE - PL	YMOUTH - CHRY	SLER NE	ON (PL)——						
ERIES =Low Line	LINE Z= RHD		BODY	or, 104.0WB	ENGI FCB :	NE =2.0L 4 Cyl. \$	SOHC		MISSION 5 Speed Manual
=High Line	D= Dodge		DOC	,, IOT.UVU	EBD :	=2.0L 4 Cyl. 3 = 1.8L 4Cyl S	SOHC	DGC =	3 Speed Automatic
	D= Chrysl P= Plymo								All Automatic All Manuall
	1 — 1 IyiilO	<b></b> 1							Mandan

### **Radiator and Related Parts** Figure 007-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EBD,	DD5		
						ECB			
9									ISOLATOR, Radiator
	4495 963AB	2							Heater
	4546 657AB	2							Air Conditioning
10									DRAINCOCK, Radiator
	4762 334	1				EBD,	DGC		
						ECB			
		1				EBD,	DD5		
						ECB			
11	5278 030	1				EBD,			HOSE AND CLAMP, Radiator Inlet
						ECB			
12	5278 033	1				EBD,			HOSE AND CLAMP, Radiator Outlet
						ECB			
-13	4891 504AA-	1				EBD,			CLIP, Hose
						ECB			
14									THERMOSTAT
	5278 144AA	1				ECB			
		1				EBD			
15									CONNECTOR, Water Outlet
	5278 156AA	1				ECB			
		1				EBD			
16									CAP, Radiator
	4596 198	1				ECB			
		1				EBD			
17									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2				ECB			
		2				EBD			
18	5264 840AC	1							DECAL, A/C System Specification

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

### **Water Pump and Related Parts** Figure 007-203



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes:								
	8L 4 CYL SOI .0L SOHC 16'		SEFI						
[ECB] = 2	.01 30110 10	V							PUMP, Water
	4667 660	1				ECB			
		1				EBD			
-2									NIPPLE, Heater Return
	4621 653	1				EBD			
3		1				ECB			BOLT, Hex Head, M6x1.0x22
	6503 255	6				ECB			50E1, 110X 110XX, 110X1.0X22
		6				EBD			
4									SEAL, Water Pump To Front Cover
	4667 663	1				EBD			
5		1				ECB			O RING, Water Inlet Tube
	4777 173	1				ECB			O KING, Water linet Tube
		1				EBD			
6									TUBE, Water Inlet
	4777 171	1				EBD			
7		1				ECB			BOLT AND CONED WASHER, Hex
,									Head, M6x25x12.5
	6100 267	1				ECB			
		1				EBD			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Coolant Reserve Tank** Figure 007-303

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-		-	,		-	-		
NOTE: S	Sales Codes:								
[EBD] =	1.8L 4 CYL SO	HC 16\	/ SEFI						
[ECB] =	2.0L SOHC 16	<b>V</b>							
1	5278 027	1				EBD,			BOTTLE, Coolant Recovery
						ECB			
2	5017 468AA	1							CAP, Coolant Reserve Tank
3	6503 676	1							NUT, Hex Flange, M6x1
4	6034 716	1							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Pulley and Tensioner Figure 007-403

3	4
1 5	

	PART	077/		050150	DODY	ENGINE			DECODINE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: S	Sales Codes:								
	2.0L SOHC 16'	V							
	2.0L 4 CYL SC		V HI PERE						
1	2.02 1 0 1 2 0 0		·						BOLT, Hex Flange Head, M12x1.
									75x87.50
	6503 553	1				ECB			
		1				EBD			
2									DAMPER, Crankshaft
	4777 618AA	1				ECB			
		1				EBD			
3									TENSIONER AND BRACKET, Engine Mount
	4668 364AA	1				ECB			g
	1000 00 17 07	1				EBD			
4	4668 252	1				EBD,			PULLEY, Power Steering Pump
•	1000 202	•				ECB			1 OLLE 1, 1 OWO! Glocking 1 dinp
5	5014 573AA	1				LOD			PULLEY HUB KIT, A/C Compress
	301 <del>4</del> 373AA	<u>'</u>							1 OLLE 1 HOB KIT, A/O Compress

SERIES L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth


BODY 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Drive Belts** Figure 007-503


|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				-		-			
NOTE: Sa	ales Codes:								
	.8L SOHC 16\	/							
	.0L SOHC								
1	1000 011					E0D			BELT, Alternator Drive
	4668 241	1				ECB EBD			
2	4668 249AB	1				EBD,			BELT, Power Steering, Heater Only
-	1000 2 107 12	·				ECB			DEET, Fower Glosning, Floater Ciny
3	4668 247AB	1				EBD,			BELT, Accessory Drive, Air
						ECB			Conditioning
ODGE BLY	VMOLITH CHRV	CI ED ME	ON (DL)						
ERIES	YMOUTH - CHRY LINE	OLEK NE	BODY		ENGIN	NE			MISSION
=Low Line	Z= RHD		41 = 4  Dod	or, 104.0WB	ECB =	2.0L 4 Cyl. S	SOHC	DDS - F	5 Speed Manual
	D- Dodge			- ,	FRD -	- 1 81 4Cvl 9	OHC	DGC = 0	3 Speed Automatic
=Low Line I=High Line	D= Dodge D= Chrysl P= Plymo	er		,	EBD =	= 1.8L 4Cyl S	OHC	DGC = 7	3 Speed Maridal 3 Speed Automatic All Automatic All Manuall



ITE**	PART	OTY	INIT	eenico	BODY	ENGINE	TDANO	TDIA	DECORPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes:								
	TRANSMISSI	ON - AU	TOMATIC	3-SPEED					
	2.0L SOHC 16								
1	5278 031	1					DGC		HOSE, Transmission Oil Pressure
2	5278 032	1					DGC		HOSE, Transmission Oil Return
3 4	6032 839 4531 202	4 2				ECB	DGC DGC		CLAMP, Oil Cooler CONNECTOR, Oil Cooler Hose
4	4001 202	۷				ECB	DGC		CONNECTOR, Oil Coolei Flose
D <mark>DGE - PL</mark> ERIES	YMOUTH - CHR LINE	YSLER NE	ON (PL)—— BODY		ENGI	 NE		TRANS	MISSION
-Low Line =High Line	Z= RHD	10		or, 104.0WB	ECB =	=2.0L 4 Cyl. \$ = 1.8L 4Cyl S	SOHC	DD5 = 5	5 Speed Manual 3 Speed Automatic
-i ligit Litte	D= Chrys	sler			EDD =	- 1.0L 4Cyl S		DG0 = I	All Automatic
	P= Plym	outh						DBB = I	All Manuall

### **Grille and Related Parts** Figure 007-703



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•	•						•	
1	4783 466	1							CROSSMEMBER, Radiator Closure
									Panel, Upper
2	4783 295AB	1							CROSSMEMBER, Front Side Rail
3	4783 482	1							BRACE, Radiator Crossmember,
									Right
4	4783 483	1							BRACE, Radiator Crossmember, Left
-5	4103 165	2							BUMPER, Hood
6	4783 465	1							SUPPORT, Radiator Closure Panel
7									PANEL, Radiator Closure, Upper
	4783 348AB	1							Right
	4783 349AB	1							Left
8									PANEL, Radiator Closure, Lower
	4783 350	1							Right
	4783 351	1							Left
-9									BRACE, Radiator Crossmember,
									Lower Radiator Crossmember to
									Rail
	4783 482	1							Right
	4783 483	1							Left
-10	4888 915AB-	1							BRACKET, Towing, EXPORT
11									GRILLE, Radiator
	5288 805AA	1							EXPORT [MLW,MUF]
	5288 922AC	1	D						w/Bracket
	5288 923AC	1	Р						w/Bracket, w/Medallion
	5303 378AB	1							CANADA, w/Bracket, w/Medallion
-12									MEDALLION, Grille, Medallion for
									Canada is serviced with Grille
	5288 887AA-	1							[MLW,MUF] EXPORT
	5288 927AA-	1	Р						[MLD,MLX]
-13	4756 568	1	D						EMBLEM, Rams Head
-14	5288 881AA-	2							CLIP, Fascia, Grille Attaching
-15	6102 032AA-	2							NUT, Spring U Type, M4.8 x .80
-16									NUT, U Multi Thread, Grille Bar
									Attaching
	6101 710	1	D, P						<u> </u>
	<del>.</del>	1	Z .						
		•	_						


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## **Group – 008**

### **Electrical**





## **Group – 008**

### **Electrical**

008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and Courtesy	008–1200 Wiring–Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
		DE OBR	
008–1400 Wiring–Instrument Panel	008-1500 Wiring-Body & Accessories	008–1600 Wiring Repair	008–1900 Spark Plugs–Cables–Coils
WIRING INSTR. PANEL	willing-Body & Accessories	WIRING REPAIR PKG.	Spark Flugs-Cables-Colls


GROUP 8 - Electrical	
lustration Title	Group-Fig. No.
Starters	
tarter	Fig. 008-102
Alternators	
Iternators	Fig. 008-202
Modules	
Nodules, Electronic	Fig. 008-405
Relays	
elays , Fuses	Fig. 008-505
Sensors	
ensors, Engine	Fig. 008-605
ensors, Transmission	Fig. 008-610
ensors, Body	Fig. 008-615
Single Board Engine Controllers	
ingle Board Engine Controllers	Fig. 008-705
Switches	
witches, Instrument Panel	Fig. 008-805
witches, Powertrain	Fig. 008-810
witches, Body	Fig. 008-815
lorns	
lorns	Fig. 008-905
Battery Tray and Cables	
attery Tray And Cables	Fig. 008-1001
.amps - Front, Rear and Courtesy	
amps, Front	Fig. 008-1105
amps, Rear	Fig. 008-1110
ome, Underhood and Cargo Lamps	Fig. 008-1115
ockets And Bulbs	Fig. 008-1180
Viring-Engine & Related Parts	
Viring, Engine	Fig. 008-1205
Viring-Headlamp to Dash	
Viring, Headlamp and Power Distribution Center	Fig. 008-1305
Viring-Instrument Panel	
Viring, Instrument Panel	Fig. 008-1405
Viring-Body & Accessories	
Vising Dody And Assessation	F:- 000 4505

# GROUP 8 - Electrical Illustration Title Group-Fig. No. Wiring Repair Wiring Repair Packages Spark Plugs-Cables-Coils Fig. 008-1605

Spark Plugs, Cables, Coils ...... Fig. 008-1902

### Starter Figure 008-102

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8	4 CYL SOHO	C 16V S	EFI						
ECB=2.0	4 CYL SOHO	16V S	MPI						
1	4793 493	1				EBD,			STARTER
						ECB			
2	6502 717	2							SCREW AND WASHER, Hex Head,
									M10x1.5x50, Starter mounting
-3	4794 039AA-	1							TERMINAL, Right Angle



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Alternators** Figure 008-202


5 8
10
9
$\widetilde{11}$

	•			SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	•
BD=1.8	L 4 CYL SOHO	16V S	EFI						
CB= 2.	OL 4 CYL SOH	C 16V S	SMPI						
1									ALTERNATOR
	4794 222AA	1				ECB			
		1				EBD			
2									NUT AND WASHER, Hex Nut-Co
									Washer, M10 x 1.5
	6101 448	1				ECB			
		1				EBD			0111515 411 (4105
3									SHIELD, Alternator, (NOT
4									SERVICED) (Not Serviced)
4									SCREW AND WASHER, Hex Hea
	6503 705	1				ECB			Lock, M8x1.25x95
	0303 703	1				EBD			
5		•				LDD			SCREW, Header Point, M10x1.
J									50x50.00
	6504 286	1				ECB			олос.ос
		1				EBD			
6									SCREW AND WASHER, Hex Hea
									M10x1.5x25
	6101 503	2				ECB			
		2				EBD			
7									SCREW AND WASHER, Hex Hea
									M10x1.5x105
	6101 623	1				ECB			
		1				EBD			
8									BRACKET, Alternator
	4612 132AB	1				ECB			
_		1				EBD			000514/44/5 44/64/55 44/44
9									SCREW AND WASHER, Hex Hea
	0404 540	0				FOD			M10x1.5x45
	6101 512	3				ECB			
10		3				EBD			NUT AND DETAINED Hay Flore
10									NUT AND RETAINER, Hex Flange Locking, M10 x 1.50
	6502 987	1				ECB			LOCKING, IVITO X 1.50
	0002 901	<u> </u>				EBD			
11		'				LDD			BRACKET, Alternator
1 1	4668 250	1				EBD			Dividice i, Addition
	.000 200								
		1				ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



1 5014 5 2 5269 5 5293 3	871AA 877AB 227AB 985AB	1 1 1 1 1 1	SERIES	BODY	ENGINE	TRANS 1	TRIM	MODULE, Anti-Lock Brake System MODULE, Air Bag Control (EUROPEAN)
2 5269 5293	877AB 227AB	1 1						MODULE, Air Bag Control (EUROPEAN)
2 5269 5293	877AB 227AB	1 1						MODULE, Air Bag Control (EUROPEAN)
5293	227AB	1						
								MODULE, Immobilizer
								Webell, minorizer
OGE - PLYMOUTI RIES L ow Line 2		SLER NEON (PL)- BODY	Door, 104.0WB	ENGI	NE =2.0L 4 Cyl. SC	T	RANSI	MISSION i Speed Manual

H=High Line

D= Dodge D= Chrysler P= Plymouth

EBD = 1.8L 4Cyl SOHC

DGC = 3 Speed Automatic
DGO = All Automatic
DBB = All Manuall

1	2
3	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4 CYL SOH								
	L 4 CYL TUR								
1 ECB= 2.0	L 4 CYL SOH	IC 16V	SMPI						RELAY PACKAGE, Electrical
ı	4638 094	1				EBT			Glow Plug
		1							Radiator Fan, Automatic Shutdown
2									RELAY, Mini
	5269 988AA	1				EBT			Fuel Heater
		1				EBD,			Auto Shut Down
		1				ECB			Starter,Fuel Pump,Horn,A/C Clutch
3	4607 084	1							FLASHER, Hazard Flasher
	6101 488	1							FUSE, Mini, 20 AMP, Yellow, Wiper
-5	4414 333	1							BREAKER, Circuit, 30 AMP
DODGE BL	/MOUTH - CHRY	(QI ED NI	ON /BL \						
SERIES	LINE	SLEK NE	BODY		ENGI			TRANS	MISSION
L=Low Line H=High Line	Z= RHD D= Dodge	е	41 = 4 Doo	or, 104.0WB	ECB = FBD =	:2.0L 4 Cyl. \$ : 1.8L 4Cyl S	SOHC SOHC	DD5 = 5	5 Speed Manual 3 Speed Automatic
gii Liilo	D= Chrys	ler				10310	<del>.</del>	DG0 = I	All Automatic
	P= Plymo	outh						DBB = /	All Manuall

10 11 3 8 8 7	-
	-


EBD=1.8I			LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
BD=1.8			•						
	L 4 CYL SOHO								
	L 4 CYL SOHO	;							
	anual 5 Speed								
	Speed Automat Speed Automati								
1	peca / tatornati								SENSOR, Coolant Temperature
	5602 7873	1				ECB			,
		1				EBD			
2									CAM MAGNET, Target
	5269 547	1				ECB			
0		1				EBD			OFNICOR RACKACE Courseles
3	4882 850AA	1				ECB			SENSOR PACKAGE, Camshaft
	4002 030AA	<u>'</u>				EBD			
4		•							SEAL, Camshaft Sensor
	4777 068	1				ECB			
		1				EBD			
5									SENSOR, Knock
	4557 667	1				ECB			
6		1				EBD			CENCOR Cropkshoft Position
6	5269 703	1				ECB			SENSOR, Crankshaft Position
	0200 700	1				EBD			
7									SWITCH, Oil Pressure
	4608 303	1				ECB			
		1				EBD			
8									SENSOR, Oxygen
	5269 866	1				ECB			[NAA], Upstream Exhaust
	5269 868AB	<u>1</u> 1				EBD ECB			[NAA], Upstream Exhaust [NBU], Upstream Exhaust
9	3203 000AD	'				LOD			SENSOR, Oxygen
	5293 036AB	1							[NAA] Down Stream
	5293 037AD	1							[NAC, NBV, NA3]
	5293 038AB	1							[NBU] Down Stream
10	#000					<b>5</b> 05			SENSOR, Map
	5269 983	1				ECB EBD			
11		1				בפט			SENSOR KIT, Throttle Position
11	4874 430AB	1				EBD,	DD5		SENSON NIT, THISHIE FUSILION
		•				ECB	-20		
		1				EBD,	DGC		
						ECB			
-12									SENSOR, Temperature
חומב פי	VMOLITU CURV	SI ED N	EON (DL)						
RIES	YMOUTH - CHRYS	JEK NE	BODY	404000	ENGIN		20112		MISSION
:Low Line =High Line	Z= RHD D= Dodge		41 = 4 Doo	or, 104.0WB	ECB = EBD =	:2.0L 4 Cyl. \$ : 1.8L 4Cyl S	SOHC SOHC	DD5 = 5	5 Speed Manual 3 Speed Automatic
<b>.</b>	D= Chrysle P= Plymou	er				, -		DG0 = R	All Automatic All Manuall

### Sensors, Engine Figure 008-605

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5293 138AA-	1				ECB	DD5		Air Temperature Inlet
			1				ECB	DGC		Air Temperature Inlet
-										_
(10)										
(2)										
-										_
• · · · · · · · · · · · · · · · · · · ·										
Ţ	DODGE - PLY	'MOUTH - CHRY LINE Z= RHD	SLER NE	ON (PL)——		FNGIN			TRANSMIS	SSION
L I	L=Low Line H=High Line	Z= RHD D= Dodge	•	41 = 4 Doo	r, 104.0WB	ECB =	IE 2.0L 4 Cyl. S 1.8L 4Cyl S	SOHC OHC	DD5 = 5 S <sub>I</sub> DGC = 3 S	SSION peed Manual Speed Automatic Automatic Manuall
		D= Dodge D= Chrysl P= Plymo	er uth				-		DG0 = All I	Automatic Manuall

### **Sensors, Transmission** Figure 008-610

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	4707 839AA	1							SENSOR, Vehicle Speed



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

1	3
<b>_</b> 2	4

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5273 332	1							SENSOR, Anti-Lock Brakes, Right
									Front
2	5273 333	1							SENSOR, Anti-Lock Brakes, Left
									Front
3	5273 330	1							SENSOR, Anti-Lock Brakes, Right
									Rear
4	5273 331	1							SENSOR, Anti-Lock Brakes, Left
									Rear

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Single Board Engine Controllers** Figure 008-705

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L	4 CYL SOHO	16V S	SEFI						
ECB= 2.0	L 4 CYL SOH	C 16V	SMPI						
DGC= AU	TOMATIC 3-S	SPEED							
DD5= MA	NUAL 5-SPE	ΞD							
1									MODULE, Engine Controller
	5260 Q8QAI	1	D D			ECB	DGC		ΓΝΙΛ Λ1




DD5= MA	ANUAL 5-SPEE	)				
1						MODULE, Engine Controller
	5269 989AI	1	D, P	ECB	DGC	[NAA]
	5293 018AN	1	D, P	ECB	DGC	[NBU]
	5293 022AJ	1	D, P	ECB	DD5	[NAA]
	5293 023AM	1	D, P	ECB	DD5	[NBV]
	5293 029AJ	1		EBD	DD5	[NAC,NZ5]
	5293 033AJ	1		ECB	DGC	[NAC,NZ5]
	5293 034AG	1	D, P	ECB	DGC	[NAB]
	5293 035AG	1	D, P	ECB	DD5	[NAB]
	5293 223AC	1		ECB	DD5	[NAC-NZ5]
	5033 043AA	1		ECB	DGC	[NA3,NZ5]
	5033 130AA	1		ECB	DGC	[NZB]
	5033 131AA	1		ECB	DD5	[NZB]
	5293 222AF	1		ECB	DGC	[NAC]
2	6100 048	1		EBD,		NUT, Hex, M6x1.00, Engine
				ECB		Controller Mounting Upper
-3	6506 057AA-	1				STUD, 1 End, M6x1.00x25.00,
•				 •		Engine Controller Mounting Upper

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Switches, Instrument Panel** Figure 008-805




EJD = 1	.6, 4 Cylinder S	ОНС				
	0, 4 Cylinder So		SV Hi Perf			
ECB = 2	.0, 4 Cylinder S	OHC 1	6V			
DGC= A	UTOMATIC 3-S	PEED				
DD5= M	ANUAL 5-SPEE	D				
DGL = 4	SPEED AUTO	(EATX)	)			
1						SWITCH, Multifunction
	4794 305AC	1	D, P			Lighting Control
	4794 306AC	1	D, P			Fog Lamp
	4794 308AC	1				Fog Lamp,Rear Fog Lamp
2	4794 303AC	1				SWITCH, Intermittent Wiper
3	4671 670AA	1				SWITCH, Electric Back Light
4						SWITCH, Ignition
	4793 576	1			DGC	
		1			DD5	
-5	6035 021	1				SCREW, Pan Head Tapping, .125
						40x.437, Ignition Switch Attachir
6	4671 336	1				SWITCH, Stop Lamp
7						SWITCH, Clutch Starter Interlock
	5293 060AC	1	D, P		DD5	
	5293 187AC	1	Z		DD5	
8						SWITCH, Speed Control
	QA76 1L8	1				On/Off [L5]
_	QA77 1L8	1				Resume [L5]
9	1071 7501:					CLOCKSPRING
	4671 753AA	1				[CGA]
	4793 583	1				[CGW]
40	4793 585	1				[CGW,NHM]
10	4565 022 4671 672 A A	1				SWITCH AND LAMP, Glove Box
11	4671 672AA	1				SWITCH, Traction Control
12	4760 847AC	1				SWITCH, Deck Lid Release
13 14	4794 276AA	1				SWITCH, Headlamp Leveling
14	5209 922	1				SWITCH, Parking Brake


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM		DESCRIPTION
	lanual Transm .4L 4 Cylinde		16 Valve							
	.4L 4 Cylinde			1PI						
	.4L 4 Cylinder		16 Valve							
	2.7L V6 24 Va	alve								
1	4600 202	4				ECB			SWITCH, C	Oil Pressure
	4608 303	1 1				EBD				
2	4864 775	1				LDD	DD5		SWITCH. B	Back Up Lamp
3	3747 361	1				ECB	DGC			Neutral, Safety, Back U
4										Power Steering
	5269 625	1	Z							
		1	D, P							
5	5014 574AA	1							SWITCH, A	VC High Pressure Cut
DDGE - PI	LYMOUTH - CHF	RYSLER NI								
RIES	LINE		BODY		ENGIN				MISSION	
RIES Low Line	LINE Z= RHD		BODY	or, 104.0WB	ECB =	2.0L 4 Cyl. S	SOHC	DD5 = 5	Speed Manua	al
RIES Low Line	LINE Z= RHD	)	BODY	or, 104.0WB	ECB =	2.0L 4 Cyl. S	SOHC	DD5 = 5	Speed Manua	al natic
RIES	LINE Z= RHD	) ge	BODY	or, 104.0WB	ECB =		SOHC	DD5 = 5 DGC = 3		al



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOMBER	QII	LINE	JERIES	ВОВТ	ENGINE	IRANS	IKIIVI	DESCRIPTION
1									SWITCH, Underhood
	4707 875AB	1							Security Alarm
	5293 096AA	1							with Bracket, Security Alarm
2									SWITCH, Power Window
	4793 859AA	1	Z						
		1	D, P						
3									BEZEL, Power Window Switch
	QQ32 WL5AC	1	D, P						[L5], Right
	QQ40 WL5AC	1	Z						[L5], Right
4	4685 435	1							SWITCH, Sunroof
5	SW36 1L2AB	1							BEZEL, Power Sunroof
-6	4671 699AB-	1							RETAINER, Sunroof Switch
7	4671 067AB	1							SWITCH, Security Alarm
8									SWITCH, Mirror
	4793 860AB	1	D, P						
	4793 862AB	1	Z						
9									SWITCH, Power Window
	4793 858AA	1	Z						Drivers Window drivers door
		1	D, P						Drivers Window drivers door
10									SWITCH, Power Window
	4793 859AA	1	Z						Passenger Window drivers dod
		1	D, P						Passenger Window drivers dod
11	4793 579	1							SWITCH, Door Lock
12									BEZEL, Power Window Switch
	QQ39 WL5AC	1	D, P						[L5]
	QQ49 WL5AC	1	Z						[L5]
	QQ40 WL5AC	1	Z						[L5], Right Hand Drive
13									SWITCH, Seat, (NOT REQUIRE
14	5293 090AA	2							SWITCH, Security Alarm
15	4671 264	2							SWITCH, Door Ajar


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Horns Figure 008-905

	PARI								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4793 526AC	1							HORN AND BRACKET, High Note
2									HORN AND BRACKET, Low Note
	4793 525AC	1							[JJB]
		1	D, P						[JJF]
3	4794 312AB	1							WIRING, Horn, Mexico



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Battery Tray And Cables Figure 008-1001

6	7	
		5
		1

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8	BL 4 CYL SOHO	16V S	EFI						
EBT= 1.	9L 4 CYL TURI	30 DIE	SEL						
ECB= 2	OL 4 CYL SOH	C 16V \$	SMPI						
1	5293 217AB	1				EBD,			TRAY, Battery
						ECB			
-2	6101 718	4				EBT			SCREW AND WASHER, Oval Head
									M6x1x25, Battery Tray
-3	6101 455	2				EBD,			SCREW AND WASHER, Hex Head,
						ECB			M6x1x20, Battery Tray to Engine
									Mtg.Bracket
-4	6500 274	2				EBD,			LOCK NUT, M6x1.0x6, Battery Tray
						ECB			to Engine Mtg.Bracket
5	4671 704AA	1				EBD,			SHIELD, Battery, Thermowrap
						ECB			
6	4793 571AD	1				EBD,			WIRING, Battery
						ECB			
7									TERMINAL, Battery
	4794 041AA	1				EBT			Positive Battery Cable
	4794 042AA	1				EBD,			Negative Battery Ground
						ECB			
	4794 183AA	1				EBD,			Positive Battery Cable
						ECB			
-8	4557 400	•	D D						LABEL, Battery
	4557 480	2	D, P						ARABIC
	4793 062	1							EUROPEAN


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Lamps, Front Figure 008-1105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Headlamp
	5288 510AB	1	D						Right,Export
	5288 511AB	1	D						Left,Export
	5288 508AB	1	D, P						Right
	5288 509AB	1	D, P						Left
	5288 512AB	1	Z						Right
	5288 513AB	1	Z						Left
2	4630 559	2							CLIP, Lamp
3	5288 720AA	2							RETAINER, Headlamp to Fender
4	6505 181AA	2							SCREW, Hex Flange Head, M6 x
									1.00 x 193.25, Headlamp
									Jackscrew
5	6505 535AA	2							SCREW, Hex Flange Head, M6 x
									1.00 x 125.75, Headlamp
									Jackscrew
-6									BULB, Headlamp
	L000 9007	1	D, P						
	0153 621	1	D						Export
		1	Z						
-7	5014 418AA-	1	D, P						RETAINER, Headlamp Bulb
-8									WIRING, Headlamp Jumper
	5288 713AA-	1	D						Export
		1	Z						
-9									VENT, Headlamp
	4805 147	2	Z						
		2	D						
-10									WELT, Headlamp
	5288 714AA-	1	D, P						Right
		1	Z						Right
	5288 715AA-	1	D, P						Left
		1	Z						Left
-11	5288 917AA-	1	D, P						SOCKET, Park And Turn Signal
-12									SOCKET, Turn Signal Lamp
	5288 918AA-	1	D						Export
		1	Z						
-13			_						BULB, 3757APY27/7W
	0154 894AA-	1	D						Turn Signal,Export
		1	Z						Turn Signal
14	5000 511		D 5						LAMP, Fog
	5288 514	1	D, P						Domestic, Right
	5288 515	1	D, P						Domestic, Left
	5288 592AB	1	D, Z						[MLW], Right,Export

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

## Lamps, Front Figure 008-1105

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5288 593AB	1	D, Z						[MLW], Left,Export
-15									PLUG, Front Fascia
	5288 822AA-	1							Fog Lamp,Right
	5288 823AA-	1							Fog Lamp,Left
	5288 834AA-	1							Fog Lamp,Right,Export
	5288 835AA-	1							Fog Lamp,Left,Export
16	6101 447	6							NUT, Fog Lamp To Fascia
17	5288 722AA	2							CLIP, Side Marker Attaching
-18	4794 313AB-	1							WIRING, Fog Lamp and Horn
									Jumper
-19	0154 874AA-	1	D, P						BULB, Fog Lamp, 37 1/2 WATT
-20									BULB, Fog Lamp, 50 Watt
	0154 901AA-	1	D						Export
		1	Z						
21									LAMP, Side Marker
	5288 522AC	1	D, P						Right
	5288 523AC	1	D, P						Left
22	L000 0168	1	D, P						BULB, 168
23	5288 895AB	2							LAMP, Side Repeater, Export
-24	4676 801	2							GASKET, Side Marker Lamp, Export
-25									BULB, W10/5
	0153 625	1	D						Side Repeater
		1	Z						Side Repeater
-26									SOCKET, Side Marker, 4400588,
									(NOT REQUIRED)
-27	L0041 57NAK	- 1	D, P						BULB, 4157 NAK, Turn signal
	-15  16 17 -18  -19 -20  21  22 23 -24 -25	5288 593AB  -15  5288 822AA- 5288 823AA- 5288 835AA- 16 6101 447 17 5288 722AA -18 4794 313AB-  -19 0154 874AA20 0154 901AA-  21  5288 522AC 5288 523AC 22 L000 0168 23 5288 895AB -24 4676 801 -25  0153 625  -26	5288 593AB 1  -15  5288 822AA- 1 5288 833AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 -20  0154 901AA- 1 21  5288 522AC 1 5288 523AC 1 22 L000 0168 1 23 5288 895AB 2 -24 4676 801 2 -25  0153 625 1 -26	5288 593AB 1 D, Z  -15  -15  5288 822AA- 1 5288 833AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 D, P -20  0154 901AA- 1 D  1 Z  21  5288 522AC 1 D, P 5288 523AC 1 D, P 22 L000 0168 1 D, P 23 5288 895AB 2 -24 4676 801 2 -25  0153 625 1 D 7-26	5288 593AB 1 D, Z  -15  5288 822AA- 1 5288 823AA- 1 5288 834AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 D, P -20  0154 901AA- 1 D  1 Z  21  5288 522AC 1 D, P 5288 523AC 1 D, P 22 L000 0168 1 D, P 23 5288 895AB 2 -24 4676 801 2 -25  0153 625 1 D 1 Z  -26	5288 593AB 1 D, Z  -15  5288 822AA- 1 5288 823AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 D, P -20  0154 901AA- 1 D  1 Z  21  5288 522AC 1 D, P 5288 523AC 1 D, P 22 L000 0168 1 D, P 23 5288 895AB 2 -24 4676 801 2 -25  0153 625 1 D -26	5288 593AB 1 D, Z  -15  5288 822AA- 1 5288 834AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 D, P -20  0154 901AA- 1 D  1 Z  21  5288 522AC 1 D, P 5288 523AC 1 D, P 22 L000 0168 1 D, P 23 5288 895AB 2 -24 4676 801 2 -25  0153 625 1 D 1 Z  -26	5288 593AB 1 D, Z  -15  5288 822AA- 1 5288 823AA- 1 5288 835AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 D, P -20  0154 901AA- 1 D  21  5288 522AC 1 D, P 5288 523AC 1 D, P 22 L000 0168 1 D, P 23 5288 895AB 2 -24 4676 801 2 -25  0153 625 1 D 1 Z	5288 593AB 1 D, Z  -15 -15 -5288 822AA- 1 5288 835AA- 1 5288 835AA- 1 16 6101 447 6 17 5288 722AA 2 -18 4794 313AB- 1  -19 0154 874AA- 1 D, P -20 0154 901AA- 1 D  1 Z  21 -5288 522AC 1 D, P 5288 523AC 1 D, P 22 L000 0168 1 D, P 23 5288 895AB 2 -24 4676 801 2 -25 -26


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Lamps, Rear Figure 008-1110

PART




## Lamps, Rear Figure 008-1110



DESCRIPTION

## Dome, Underhood and Cargo Lamps Figure 008-1115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 1441	1							LAMP, Underhood
2	4794 043AC	1							WIRING, Underhood Lamp
3	4897 446AA	1							LENS, Lamp Module, Underhood
									Lamp
4	L000 0561	1							BULB, 561, Underhood Lamp
5	5209 554	1							LENS, Cargo Lamp
6	L000 0906	1							BULB, 906, Cargo Lamp
7	JV76 TL2	1							LAMP, Dome, Without Security
									Alarm
8	RP45 TL2AA	1							SENSOR, Intrusion Module, Dome
									Lamp,With Security Package
-9									WIRING, Dome Lamp
	4794 233AA-	1							With Security Package
	4794 150AA-	1							Without Security Alarm
10	0154 762	1							BULB, 579, Dome Lamp

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

1 2	3	4
5	6	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DGC= A	UTOMATIC 3-S	SPEED							
1									BULB, 3157
	0154 851AA	1							Tail, Stop, Turn Signal Lamp
		1							Tail, Stop, Turn Signal, And Side
									Marker Lamp,Rear
2									BULB, 3757APY27/7W
	0154 894AA	1	D						Turn Signal,Export
		1	Z						Turn Signal
3	L000 9007	1	D, P						BULB, Headlamp
4									SOCKET
	5015 235AA	1	Z						LED for cluster
	5015 236AA	1	D, P						LED for cluster
5	5288 919AA	1							SOCKET, Tail, Stop, and Turn Lamp
6	5288 921AA	1							SOCKET, Back-Up Lamp
-7									BULB, 921
	0154 883AA-	1							Deck Lid Lamp
		1							Back-Up Lamp
-8									BULB, 168
	L000 0168	2	D, P						Sidemarker
		1	D, P						License Lamp
-9	5303 251	1							SOCKET, High Mounted Stop Lamp
-10									BULB, 578, L0000578, Dome Lamp,
									(NOT REQUIRED)
-11	L000 0194	1					DGC		BULB, 194, Gearshift Slector
-12	6501 966	1							BULB, 74, Illuminated Visor, Mirror
-13	L000 0037	1							BULB, 37, Console, Floor Lamp
-14									BULB, 161, L0000161, Ash Receiver,
									(NOT REQUIRED)
-15	L000 0561	1							BULB, 561, Underhood Lamp
-16									BULB, Fog Lamp, 50 Watt
	0154 901AA-	1	D						Front,Export
		1	Z						Front
-17	0154 874AA-	1	D, P						BULB, Fog Lamp, 37 1/2 WATT,
									Domestic
-18	5014 488AA-	1							BULB AND SOCKET, Traction
									control switch bezel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

1	1


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I EIVI	NUMBER	QII	LINE	SERIES	БООТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
BD=1.8	L 4 CYL SOHO	16V S	EFI						
ECB= 2.	OL 4 CYL SOHO	C 16V S	SMPI						
1									WIRING, Engine
	4793 569AB	1				ECB			
	4794 228AB	1				EBD			
-2									SHIELD, Wiring
	4794 274AC-	1				ECB			with Ultra Low Emission (NBU)
	4794 275AC-	1				EBD,			without Ultra Low Emission (-NBU
						ECB			
-3	6504 175	2				EBD,			NUT AND WASHER, Hex, M8x1.25
						ECB			Heat Shield Mounting
-4									STUD, M10-1.50x44
	6503 490	2				ECB			
		2				EBD			
-5	6504 015	1				EBD,			SCREW, Heat Shield Mounting
						ECB			
-6									COVER, Injector Harness
	4891 356AB-	1				ECB			
	4891 357AA-	1				EBD			
-7	4794 309AA-	1					DGC		WIRING, Transmission Jumper

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Wiring, Headlamp and Power Distribution Center Figure 008-1305



	PART	OT:			D05''	-Ne			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
BD=1.8L	4 CYL SOHO	16V S	EFI						
	L 4 CYL SOH		SMPI						
	TOMATIC 3-S								
D5= MA	NUAL 5-SPEE	D							
1									WIRING, Headlamp to Dash
	4793 559AC	1	D, P			EBD,	DGC		w/o ABS, Fog Lamps, Speed
						ECB			Control
	4793 560AC	1	D, P			EBD,	DGC		w/ABS
						ECB			
	4793 915AC	1	D, P			EBD,	DD5		w/o ABS
						ECB			
	4793 916AC	1	D, P			EBD,	DGC		w/o ABS, w/Fog Lamps, Speed
						ECB			Control
	4793 917AC	1	D, P			EBD,	DD5		w/ABS
						ECB			
	4793 918AC	1					DD5		w/o ABS, EUROPEAN
	4793 919AC	1					DGC		w/o ABS, EUROPEAN
	4793 920AC	1					DD5		w/ABS, EUROPEAN
	4793 922AC	1	Z			EBD,	DD5		w/o ABS
						ECB			
	4793 924AC	1	Z			EBD,	DD5		w/ABS
						ECB			
	4794 095AC	1					DGC		w/ABS, EUROPEAN
	4794 096AC	1	Z			EBD,	DGC		w/ABS
						ECB			
2	4793 904AA	1							COVER, Power Distribution Center
3	4793 903AB	1							HOUSING, Fuse And Relay Cent
									Тор
4	4794 076AA	1							COVER, Power Distribution Center
									Bottom

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Wiring, Instrument Panel Figure 008-1405

1)	

	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
EBD=1.8L	. 4 CYL SOHO	C 16V S	SEFI							
ECB= 2.0	L 4 CYL SOH	C 16V S	SMPI							
1									WIRING, Instrument Panel	
	4793 561AE	1	D, P			EBD,			w/o ABS, Power Mirrors, Light	
						ECB			Group, Power Windows	
	4793 562AE	1	D, P			EBD,			w/Light Group, Speed Control, w/o	
						ECB			Power Door Locks	
	4793 928AE	1	D, P	EBD, w/o ABS, w/Power Door Locks						
						ECB				
	4793 929AE	1	D, P			EBD,			W/ABS, Power Door Locks up to	
						ECB			03/17/00	
	4793 934AE	1	D, P			EBD,			(EUROPEAN)	
						ECB				
	4793 935AE	1	Z							
	4793 929AL	1	D, P			EBD,			W/ABS, Power Door Locks after	
						ECB			03/17/00	
-2	6101 486	2							FUSE, Mini, 10 AMP, Red	
-3	4794 103AD-	1	D, P						LABEL, Fuse Block	
-4	4414 333	1							BREAKER, Circuit	
-5	4607 084	1							FLASHER	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

**ENGINE** ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Wiring, Body And Accessories Figure 008-1505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4		0220	202.			1111111	2-201111 11311
	4 CYL SOHO								
	4 CYL SOHO	16V S	SMPI						
1	4793 564AD	1	D, P						WIRING, Unified Body w/California Emissions, w/ Powe
									Door Locks, Sentry Key Theft Deterrent
	4793 936AD	1	D, P						w/California Emissions, w/o Pow Door Locks, Sentry Key Theft Deterrent
	4794 320AB	1	D, P						(EUROPEAN), w/Rear Wide License Plate, Power Door Loc
	4793 937AE	1	D, P						(EUROPEAN)
	4793 939AD	1	Z						,
	4794 363AA	1	D, P						w/o Power Door Locks
	4794 356AA	1	D, P						w/Power Door Locks
	4794 364AA	1	D, P						(EUROPEAN), w/Rear Wide
									License Plate, w/o Power Door
0									Locks
2	4702 F72AC	4							WIRING, Deck Lid
	4793 573AC	1							w/Trunk Lamp. w/o Power Trunk Release
	4794 098AC	1							Power,Trunklid Release
3	4754 050/10	•							WIRING, Dome Lamp
J	4794 150AA	1	D, P						w/o Security Alarm
	4794 233AA	1	Σ, .						w/ Security Alarm
	4794 325AA	1							without Security with Sunroof
	4794 326AA	1							with Security and Sunroof
4									WIRING, Illuminated Visor
	4793 574AD	1							w/Light Group, w/o Sunroof
	4794 314AA	1							w/Power Sunroof
5									WIRING, Door
	4793 567AD	1	D, P						w Power Mirrors, Power Window Power Locks, Left
	4793 943AC	2							w/o Power Mirrors, Power
									Windows, w/Power Locks, Rigl & Left
	4793 565AC	2							w/o Power Mirrors, Windows and
									Locks, Right & Left
	4793 566AC	1	D, P						w Power Mirrors, Power Window
	4700 04440		7						Power Locks, Right
	4793 944AC	1	Z 						w Power Mirrors, Right
6	4793 945AC 4793 568AC	1 2	۷						w Power Mirrors, Left WIRING, Rear Door
	VA.C.I.—	o. == ··	-011 (=: :						
<b>DODGE - PL</b> ' SERIES	YMOUTH - CHRY: LINE	SLER NE	EON (PL)—— BODY		ENGIN	 NE		TRANSI	MISSION
=Low Line	Z= RHD		-	or, 104.0WB	ECB =	2.0L 4 Cyl. S		DD5 = 5	5 Speed Manual
H=High Line	D= Dodge D= Chrysl	er			FRD =	: 1.8L 4Cyl S	UHU	DG0 = R	3 Speed Automatic All Automatic
	P= Plymoi							DBB = A	All Manuall



### Wiring, Body And Accessories Figure 008-1505

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-7	4661 940AB-	1	Z						WIRING, Heater and A/C Jumper
-8									WIRING, Power Steering Switch,
									(NOT REQUIRED)
-9									WIRING, Fog Lamp
	4794 311AC-	1							Export
	4794 310AB-	1							Domestic
-10	4793 571AD-	1				EBD,			WIRING, Battery
						ECB			
-11									SWITCH PACKAGE, Power Top,
									(NOT REQUIRED)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

### Wiring Repair Packages Figure 008-1605

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		L 4 CYL SOH				•		•		
	ECB= 2.0	L 4 CYL SOF	HC 16V						,	MAUDING DACKACE Underheed
	-1	5013 930AA	<u></u>							WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit
	-2									the World Wide Web at http://dto. vftis.com/mopar/disclaimer.asp TUBE, Convoluted
		4364 375	1	D, P			EBD, ECB, ECH			
			1	Z			EBD, ECB			
		4794 039AA 4794 270AA								TERMINAL STRAP, Ground, Tramnsmission Oil Dipstick to Body
For Electrical Connector Repair Information visit the World Wide Web at										
http://dto.vftis.com/nnopar/disclaimer.asp										
		,								
	DODGE - PL	YMOUTH - CHR	RYSLER N	JEON (PL)—						
	SERIES L=Low Line H=High Line	LINE Z= RHD	D dge rysler	BODY	or, 104.0WB	ENGIN ECB =: EBD =	NE 2.0L 4 Cyl. S 1.8L 4Cyl S	OHC OHC	DGC = 3	Speed Manual Speed Automatic I Automatic

### Spark Plugs, Cables, Coils Figure 008-1902



	4 CYL SOHC	16\/ \$					
		16\/ 9					
			SEFI				
D-2.0.	4 CYL SOHC						
1	2 1 0 1 2 0 0 1 1 0	.000	,,,,,,,,				CABLE, Ignition
'	5269 577	2			ECB		[#1,4]
	3203 311	2			EBD		[#1,4]
	5269 578	2			ECB		[#2,3]
	0200 070	2			EBD		[#2,3]
-2		_			LDD		CABLE PACKAGE, Ignition
-2	4883 233	1			EBD		CABLE I ACKAGE, Ignition
	+000 200	<u>'</u>			ECB		
3		'			LOD		COIL, Ignition
J	5269 670	1			ECB		COIL, Igrillion
	0200 070	1			EBD		
4	5269 897	4			ECB		SPARK PLUG, RC-9-YC
5	SP00R C9YC5				ECC		SPARK PLUG
6	01 0011 00100	'			LOO		RETAINER, Ignition Cable
U	5269 579	2			ECB		TETAINETT, Ignition Cable
	3209 319	2			EBD		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Group – 08A

### **Instrument Panel and Radios and Consoles**






#### **GROUP 8A - Instrument Panel and Radios and Consoles**

Illustration Title	Group-Fig. No.
Instrument Panel Instrument Panel	Fig. 08A-105
Instrument Panel Cluster Cluster, Instrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Antenna - Speakers	Fig. 08A-310
Consoles	
Console-Floor	Fig. 08A-405

#### **Instrument Panel Figure 08A-105**

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY E	ENGINE	TRANS	TRIM DESCRIPTION
	1								COVER, Instrument Panel
		QS64 LAZAC	1	Z					Agate
		QS64 WL8AC		Z					Brown
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		QA05 LAZAE		D, P					Agate
		QA05 WL8AE		D, P					Brown
14) 38	-2			,					CLIP, Instrument Panel
		6505 986AA-	5	D, P					Top Cover attaching
(50)			5	Z					Top Cover attaching
	-3								SEAL, Instrument Panel
(30) (44)		5291 494AA-	1	D, P					I/Panel Top
(14)			1	Z					I/Panel Top
14)	4								END CAP, Instrument Panel
60 (10)		QN18 LAZAA	1	D, P					Agate, Right
		QN18 WL5AA	. 1	D, P					Taupe, Right
(39) (43) (14)		QN19 LAZAC	1	D, P					Agate, Left
13		QN19 WL5AC	1	D, P					Taupe, Left
(48)		QS65 LAZAC		Z					Agate, Left
48 46 27		QS65 WL5AC		Z					Taupe, Left
		QS66 LAZAC		Z					Agate, Right
44		QS66 WL5AC		Z					Taupe, Right
		RR12 LAZAA		D, P					Agate (EUROPE), Right
(45)		RR12 WL5AA	. 1	D, P					Taupe (EUROPE), Right
	5								BEZEL, Instrument Panel, Center
		QA02 DX9AB		D, P					w/Air Condition (Black)
40 (47)		QS81 AAAAB		Z					w/Air Condition (Woodgrain)
		QT01 DX9AB QT44 AAAAB		D, P					w/o Air Condition (Black)
17				D, P					w/Air Condition (Woodgrain)
(15)—(15)—(15)—(15)—(15)—(15)—(15)—(15)—		SM14 LAZAB	1	D, P					w/o Air Condition (Bronze Weave)
$\begin{pmatrix} 4 \end{pmatrix} \qquad \begin{pmatrix} 11 \end{pmatrix} \qquad \begin{pmatrix} 10 \end{pmatrix} \qquad \begin{pmatrix} $		SM14 WL5AB	9 1	D, P					Agate w/o Air Condition (Bronze Weave)
		SWITE WESAB	) I	D, F					Taupe
		SM15 LAZAB	1	Z					w/Air Condition (Bronze Weave)
(29) (14)		OWITO LAZAD	'	_					Agate
(16) (6)		SM15 WL5AB	<u> </u>	Z					w/Air Condition (Bronze Weave)
		00 1120/12		_					Taupe
		SM16 LAZAB	1	Z					w/o Air Condition (Bronze Weave)
									Agate
28		SM16 WL5AB	3 1	Z					w/o Air Condition (Bronze Weave)
									Taupe
(42)(42)		SM13 LAZAD	1	D, P					W/Air Condition (Bronze Weave)
									Agate
14		SM13 WL5AD	) 1	D, P					W/Air Condition (Bronze Weave)
(19)									Taupe
25									
	חטיים פי	VMOLITH CURV	CI ED NE	EON (DL)					
	SERIES	YMOUTH - CHRYS LINE	OLEK NE	BODY		ENGINE			TRANSMISSION
(14)	L=Low Line H=High Line	Z= RHD		41 = 4 Doo	or, 104.0WB	ECB =2.0I	)L 4 Cyl. SO 8L 4Cyl SOl	HC	DD5 = 5 Speed Manual DGC = 3 Speed Automatic
(14) (24) (22)	i i=migii Line	D= Chrysle	er			CDU = 1.8	OL 4CYI SUI		DG0 = All Automatic
		P= Plymou	uth						DBB = All Manuall

### Instrument Panel Figure 08A-105




### Instrument Panel Figure 08A-105

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•	•	•	•			
		4671 667AA	1							w/Traction Control, Rear Window
										Defroster, H/Lamp Leveling &
										Power Outlet
$\begin{array}{c} (1) \\ \hline \end{array} $		4671 688AA	1							w/Rear Window Defroster, w/o
										Traction Control & Power Outlet
(14) (38)	-21	4671 689AA-	1							BEZEL, Headlamp Switch, w/Rear
										Defroster, H/Lamp Leveling &
(50)										Power Outlet
		4671 672AA	1							SWITCH, Traction Control
$(30) \qquad (44)$	23	4794 276AA	1							SWITCH, Headlamp Leveling
(14)		4671 670AA	1							SWITCH, Electric Back Light
		4760 969AA	1							CAP, Cigar Lighter
(10)	-26	4793 551	1							BASE, Cigar Lighter
	27	4565 022	1							SWITCH AND LAMP, Glove Box
$(39) \qquad (43) \qquad (14)$	28									COVER, Steering Column
(13)		QA03 LAZAB	1	D, P						Agate (w/Tilt Steering)
(48)		QA03 WL5AB		D, P						Taupe (w/Tilt Steering)
(48) (46) (27)		QM86 LAZAB		D, P						Agate (w/oTilt Steering)
		QM86 WL5AB	1	D, P						Taupe (w/o Tilt Steering)
44)		QS71 LAZAB	1	Z						Agate (w/Tilt Steering)
45	29	QS71 WL5AB	1	Z						Taupe (w/Tilt Steering) BEZEL, Instrument Panel
		QA06 1AZAB	1	D, P						(Agate), Instrument Cluster
		QA06 1AZAB	1	D, Р D, Р						(Taupe), Instrument Cluster
$\begin{pmatrix} 47 \\ 9 \end{pmatrix}$		QS70 LAZAA	ΔR	Z						(Agate), Instrument Cluster
(40)		QS70 TRMAA		Z						(Taupe), Instrument Cluster
(17)		SM13 LAZAC		D, P						w/Air Condition (Bronze Weave)
(43) / (15)			-	-,:						Agate
		SM13 WL5AC	1	D, P						w/Air Condition (Bronze Weave)
(4) (11) (18) (6)				,						Taupe
	30									CLIP, Instrument Panel
		6504 664	2							CD Changer Bezel & I/panel
(29) (14)										Storage Bin Attaching
		6505 665AA	2	D, P						Cluster Bezel/Steering Column
										Cover Attaching
			3	Z						Cluster Bezel/Steering Column
										Cover Attaching
28 7	-31	4595 823AA-	1							SMOKERS KIT, Ash Receiver With
// (42) XX//										Lighter
(20) (8)	-32	4685 536	1							KNOB AND ELEMENT, Cigar
										Lighter, used w/ 04595823AA Kit
$\begin{array}{c} (14) \\ \hline \end{array}$	-33	4595 823AA-	1							SMOKERS KIT, Ash Receiver With
$\begin{array}{c c} \hline \\ \hline $										Lighter
25										
	DODGE - PL	YMOUTH - CHRYS	SLER NE				<del></del>			
(23)	SERIES L=Low Line	LINE Z= RHD		BODY 41 = 4 Door	r. 104.0WB	ENGIN ECB =:	lE 2.0L 4 Cyl. S	OHC	DD5 = 5	MISSION 5 Speed Manual
	H=High Line	D= Dodge		. 2001	,	EBD =	1.8L 4Cyl S	OHC	DGC = 3	3 Speed Automatic
24) (22)		D= Chrysle P= Plymou	er Ith						DG0 = A $DBB = A$	All Automatic All Manuall
		,								

### Instrument Panel Figure 08A-105

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
		•				•	•		
	-34	4685 370	1						KNOB AND ELEMENT, Cigar
		4003 370	'						Lighter, use w/04775868AA Kit
	-35	4595 665	1						ASH RECEIVER, Instrument Panel
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	-36	1000 000							LABEL, Air Bag Warning
		4595 746AA-	1	D, P					Right End Cap (English)
14 (38)		4595 748AA-		_, .					Glovebox Door
		4595 749AA-		D, P					Glovebox Door (Bilingual)
(50)		4787 437AA-		D, P					Visor (5 Point English/French)
	-37	5008 012AA-	1						ISOLATOR, Cowl Top
30) (44)	38								AIR BAG, Passenger
		QB72 LAZAB	3 1	D, P					Agate
		QB72 WL5AE		D, P					Taupe
		QB74 LAZAE		Z					Agate
		QB74 WL5AE		Z					Taupe
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	39	6101 446	3						NUT AND WASHER, Passenger
(13)			_						Airbag Mounting
(48)	40	6505 402AA	4						SCREW, Hex Head
48 46 27	41	E201 270 A A	4	D D					BRACKET, Instrument Panel
		5291 370AA 5291 443AA	1	D, P Z					CD Changer Mounting CD Changer Mounting
(44)	42	5291 443AA	1	۷					SCREW, (NOT SERVICED) (Not
(45)									Serviced)
	43								OUTLET, Air
		QT56 LAZAA	. 2	D, P					Agate
(47)			2	Z					Agate
(40)		QT56 WL5AA	A 2	D, P					Taupe
(17)			2	Z					Taupe
40 43 (15)— (18)	44								GRILLE, Demister
$ \begin{array}{c c} \hline 40 \\ \hline \end{array} $ $ \begin{array}{c c} \hline \end{array} $		RB23 LAZAA		D, P					Agate, Left
		RB23 WL5AA		D, P					Taupe, Left
		RB24 LAZAA		D, P					Agate, Right
(29)		RB24 WL5AA		D, P					Taupe, Right
		RC58 LAZAA		Z					Agate, Right
		RC58 WL5AA RC59 LAZAA		Z					Taupe, Right
		RC59 LAZAA		Z Z					Agate, Left Taupe, Left
	45	NOSS WESA	` '	_					GLOVE BOX, Instrument Panel
		RB27 LAZAA	. 1	D, P					Agate
		RB27 WL5A		D, P					Taupe
(42)		QS69 LAZAA		Z					Agate
		QS69 WL5AA		Z					Taupe
14	46	5291 305AA	1	Z					BIN, Glove box
$(19) \qquad (5)$	47								LATCH, Glovebox
(25)									
	DODGE DI	YMOUTH - CHRY	/SI ED NE	ON (DI \					
23	SERIES	LINE	JLLN NE	BODY		ENGIN	E		FRANSMISSION
	L=Low Line H=High Line	Z= RHD D= Dodge	e	41 = 4 Doo	r, 104.0WB	ECB =2 FRD =	- 2.0L 4 Cyl. S 1.8L 4Cyl S	OHC I	DD5 = 5 Speed Manual DGC = 3 Speed Automatic
(24) (22)	i i—i iigii Liile	D= Chrys	ler			_DD =	o_ <del>1</del> 0yi 30	[	DG0 = All Automatic
		P= Plymo	outh					[	DBB = All Manuall

#### **Instrument Panel Figure 08A-105**



	PART								
ITEN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	P894 LAZ	1	Z						Agate
		1	D, P						Agate
	P894 WL5	1	Z						Taupe
		1	D, P						Taupe
48									STRIKER, Glove Box Door Latch
	5291 341AA	1	D, P						
		1	Z						
-49									BUMPER, Glove Box Door
	5291 051	2	D, P						I/Panel Glovebox Door
		2	Z						I/Panel Glovebox Door
	5291 369AA-	1	D, P						I/Panel Glovebox Striker
		1	Z						I/Panel Glovebox Striker
50	4793 608	2							SPEAKER, Instrument Panel, 1'
									Dome
-51									MOLDING, instrument panel
	5291 487AA-	4	D, P						Top Cover to 'A' Pillar
		4	Z						Top Cover to 'A' Pillar
-52	4759 008AC-	2							TRANSMITTER, Keyless Entry
-53	6101 858	4							SCREW AND WASHER, Hex Head,
									M8x1.25x35, I/PNL Side to Cowl

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line


LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Cluster, Instrument Panel Figure 08A-205**

PART




	1				l		l		
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER
	4793 521AF	1	D, P						120 MPH w/Tach
	4793 523AF	1							240 KPH w/Tach
	4793 519AF	1	D, P						120 MPH
	4793 520AF	1							240 KPH
	4793 767AF	1	Z						140 MPH w/Tach
	4793 768AF	1	Z						240 KPH w/Tach
-2	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
3									SOCKET
	5015 235AA	1							.75' Twist Type (Green), Instrument
									Cluster
	5015 236AA	1							.75' Twist Type (Amber),
									Instrument Cluster
	5015 237AA	1							.75' Twist Type (Red), Instrument
									Cluster
4									HOUSING, Instrument Cluster
	5015 330AA	1							w/Tach
	5015 325AA	1							w/o Tach
5	5015 331AA	1							MASK AND LENS, Instrument
									Cluster
6									COVER, Instrument Cluster
	5015 332AA	1							w/o Tach
	5015 333AA	1							w/Tach
-7	5015 334AA-	1							GAUGE, Odometer
8	5015 336AA	1							CABLE, Odometer

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Radios Figure 08A-305**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RAS=RAD	DIO - AM/FM (	CASSE	TTE						
RAL=RAD	IO - AM/FM								
NOTE: for	warrenty repa	alcemer	nt for the C	D change	order on t	function 11	(Z048585	22AF)	
RBL=RAD	IO-AM/FM/MV	W/LW/R	DS CASS	CHGR CT	RL				
RBA=RAD	OIO - AM/FM (	CASS, C	CHANGER	CONTRO	LS				
RBN=RAD	DIO - AM/FM (	CASSE	TTE, CHAI	NGER CTF	RL				
RBR=RAD	DIO - AM/FM (	COMPA	CT DISC						
RBJ=RAD	IO - AM/FM C	CASS, C	CHANGER	CONTRO	LS				
1	56038 931AB	1	D, P		41				RADIO, AM/FM Cassette, Sales
									Code ( RAS)
2	4858 588AB	1	D, P		41				RADIO, AM/FM Stereo, Sales Code (
									RAL)
3	4858 513AH	1							RADIO, AM/FM/Cassette With CD
									Control, Sales Code (RBL)
									(EXPORT)
4	4858 516AD	1							RADIO, AM/FM/Cassette With CD
									Control, Sales Code ( RBA,
									(EXPORT)
5	4858 584AG	1	D, P		41				RADIO, AM/FM Cassette with CD
									Control, Sales Code (RBN)
6	4858 585AF	1	D, P		41				RADIO, AM/FM with CD and
									Equalizer, Sales Code (RBR)
7	4858 514AD	1	Z						RADIO, AM/FM/Cassette With CD
									Control, Sales Code (RBJ)
	8220 5811	1							PLAYER PACKAGE, CD Changer -
									4 Disc

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES


L=Low Line H=High Line

LINE Z= RHD D= Dodge D= Chrysler P= Plymouth

BODY 41 = 4 Door, 104.0WB

**ENGINE** ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ANTENNA
	4793 961AA	1	D, P						Collapsable, Export
	4794 192AA	1	Z						Collapsable, Export, Right Hand
									Drive
2	4794 176AA	1	D, P						MAST, Antenna, Fluted, Domestic
3	4794 136AA	1	D, P						BODY AND CABLE, Antenna,
									Domestic
4	5269 216AC	1							CABLE, Antenna Extension
-5									STRAP, Ground
	4794 263AA-	1							Exhaust to Body
	4794 264AC-	1							Strut to Frame, Right
	4794 265AB-	1							Strut to Frame, Left
	4794 269AB-	1							Engine to Body
6	4793 964AB	1							CAP NUT, Antenna, Export
-7	4685 498	1							SHROUD, Antenna Cap Nut, Expor
8									ADAPTER, Antenna
	4793 963AA	1	D, P						Domestic
	4794 193AA	1	Z						Export
-9	2860 332	1							PLUG, Anti-Rattle
10	5600 7570	1	D, P						NUT, M6x1, Antenna
11	4793 608	2							SPEAKER, Instrument Panel
12									SPEAKER, Front Door
	4794 030AA	1							Right
	4794 031AA	1							Left
13	4793 613	2							SPEAKER, Rear, 6x9
14	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
-15	4793 117	1							CAPACITOR, Radio Noise
									Suppression

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BASE, Floor Console
	RZ92 1AZAA	1							Agate
	RZ92 1L5AA	1							Taupe
2	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Console Attaching
3									ARMREST, Console
	RZ75 1AZAA	1							Agate (C7, B7, K7)
	RZ75 1L5AA	1							Taupe (C7, B7, K7)
	SL47 1L5AA	1							Taupe (CL)
-4	4665 361	2							BUMPER, Armrest Lid
5									BEZEL, Console PRNDL
	4671 417AC	1	D, P						Black
	SV44 LAZAB	1	D, P						Agate
	SV44 WL5AB	1	D, P						Taupe
	SV45 LAZAB	1	Z						Agate
	SV45 WL5AB	1	Z						Taupe
	SV46 AAAAB	1	D, P						Woodgrain, BUX
	SV47 AAAAB	1	Z						Woodgrain
6									SCREW, Tapping, M5x1.81x15,
									(NOT SERVICED) (Not Serviced)
-7	L000 0194	1							BULB, 194, PRNDL Shifter
-8	4595 823AA-	1							SMOKERS KIT, Ash Receiver With
									Lighter
-9	4685 536	1							KNOB AND ELEMENT, Cigar Lighter


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 009 Engine Mounting






#### **GROUP 9 - Engine Mounting**

Illustration Title	Group-Fig. No
Engine Mounting	
Front	Fig. 009-110
Front - Suspension	Fig. 009-115
Transmission	Fig. 009-120
Struts. Engine and Transmission	Fig. 009-130

#### **Front** Figure 009-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: S	ales Codes								
[DD5] = 5	Speed Manua	al Trans	mission						
[DGL] = 4	Speed Autom	natic Tra	ansmission	, 41TE					
[EBD] = 1.	8L 4 Cylinder	SOHC	16V SEPI	Engine					
[ECB] = 2.	0L 4 Cylinder	SOHC	16V SMP	Engine					
1 (	6101 099	1							BOLT, Bracket to Upper Strut Tower



	. Gales Codes				
[DD5] =	5 Speed Manua	l Transmission			
[DGL] =	4 Speed Autom	atic Transmission, 41TE			
	<u>•</u>	SOHC 16V SEPI Engine			
[ECB] =	2.0L 4 Cylinder	SOHC 16V SMPI Engine			
1	6101 099	1			BOLT, Bracket to Upper Strut Tower
2	4668 263	1			BRACKET, Torque Reaction
3	6505 091AA	1			BOLT
4	6501 247	2			NUT, M12x1.75
5	6502 696	2			NUT, Hex Flange Lock, M10x1.5
6					ISOLATOR, Engine Mount
	4668 193AB	1		DGC	Upper, Automatic Transmission
	4668 346AC	1		DD5	Upper, Manual Transmission
7	6102 067AA	4			BOLT, M8X1.25X35.00
8	4668 192	1	EBD,		SUPPORT, Engine Mount
			ECB		
9	6505 148AA	1			SCREW, M12-1.75x80
-10	6101 503	2	ECB		SCREW AND WASHER, Hex Head,
					M10x1.5x25
11					ISOLATOR, Transmission Mount
	4668 195	1		DGC	Lower, Automatic Transmission
	4668 347AA	1		DD5	Lower, Manual Transmission
12	6506 067AA	1			BOLT
13	6505 658AA	1			STUD, M12X1.75XM8X1.25X120
14	4668 194	1	EBD,		BRACKET, Torque Reaction, Strut
			ECB		To Block
15	6101 864	1	EBD,		SCREW AND WASHER, Hex Head,
			ECB		M10x1.5x35
16	6101 512	4	EBD,		SCREW AND WASHER, Hex Head,
			ECB		M10x1.5x45
17	4668 364AA	1	EBD		TENSIONER AND BRACKET,
					Engine Mount, Consists of:
					Bracket, Pulley and Stud
18	6505 314AA	2	EBD		STUD

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


|--|--|--|

00	9-115									
_	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	6504 728	2							NUT AND WASHER, M10x1.5,
	2	4656 614AA	1							M10X1.50 STRUT, Suspension, Front Crossmember to Rail
	3									WASHER, Serviced with Strut, (NOT
_	4	6506 427AA	1							SERVICED) (Not Serviced) BOLT, M10X1.5X40.00
_										
_										
_										


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Transmission** Figure 009-120



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
NOTES:	Sales Codes												
[DD5] = 5	Speed Manua	al Trans	mission										
	Speed Autom			. 41TE									
	[EBD] = 1.8L 4 Cylinder SOHC 16V SEPI Engine												
	2.0L 4 Cylinder			•									
1	4668 526AB	1				EBD,			SUPPORT, Engine Mount, Engine				
						ECB			Mount Body Side-Left				
-2	4668 527AC-	1					DGC		SUPPORT, Engine Mount				
3	6101 445	1							NUT AND WASHER, Hex Nut-Coned				
									Washer, M8 x 1.25				
4	6506 176AA	1							BOLT, M12X1.75X115.00				
5	6506 019AA	4					DD5		BOLT AND WASHER, Hex Head,				
									M10x1.5x30, M10X1.50X30.00				
6									SUPPORT, Engine Mount				
	4668 530AA	1				EBD,	DD5		Transmission to Engine Mount-Left				
						ECB							
	4668 527AA	1					DGC						
7	4668 540AA	1					DGC		BRACKET, Transmission Mount,				
									Transmission to Engine Mount-Left,				
									Transmission Mount				
8	6102 067AA	4							BOLT, M8X1.25X35.00				




DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Struts, Engine and Transmission Figure 009-130

**PART** 



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: A	utomatic Trans	mission	Shown. M	1anual Trai	nsmission '	Typical.			
Sales Co	odes								
[DD5] = 3	5 Speed Manua	al Trans	mission						
[DGL] = -	4 Speed Autom	natic Tra	ansmission	, 41TE					
[EBD] =	1.8L 4 Cylinder	SOHC	16V SEPI	Engine					
[ECB] = 1	2.0L 4 Cylinder	SOHC	16V SMP	l Engine					
1	6102 152AA	2							SCREW, Tapping Hex Flange Head,
									M6.3x1.81x20.00
2	6101 503	2				EBD			SCREW AND WASHER, Hex Head,
									M10x1.5x25
3	6503 297	2	Z			EBD,	DD5		BOLT AND CONED WASHER, Hex
						ECB			Head, M12x1.25x30
4	4668 363AA	1	Z			EBD,	DD5		STRUT, Engine, Power Plant
						ECB			Bending-Front
5									STRUT, Engine
	4668 118AC	1					DGC		Lateral Power Plant Bend-Rear,
									Automatic Transmission
	4668 176AC	1				EBD,	DD5		Lateral Power Plant Bend-Rear,
						ECB			Manual Transmission
6	6505 283AA	1				EBD,	DGC		BOLT
						ECB			
7	6505 283AA	1				EBD,	DGC		BOLT
						ECB			
8	6504 010	2				EBD,			SCREW AND WASHER, Hex Head,
						ECB			M10x1.50x35
9	4668 270AB	1				EBD,			COLLAR, Structural, Oil Pan To
						ECB			Transmission
10	6102 016	2				EBD,			BOLT, Hex Flange Head, M12x1.
						ECB			75x45
11	6502 887	2	D, P			EBD,			SCREW AND WASHER, Hex Head,
						ECB			M12x1.75x60


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-


SERIES L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

Group – 1.8L


### **Engine 1.8L Four Cylinder**





# **Group – 1.8L**

### **Engine 1.8L Four Cylinder**



#### **GROUP 1.8L - Engine 1.8L Four Cylinder**


Illustration Title	Group-Fig. No.
Engine Identification  I.D. Location 1.8L (EBD)	Fig. 1.8L-113
Cylinder Head Cylinder Head 1.8L (EBD)	Fig. 1.8L-213
Cylinder Block Cylinder Block 1.8L (EBD)	Fig. 1.8L-313
Crankshaft, Piston and Drive Plate Crankshaft, Piston, and Driveplate 1.8L (EBD)	Fig. 1.8L-413
Camshafts & Valve Camshaft and Valves 1.8L (EBD)	Fig. 1.8L-513
Timing Belt and Cover Timing Belt and Cover 1.8L (EBD)	Fig. 1.8L-613
Engine Oiling 1.8L (EBD)	Fig. 1.8L-713
Manifolds Manifolds 1.8L (EBD)	Fig. 1.8L-813
Crankcase Ventilation Crankcase Ventilation 1.8L (EBD)	Fig. 1.8L-913

# I.D. Location 1.8L (EBD) Figure 1.8L-113

1 2000x 0

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	les Code								
[EBD]=1.8									LAREL Francis III (ff. c) (A)
1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
-									
DODGE - PLY SERIES	MOUTH - CHRY	SLER NE	ON (PL)—— BODY		ENGIN			TDANIC	MISSION
L=Low Line H=High Line	Z= RHD D= Dodge D= Chrys P= Plymo	ler		or, 104.0WB	ECB =	NE :2.0L 4 Cyl. S : 1.8L 4Cyl S	SOHC OHC	DD5 = 5 DGC = 3 DG0 = A	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

### Cylinder Head 1.8L (EBD) Figure 1.8L-213



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[EBD]=1	.8L Engine.								
-1	5014 556AA-	1				EBD			GASKET PACKAGE, Engine Upper
2	4777 622AA	1				EBD			COVER, Cylinder Head
3	4777 626AA	1				EBD			GASKET, Cylinder Cover
4	4777 042AB	4				EBD			SEAL, Spark Plug Tube
5	4648 604	4				EBD			TUBE, Spark Plug
6	4777 536	1				EBD			CAP, Oil Filler
7	4777 086	1				EBD			SEAL, Camshaft
8	4667 993	1				EBD			HEAD, Cylinder
9	4621 653	1				EBD			NIPPLE, Heater Return
10	5014 127AA	1				EBD			GASKET PACKAGE, Cylinder Head
11	4556 020	2				EBD			PLUG, Core, 1.25 Diameter
12	4777 625AA	10				EBD			ISOLATOR, Cylinder Head Cover,
									Grommet And Bolt
13	6503 561	4				EBD			BOLT, Cylinder Head
14	6503 562	6				EBD			BOLT, Cylinder Head
15	4323 808	1				EBD			RESTRICTOR, Cylinder Head Oil
-16	4591 227	1				EBD			COVER, EGR Port
-17	4663 247	1				EBD			GASKET, EGR Valve
-18	6501 648	2				EBD			SCREW, Hex Flange Head, M8x1.
									25x25.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Cylinder Block 1.8L (EBD) Figure 1.8L-313



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
	-												
NOTE: S	NOTE: Sales Code												
[EBD]=1.8	BL Engine.												
-1	4798 967AB-	1				EBD			GASKET PACKAGE, Engine Lower				
2	4897 021AD	1				EBD			BLOCK, Short, Consists: Bed Plate,				
									Crank, Rods, Pistons, Rings, Oil				
									Pan				
3	4448 856	2				EBD			DOWEL, Block To Cylinder Head				
4									PLUG, Pipe, .250-18x.560, (NOT				
									SERVICED) (Not Serviced)				
5	4694 106	3				EBD			DOWEL, Engine Block To Bedplate				
6	6503 072	10				EBD			BOLT, Main Bearing Cap				
7	6503 074	10				EBD			BOLT, Main Bearing Cap				
8	6034 773	1				EBD			O RING, Bedplate To Engine Block				
9	6034 804	4				EBD			PLUG, Core, 1.39 Diameter				
10	5240 849	2				EBD			DOWEL, Block To Clutch Housing				
11	4667 904	1				EBD			SEAL, Rear Main Crankshaft				
12	4556 018	2				EBD			PLUG, Cylinder Block Oil Hole				
13	6503 096	1	D, P			_			O RING, Engine Block Heater				
14	4793 530	1							CORD, Engine Block Heater				
15	4557 686	1	D, P						HEATER, Engine Block				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Crankshaft, Piston, and Driveplate 1.8L (EBD) Figure 1.8L-413




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
EBD]=1	.8L Engine.								
1	4728 997	AR				EBD			BEARING PACKAGE, Connecting
									Rod, Standard
2	4728 991	AR				EBD			BEARING PACKAGE, Connecting
									Rod, .025mm Undersize
3	4728 992	AR				EBD			BEARING PACKAGE, Connecting
									Rod, .25mm Undersize
4	4856 734	AR				EBD			BEARING PACKAGE, Crankshaft
									Thrust, STD.
5	4856 736	AR				EBD			BEARING PACKAGE, Crankshaft
									Thrust, .016mm Undersize
6	4856 738	AR				EBD			BEARING PACKAGE, Crankshaft
									Thrust, .25mm Undersize
7	4856 733	AR				EBD			BEARING PACKAGE, Crankshaft
									Main, Standard Size
8	4856 735	AR				EBD			BEARING PACKAGE, Crankshaft,
									.016mm Undersize
9	4856 737	AR				EBD			BEARING PACKAGE, Crankshaft,
									.25 mm Undersize
10	4667 754	1				EBD			CRANKSHAFT
11	4667 198	1				EBD			SEAL, Front Main Crankshaft
12	6503 465	8					DGC		BOLT, Drive Plate and Flywheel
13	6501 099	4					DGC		BOLT, Hex Head, M10x1.50 x 13.20
14	6035 473	1				EBD			KEY, Crankshaft Sprocket
15	4796 384AB	1					DGC		CONVERTER PACKAGE, Torque
16	4567 143	1					DGC		PLATE, Drive Plate
17	4897 018AA	1				EBD			PISTON RING SET, COMPLETE
									ENGINE, STD.
18	4897 019AA	4				EBD			PISTON PIN AND ROD
19	6503 116	8				EBD			BOLT, Connecting Rod
20	4667 904	1				EBD			SEAL, Rear Main Crankshaft
21	4471 933	1					DGC		PLATE, Drive Plate Backing

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Camshaft and Valves 1.8L (EBD) Figure 1.8L-513




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
	BL Engine								
1	4648 613	8				EBD			VALVE, Exhaust, Standard
2	4648 615	8				EBD			VALVE, Intake, Standard
3	4667 370	4				EBD			SPACER, Rocker Shaft
4	4667 256	2				EBD			RETAINER, Valve Rocker Shaft
5	4667 257	3				EBD			RETAINER, Valve Rocker Shaft
6	4667 259	5				EBD			RETAINER, Valve Rocker Shaft
7	4777 128	1				EBD			CAMSHAFT
8	4777 086	1				EBD			SEAL, Camshaft
9	4648 701	8				EBD			ROCKER ARM, Intake
10	4648 702	4				EBD			ROCKER ARM, Exhaust
11	4648 693	1				EBD			SHAFT, Rocker Arm
12	4648 691	1				EBD			SHAFT, Rocker Arm
13	4777 050	32				EBD			LOCK, Valve Spring Retainer
14	4648 682	16				EBD			RETAINER, Valve Spring
15	4777 535	16				EBD			SPRING, Valve
16	4648 619	16				EBD			SEAL, Valve Guide
17	4648 635	AR				EBD			GUIDE, Intake/Exhaust Valve, 7mm
									Oversize
18	6101 527	5				EBD			SCREW, Hex Flange Head, M8x1.
									25x40
19	6100 997	1				EBD			PIN, Dowel
20	5269 547	1				EBD			CAM MAGNET, Target
21	4777 068	1				EBD			SEAL, Camshaft Sensor
22	6503 688	1				EBD			BOLT, Hex Flange Head, M6x1.
									00x40

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES


L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Timing Belt and Cover 1.8L (EBD) Figure 1.8L-613



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EBD]=1.	8L Engine								
1	4777 519AB	1				EBD			COVER, Timing Belt, Inner
2	4667 340	1				EBD			SEAL, Timing Belt Cover
3	6502 926	6				EBD			BOLT, Hex Flange Head, M6x1.0x20
4	6503 553	1				EBD			BOLT, Hex Flange Head, M12x1.
									75x87.50
5	4777 618AA	1				EBD			DAMPER, Crankshaft
6	6035 473	1				EBD			KEY, Crankshaft Sprocket
7	4667 604	1				EBD			GEAR, Crankshaft
8	6100 997	1				EBD			PIN, Dowel
9	6501 405	1				EBD			BOLT, Hex Head, M12x1.50x52
10	4777 465	1				EBD			COVER, Timing Belt, Outer
11	4777 395AB	1				EBD			TENSIONER, Belt
12	4667 340	1				EBD			SEAL, Timing Belt Cover
13	4667 606	1				EBD			BELT, Timing
14									SCREW, Hex Head, M6x1x30, (NOT
									SERVICED) (Not Serviced)
15	4667 602	1				EBD			GEAR, Camshaft
16	4667 554	1				EBD			PLUG, Timing Belt Cover
17	6503 438	1				EBD			WASHER, Flared, 13x35.00x4.70




DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Engine Oiling 1.8L (EBD) Figure 1.8L-713




	PART		1	1 '	1	1	1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EBD]=1.8	BL Engine.								
1	4667 884	1				EBD			PUMP, Engine Oil
2	6504 018	1				EBD			PLUG, Oil Drain
3	4777 300AB	1				EBD			PAN, Engine Oil
4 6101 451 13 EBD						SCREW AND WASHER, Hex Head,			
									M6x1x25
5	4667 352	1				EBD			TUBE, Engine Oil Indicator
6	4777 284	1				EBD			INDICATOR, Engine Oil Level
7	4556 666	1				EBD			GASKET, Oil Pan
8	6505 388AA	5				EBD			SCREW, Flange Head, M6x1x18
9	4777 252	1				EBD			TUBE, Oil Pickup
10	6032 920	1				EBD			SEAL, Oil Pick Up Tube
11	6500 070	1				EBD			SCREW AND WASHER, Hex Head,
									M8x1.25x25
12	4105 409	1				EBD			FILTER, Engine Oil
13	4667 386	1				EBD			ADAPTER, Oil Filter
14	4667 301	1				EBD			CONNECTOR, Oil Filter Adapter
15	4777 425	1				EBD			O RING, Oil Filter Adapter
16	4556 669	1				EBD			COVER, Oil Pump Back
17	4761 538	1				EBD			ROTOR SET, Oil Pump
18	0618 621	1				EBD			CAP, Oil Pressure Relief Valve
19	4777 062	1				EBD			GASKET, Oil Pump Relief Valve
20	1737 744	1				EBD			SPRING, Oil Pressure Relief Valve
21	2843 208	1				EBD			PLUNGER, Oil Pressure Relief Valve
22	6503 257	1				EBD			BOLT, Hex Head, M8x1.25x37.50
23	6503 256	2				EBD			BOLT, Hex Flange Head, M6x1.0x40
24	4483 444AB	1				EBD			O RING, Front Cover Oil Inlet
25	6100 296	2				EBD			BOLT, Hex Head

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Manifolds 1.8L (EBD) Figure 1.8L-813



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
EBD]=1	.8L Engine								
1	4777 895AA	4				EBD			GASKET, Intake Manifold
2	6503 131	8				EBD			BOLT, Hex Flange Head, M8x1.
									25x30
3	6505 756AA	5				EBD			BOLT, Hex Flange Head, M6x1.0x40
4	6505 314AA	2				EBD			STUD
5	4777 619AB	1				EBD			MANIFOLD, Exhaust
-6	4667 492	1				EBD			GASKET, Exhaust Manifold
7	4777 379	1				EBD			MANIFOLD, Intake
8	6500 274	1	D, P						LOCK NUT, M6x1.0x6
9									SHIELD, Exhaust Manifold
	4777 497	1				EBD			Upper
	4777 498	1				EBD			Lower

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Crankcase Ventilation 1.8L (EBD) Figure 1.8L-913



I.8L-913									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
	I.8L Engine								
	2.0L Engine 4777 501AB	1				EBD			HOSE Delution Control Volve
1 2	4/// SUIAD	ı				EDD			HOSE, Polution Control Valve VALVE, PCV
	4777 240AC	1				EBD			Up to 10-11-99
	4777 240AD	1				EBD			After 10-11-99
3	4884 040AA	1				EBD,			RESTRICTOR, PCV
						ECB			
4	4667 989AB	1				EBD,			HOSE, Make Up Air
						ECB			
-									


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 2.0L


### **Engine 2.0L Four Cylinder**



2.0L-100 Engine Identification	2.0L-200 Cylinder Head	2.0L-300 Cylinder Block	2.0L–400 Crankshaft, Piston, and Drive Plate
X Model Year Manufacturing Component Macely/Day Solid Code/Usopal Code/Usopal Code/Usopal Code/Usopal Code/Usopal Code/Usopal Code Code/Usopal Co			
2.0L-500 Camshafts and Valves	2.0L–600 Timing Belt and Cover	2.0L-700 Engine Oiling	2.0L-800 Manifolds
	Co)		

# Group – 2.0L


**Engine 2.0**L Four Cylinder



#### **GROUP 2.0L - Engine 2.0L Four Cylinder**


Illustration Title	Group-Fig. No.
Engine Identification  I. D. Location 2.0L (ECB)	Fig. 2.0L-111
Cylinder Head 2.0L SOHC (ECB)	Fig. 2.0L-211
Cylinder Block Cylinder Block 2.0L SOHC (ECB)	Fig. 2.0L-311
Crankshaft, Piston, and Drive Plate Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)	Fig. 2.0L-411
Camshafts and Valves Camshaft and Valves 2.0L SOHC (ECB)	Fig. 2.0L-511
Timing Belt and Cover Timing Belt and Cover 2.0L SOHC (ECB)	Fig. 2.0L-611
Engine Oiling Engine Oiling 2.0L SOHC (ECB)	Fig. 2.0L-711
Manifolds Manifolds 2.0L SOHC [ECB]	Fig. 2.0L-811
Crankcase Ventilation Crankcase Ventilation 2.0L SOHC (ECB)	Fig. 2.0L-911

## I. D. Location 2.0L (ECB) Figure 2.0L-111



	DART								
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								I	· · · · · · · · · · · · · · · · · · ·
NOTE: Sa	les Code								
[ECB]=2.0									
1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
									_
DODGE - PLY SERIES	MOUTH - CHRY LINE	SLER NE	ON (PL)—— BODY		ENGIN	 NE		TRANSI	MISSION
L=Low Line H=High Line	Z= RHD D= Dodge	2		or, 104.0WB	ECB =	:2.0L 4 Cyl. S : 1.8L 4Cyl S	SOHC	DD5 = 5	5 Speed Manual 3 Speed Automatic
i i–i iigii Liile	D= Chrys	ler			LDD =	. 1.0L 40yi 3	,0110	DG0 = A	All Automatic
	P= Plymo	ulli							All Manuall

#### Cylinder Head 2.0L SOHC (ECB) Figure 2.0L-211



	PART							1	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[ECB]=2.	OL Engine								
-1	5014 556AA-	1				ECB			GASKET PACKAGE, Engine Upper
2	4777 487	1				ECB			COVER, Cylinder Head
3	4777 626AA	1				ECB			GASKET, Cylinder Cover
4	4777 042AB	4				ECB			SEAL, Spark Plug Tube
5	4648 604	4				ECB			TUBE, Spark Plug
6	4777 536	1				ECB			CAP, Oil Filler
7	4777 086	1				ECB			SEAL, Camshaft
8	4667 993AC	1				ECB			HEAD, Cylinder
9	4621 653	1				ECB			NIPPLE, Heater Return
10	5014 127AA	1				ECB			GASKET PACKAGE, Cylinder Head
11	4556 020	2				ECB			PLUG, Core, 1.25 Diameter
12	4777 625AA	10				ECB			ISOLATOR, Cylinder Head Cover,
									Grommet And Bolt
13	6503 561	4				ECB			BOLT, Cylinder Head
14	6503 562	6				ECB			BOLT, Cylinder Head
-15	4591 227	1				ECB			COVER, EGR Port
-16	4663 247	1				ECB			GASKET, EGR Valve
-17	6501 648	2				ECB			SCREW, Hex Flange Head, M8x1.
									25x25.00


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Cylinder Block 2.0L SOHC (ECB) Figure 2.0L-311



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
	.0L Engine								
	ederal Emission	ns.							
[NAB]=L	eaded Fuel.								
	Iltra Low Emiss		icle.						
[NBV]=L	ow Emission Ve	ehicle.							
-1	4798 967AB-	1				ECB			GASKET PACKAGE, Engine Low
2									BLOCK, Short
	4864 260AD	1				ECB			[NAA, NAB, NAC], Contains Blo
									Bed Plate, Crank, Rods, Pisto
									Rings, Oil Pump, Oil Pan
	4897 720AD	1				ECB			[NBU, NBV], Contains Block, Be
									Plate, Crank, Rods, Pistons,
									Rings, Oil Pump, Oil Pan
3	4448 856	2				ECB			DOWEL, Block To Cylinder Head
4									PLUG, Pipe, .250-18x.560, (NOT
									SERVICED) (Not Serviced)
5	4694 106	3				ECB			DOWEL, Engine Block To Bedpla
6	6503 072	10				ECB			BOLT, Main Bearing Cap
7	6503 074	10				ECB			BOLT, Main Bearing Cap
8	6034 773	1				ECB			O RING, Bedplate To Engine Blo
9	6034 804	4				ECB			PLUG, Core, 1.39 Diameter
10	5240 849	2				ECB			DOWEL, Block To Clutch Housing
11	4667 904	1				ECB			SEAL, Rear Main Crankshaft
12	4556 018	2				ECB			PLUG, Cylinder Block Oil Hole
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4793 530	1							CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Crankshaft, Piston, Driveplate 2.0L SOHC (ECB) Figure 2.0L-411




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE: S	Sales Codes								
DD5]=M	lanual Trans								
[DGC]=3	Spd Auto Tran	ıs							
ECB]=2	.0L Engine								
[EBD]=1	.8L Engine								
[NAA]=F	ederal Emission	า							
[NBU]=U	Iltra Low Emiss	ion Veh	icle						
[NBV]=L	ow Emission Ve	ehicle.							
1	4728 997	AR				ECB			BEARING PACKAGE, Connecting
									Rod, Standard
2	4728 991	AR				ECB			BEARING PACKAGE, Connecting
									Rod, .025mm Undersize
3	4728 992	AR				ECB			BEARING PACKAGE, Connecting
									Rod, .25mm Undersize
4	4856 734	AR				ECB			BEARING PACKAGE, Crankshaft
									Thrust, STD.
5	4856 736	AR				ECB			BEARING PACKAGE, Crankshaft
									Thrust, .016mm Undersize
6	4856 738	AR				ECB			BEARING PACKAGE, Crankshaft
									Thrust, .25mm Undersize
7	4856 733	AR				ECB			BEARING PACKAGE, Crankshaft
									Main, Standard Size
8	4856 735	AR				ECB			BEARING PACKAGE, Crankshaft,
									.016mm Undersize
9	4856 737	AR				ECB			BEARING PACKAGE, Crankshaft,
									.25 mm Undersize
10	4667 754	1				ECB			CRANKSHAFT
11	4667 198	1				ECB			SEAL, Front Main Crankshaft
12									BOLT, Drive Plate and Flywheel
	6503 465	8					DGC		
		8				EBD,	DD5		
						ECB			
13									BOLT, Hex Head, M10x1.50 x 13.2
	6501 099	4					DGC		
		4				EBD,	DD5		
						ECB			
14	6035 473	1				ECB			KEY, Crankshaft Sprocket
15	4796 384AB	1	<u>-</u>				DGC		CONVERTER PACKAGE, Torque
16									PLATE, Drive Plate
	4567 143	1					DGC		
		1				EBD,	DD5		
						ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Crankshaft, Piston, Driveplate 2.0L SOHC (ECB) Figure 2.0L-411



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4741 401	1				ECB			PISTON RING SET, COMPLETE
									ENGINE, STD.
18									PISTON PIN AND ROD
	4897 642AB	4				ECB			NBU
		4				ECB			NBV
		1				ECB			NAA
		1				ECB			NAC
19	6503 116	8				ECB			BOLT, Connecting Rod
20	4667 904	1				ECB			SEAL, Rear Main Crankshaft
21									PLATE, Drive Plate Backing
	4471 933	1					DGC		
		1				EBD,	DD5		
						ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

#### Camshaft and Valves 2.0L SOHC (ECB) Figure 2.0L-511



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE: 9	Sales Code								
	2.0L Engine.								
, - 1	=g								VALVE, Exhaust, Standard
·	4648 613	8				ECB			Single Bead Lock
	4648 613AC	8				ECB			Triple Bead Lock
-2	4667 439	AR				ECB			VALVE, Exhaust, .15mm O/S
3									VALVE, Intake, Standard
· ·	4648 615	8				ECB			Single Bead Lock
	4648 615AC	8				ECB			Triple Bead Lock
-4	4667 189	AR				ECB			VALVE, Intake, .15MM O/S
5	4667 370	4				ECB			SPACER, Rocker Shaft
6	4667 256	2				ECB			RETAINER, Valve Rocker Shaft
7	4667 257	3				ECB			RETAINER, Valve Rocker Shaft
 8	4667 259	5				ECB			RETAINER, Valve Rocker Shaft
9	4777 128	1				ECB			CAMSHAFT
10	4777 086	1				ECB			SEAL, Camshaft
11	4648 701	8				ECB			ROCKER ARM, Intake
12	1010701								ROCKER ARM, Exhaust
	4648 702AB	4				ECB			Up to 6-5-00
	4648 702AC	4				ECB			After 6-5-00
13	4648 693	1				ECB			SHAFT, Rocker Arm
14	4648 691	<u>'</u> 1				ECB			SHAFT, Rocker Arm
15	4040 001	•				LOD			LOCK, Valve Spring Retainer
10	4777 050	32				ECB			Single Bead Lock
	4777 050AB	32				ECB			Triple Bead Lock
16	1777 000718								RETAINER, Valve Spring
10	4648 682	16				ECB			Single Bead Lock
	4648 682AB	16				ECB			Triple Bead Lock
17	4777 535	16				ECB			SPRING, Valve
18	4648 619	16				ECB			SEAL, Valve Guide
19	4648 635	AR				ECB			GUIDE, Intake/Exhaust Valve, 7mm
15	4040 000	7111				LOD			Oversize
20	6101 527	5				ECB			SCREW, Hex Flange Head, M8x1.
20	0101 321					LOD			25x40
21	6100 997	1				ECB			PIN, Dowel
22	5269 547	1				ECB			CAM MAGNET, Target
23	4777 068	1				ECB			SEAL, Camshaft Sensor
24	6503 688	<u>'</u>				ECB			BOLT, Hex Flange Head, M6x1.
<b>4</b>	0000 000	1				LOD			00x40
									00.40

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Timing Belt and Cover 2.0L SOHC (ECB) Figure 2.0L-611




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[ECB]=2.	0L Engine.								
1	4777 519AB	1				ECB			COVER, Timing Belt, Inner
2	4667 340	1				ECB			SEAL, Timing Belt Cover
3	6502 926	6				ECB			BOLT, Hex Flange Head, M6x1.0x20
4	6503 553	1				ECB			BOLT, Hex Flange Head, M12x1.
									75x87.50
5	4777 618AA	1				ECB			DAMPER, Crankshaft
6	6035 473	1				ECB			KEY, Crankshaft Sprocket
7	4667 604	1				ECB			GEAR, Crankshaft
8	6100 997	1				ECB			PIN, Dowel
9	6501 405	1				ECB			BOLT, Hex Head, M12x1.50x52
10	4777 465	1				ECB			COVER, Timing Belt, Outer
11	4777 395AB	1				ECB			TENSIONER, Belt
12	4667 340	1				ECB			SEAL, Timing Belt Cover
13	4667 606	1				ECB			BELT, Timing
14									SCREW AND WASHER, Hex Head,
									M6x1x30, (NOT REQUIRED)
15	4667 602	1				ECB			GEAR, Camshaft
16	4667 554	1				ECB			PLUG, Timing Belt Cover
17	6503 438	1				ECB			WASHER, Flared, 13x35.00x4.70

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES

L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Engine Oiling 2.0L SOHC (ECB) Figure 2.0L-711



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[ECB]=2	.0L Engine.								
1	4667 884	1				ECB			PUMP, Engine Oil
2	6504 018	1				ECB			PLUG, Oil Drain
3	4777 300AB	1				ECB			PAN, Engine Oil
4	6101 451	13				ECB			SCREW AND WASHER, Hex Head
									M6x1x25
5	4667 352	1				ECB			TUBE, Engine Oil Indicator
6	4777 284	1				ECB			INDICATOR, Engine Oil Level
7	4556 666	1				ECB			GASKET, Oil Pan
8	6505 388AA	5				ECB			SCREW, Flange Head, M6x1x18
9	4777 252	1				ECB			TUBE, Oil Pickup
10	6032 920	1				ECB			SEAL, Oil Pick Up Tube
11	6500 070	1				ECB			SCREW AND WASHER, Hex Head
									M8x1.25x25
12	4105 409	1				ECB			FILTER, Engine Oil
13	4667 386	1				ECB			ADAPTER, Oil Filter
14	4667 301	1				ECB			CONNECTOR, Oil Filter Adapter
15	4777 425	1				ECB			O RING, Oil Filter Adapter
16	4556 669	1				ECB			COVER, Oil Pump Back
17	4761 538	1				ECB			ROTOR SET, Oil Pump
18	0618 621	1				ECB			CAP, Oil Pressure Relief Valve
19	4777 062	1				ECB			GASKET, Oil Pump Relief Valve
20	1737 744	1				ECB			SPRING, Oil Pressure Relief Valve
21	2843 208	1				ECB			PLUNGER, Oil Pressure Relief Val
22	6503 257	1				ECB			BOLT, Hex Head, M8x1.25x37.50
23	6503 256	2				ECB			BOLT, Hex Flange Head, M6x1.0x4
24	4483 444AB	1				ECB			O RING, Front Cover Oil Inlet
25	6100 296	2				ECB			BOLT, Hex Head


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Manifolds 2.0L SOHC [ECB] Figure 2.0L-811



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[ECB]=2.	0L Engine								
[NAB]=Le	eaded Fuel.								
[NBU]=U	ltra Low Emiss	ions.							
1									SHIELD, Exhaust Manifold
	4777 497	1				ECB			
	4777 600AA	1				ECB			NBU Upper
	4777 611AA	1				ECB			NBU Lower
2									MANIFOLD, Exhaust
	4777 619AA	1				ECB			
	4777 904AA	1				ECB			NBU
3									SHIELD, Exhaust Manifold
	4777 498	1				ECB			
	4777 611AA	1				ECB			NBU Lower
4	6505 314AA	2				ECB			STUD
5	6500 274	1	D, P						LOCK NUT, M6x1.0x6
6	6505 756AA	5				ECB			BOLT, Hex Flange Head, M6x1.0x4
7	6505 926AA	4				ECB			BOLT, Hex Head, Knurled Reduction
8	4777 449AB	1				ECB			BRACKET, Intake Manifold
9	4777 379	1				ECB			MANIFOLD, Intake
10	4777 895AA	4				ECB			GASKET, Intake Manifold
11	6503 131	8				ECB			BOLT, Hex Flange Head, M8x1.
									25x30
-12	4667 492	1				ECB			GASKET, Exhaust Manifold
-13									PLUG, Cylinder Block Oil Hole
	6500 362	1				ECB			NAB
	4556 018	2				ECB			


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Crankcase Ventilation 2.0L SOHC (ECB) Figure 2.0L-911



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	les Codes								
[EBD]=1.8	L Engine.								
[ECB]=2.0	L Engine								
1	4777 501AB	1				ECB			HOSE, Polution Control Valve
2									VALVE, PCV
	4777 240AC	1				ECB			Up to 10-11-99
	4777 240AD	1				ECB			After 10-11-99
3	4884 040AA	1				EBD,			RESTRICTOR, PCV
						ECB			
4	4667 989AB	1				EBD,			HOSE, Make Up Air
						ECB			
-5									FILTER, Crankcase Vent
	5019 684AA-	1				ECB	DGC		
		1				ECB	DD5		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 011 Exhaust






### **GROUP 11 - Exhaust**

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System PL	Fig. 011-105
Heat Shields	
Exhaust Shields PL	Fig. 011-201

## Exhaust System PL Figure 011-105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE: S	ales Codes								
[ECB]=2.	0L Engine								
[EBD]=1.	8L Engine								
[EBT]=1.9	9L Turbo Diese	el							
[NAA]=Fe	ederal Emission	าร							
[NBU]=U	Itra Low Emiss	ion Veh	icle (ULEV	<b>/</b> ).					
[NBV]= L	ow Emission V	ehicle (	(LEV)						
1	6100 517	4							NUT, Hex Flange Lock, M8 Phosphate
2									CONVERTER, Catalytic
	4546 942	1				ECB			NAA,NAC,NAM, w/out NBV,NBU
	5278 126	1				ECB			NBV
	5278 233AA	1				EBD			
	5278 345	1	D, P			ECB	DGC		NBU Automatic
	5278 450AA	1				EBT			
3	4546 975	1							PIPE, Exhaust Extension
4									MUFFLER, Exhaust
	4546 968	1				EBD,			
						ECB			
	5278 266AA	1				EBT			
5	4495 951	3							INSULATOR, Exhaust
6	4616 671	1							GASKET, Manifold To Exhaust Pip
7	4682 810AB	4				ECB	DGC		NUT, Hex Flange, M8x1.25
8									SCREW, Hex Flange Head, M8x1.
									25x35, (NOT SERVICED) (Not
_									Serviced)
9									CLAMP, Exhaust
	5278 304AA	1				EBT			
		1				EBD,			
						ECB			


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Exhaust Shields PL** Figure 011-201

	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 046	1							SHIELD, Converter Underbody
2	6034 716	2							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875
-3	4495 876	1							SHIELD, Fuel Tank
-4									SHIELD, Heat
	4656 672AA-	1							Right
	4656 673AA-	1							Left
	1 2 -3 -4	1 5278 046 2 6034 716 -3 4495 876	1 5278 046 1 2 6034 716 2 -3 4495 876 1 -4 4656 672AA- 1	1 5278 046 1 2 6034 716 2 -3 4495 876 1 4656 672AA- 1	1 5278 046 1 2 6034 716 2 -3 4495 876 1 4656 672AA- 1	1 5278 046 1 2 6034 716 2 -3 4495 876 1 4656 672AA- 1	1 5278 046 1 2 6034 716 2 -3 4495 876 1 4656 672AA- 1	1 5278 046 1 2 6034 716 2 -3 4495 876 1 4656 672AA- 1	1 5278 046 1 2 -3 4495 876 1 4656 672AA- 1



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line


Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Group – 013 Frames and Bumpers





#### **GROUP 13 - Frames and Bumpers**

Illustration Title	Group-Fig. No
Frames	
Frame, Front	Fig. 013-105
Frame, Rear	Fig. 013-135
Front Bumper and Fascia	
Fascia, Front	Fig. 013-205
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-305




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1	4783 295AB	1							CROSSMEMBER, Front Side Rail
2	4888 858AC	1							RAIL, Front Right
3	4888 859AC	1							RAIL, Front Left
-4	6506 038AA-	2							SCREW, Hex Head, Crossmember
									to Side Rail, Front
-5	6505 595AA-	2							NUT, M14X2, Front Crossmember
									Attaching
6									REINFORCEMENT, Side Rail
	4783 288AD	1							Right
	4783 289AD	1							Left
7									RAIL, Front Side Rail Rear
	4888 956AE	1							Right
	4888 957AE	1							Left
8	4783 490	2							EXTENSION, Front Side Rail
9	5272 238AE	1							CROSSMEMBER, Front Suspension
10	4783 350	1							PANEL, Radiator Closure, Lower,
									Right
11	4783 351	1							PANEL, Radiator Closure, Lower,
									Left
12	4783 482	1							BRACE, Radiator Crossmember,
									Right
13	4783 483	1							BRACE, Radiator Crossmember, Left
14	4783 465	1							SUPPORT, Radiator Closure Panel
15	4783 348AF	1							PANEL, Radiator Closure, Upper,
									Right
16	4783 349AC	1							PANEL, Radiator Closure, Upper,
									Left
17	4783 466AB	1							CROSSMEMBER, Radiator Closure
									Panel
18	5014 424AA	1							CROSSMEMBER, Front Floor,
									Includes Tapping Plates
19	4655 601	4							TAPPING PLATE
20	4888 915AB	1							BRACKET, Towing
-21	6101 462	3							SCREW AND WASHER, Hex Head,
									M8x1.25x30, Bracket to Rail

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Frame, Rear Figure 013-135



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5014 458AC	1							CROSSMEMBER, Rear Floor
<u>-2</u>	0011 100/10	•							CROSSMEMBER, Front Seat
_									Retention, Serviced in Floor Pan
									Assembly, (NOT SERVICED) (Not
									Serviced)
3									REINFORCEMENT, Bumper
Ü	4888 610AA	1							Right
	4888 611AA	1							Left
4	1000 011701	•							RAIL, Rear Floor Pan Side
•	5013 128AC	1							Right
	5013 129AC	1							Left
5	4655 307	2							T PLATE, Rear Rail Rear
									Suspension Sway Bar
6									BRACKET, Exhaust Hanger
	4783 612AB	1							Rear, Right
	4783 613	1							Rear, Left
7	4783 615AC	1							BRACKET, Exhaust Hanger, Front
8	4783 316AB	1							CROSSMEMBER, Rear Suspension
									Center
9	4783 361	2							CROSSMEMBER, Rear Suspension
									Outer
-10	4783 608	1							PLATE, Towing
11	4888 624AA	2							PLATE, Crossmember to Rail
12									SILL, Body Side
	5013 126AC	1							Right
	5013 127AC	1							Left
13									BRACE, Floor Pan To Sill
	4783 740	1							Right
	4783 741	1							Left
-14									BOLT, M10-1.50x105, Rear Bracket
									to Rail Attaching EXPORT, (NOT
									SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

PART

13)		14 3 14
12	10 4 8 7	17

MLD] - I	Sales Codes: FASCIA - MOLD						
MLW] - MLX] - F			COLOD	FDONT			
MLX] - F					/FT		
	FASCIA - FRON			INSE POCI	ΛΕ I		
1	FASCIA - FRON		NIED				DEINICODOEMENT. Frank Bureau au
	5288 938AA	1					REINFORCEMENT, Front Bumper
-2	5288 939AA-	1					STRAP, Reinforcement
3	6505 082AA	8					SCREW AND WASHER, Hex Head
4	0500 000	4					M8x1.25x54
4	6500 898	4					RIVET, M4.95x25
5	5044 40040						FASCIA, Front, Primed
	5014 480AC	1					[MLX,MLD]
	5014 544AC	1					[MLW] - Wide License Pocket
	5044 557 A C						PUERTO RICO
	5014 557AC	1					[MLW] - Wide License Pocket
0							EUROPE
-6	5000 000AA						PLUG, Front Fascia
	5288 822AA-	1					Right
	5288 823AA-	1					Left
	5288 834AA-	1					Fascia Pocket - EXPORT, Right
_	5288 835AA-	1					Fascia Pocket - EXPORT, Left
7	5288 559	1					FOAM, Front Bumper, [MLD, MLX]
8	5288 804AA	1					FOAM, Front Bumper Fascia, [MLV
9	6034 944	1					RIVET, Blind, .187x.54, Fascia to
							Strap
10	5288 562	2					BRACKET, Fascia
11	5288 555	1					AIR DAM
12							BRACKET, License Plate
	SB93 DX9AA	1	D, P				
	5288 487	1	Z				
	55155 764AB	1					Japan
13	6505 529AA	4					SCREW, Hex Flange Head Tapping
							M6.3 x 1.81 x 22.5
14	6101 283	6					U-NUT, M8x1.25
15							RETAINER, Fascia
	5288 560	1					Right
	5288 561	1					Left
16							SCREW, M4.8X1.59X13.00, (NOT
						 	 SERVICED) (Not Serviced)
17	6035 414	4					RIVET, Blind, .12x.47

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

ITEM

		No. Local Control Control	. Live Service	DOD! LINGUIL HOUSE	2233.11.10.1
	NOTE: S	ales Codes:			
			REAR W/ACCENT STRIP	E	
	[MLR] - F	ASCIA - REAR, P.	AINTED		
	1	5288 566			REINFORCEMENT, Rear Bumper
	2	6101 804	1		SCREW AND WASHER, Hex Head,
					M8x1.25x30
	3	6101 283			U-NUT, M8x1.25
	4	6035 414			RIVET, Blind, .12x.47
	5	6034 701	1		SCREW, .250-14x.875
	6				NUT, (NOT SERVICED) (Not
	7	E200 E70			Serviced)
	7 8	5288 570 1 6035 342 2			FOAM AND TAPE, Fascia NUT/SPRING, Push On, ID .315 OD
		0030 342 2	<u> </u>		1.375 THK .017
	9				RETAINER, Fascia
	9	5288 568			Right
		5288 569			Left
(7)	10	6505 138AA 2			PIN, Push In, M10 x 32.70
		6101 469			NUT AND WASHER, Hex Nut-Coned
					Washer, M6 x 1.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12				FASCIA, Rear, Primed
$\begin{array}{c} (3) \\ (3) \\ (3) \\ (4) \\ (4) \\ (5) \\ (4) \\ (5) \\ (6) \\ (6) \\ (7) \\ (8) \\ (7) \\ (8) \\ (9) \\ (1) \\ (1) \\ (1) \\ (2) \\ (3) \\ (4) \\ (4) \\ (4) \\ (5) \\ (4) \\ (4) \\ (4) \\ (5) \\ (4) \\ (4) \\ (5) \\ (4) \\ (5) \\ (4) \\ (5) \\ (4) \\ (5) \\ (4) \\ (5) \\ (4) \\ (5) \\ (5) \\ (5) \\ (6) \\$		5012 901AB 1			[MLR]
		5012 901AC			[MLK]
		5012 902AB			[MLP], Export
	13	5008 374AB 2	2		BUMPER, Deck Lid Overslam
(13)					
	-				
(9)					
(10)					
₽ ₽					
· · ·					
	DODGE - PL SERIES	YMOUTH - CHRYSLEF Line	R NEON (PL)————— BODY	ENGINE	TRANSMISSION
	L=Low Line	Z= RHD	41 = 4 Door, 104.0WB	ECB =2.0L 4 Cyl. SOHC	DD5 = 5 Speed Manual
	H=High Line	D= Dodge D= Chrysler		EBD = 1.8L 4Cyl SOHC	DGC = 3 Speed Automatic DG0 = All Automatic
		P= Plymouth			DBB = All Manuall

PART

NUMBER

QTY

LINE

SERIES

BODY


**ENGINE** 


TRANS

TRIM


DESCRIPTION

## Group – 014 Fuel





## Group – 014



#### **GROUP 14 - Fuel**

Illustration Title	Group-Fig. No.
Tank, Fuel Fuel Tank PL	Fig. 014-101
Fuel Tank Filler Tube Fuel Filler Tube PL	Fig. 014-201
Fuel Lines PL	Fig. 014-301
Fuel Rail PL	Fig. 014-401
Fuel Pump and Sending Unit Fuel Pump and Sending Unit PL	Fig. 014-501
Throttle Body Throttle Body PL	Fig. 014-601
Throttle Controls  Throttle Controls PL	Fig. 014-701
Air Cleaner Air Cleaner PL	Fig. 014-801
Air Intake System  Air Intake PL	Fig. 014-901
Speed Control Speed Control PL	Fig. 014-1001
Accelerator Pedal Accelerator Pedal PL	Fig. 014-1101

	3
2	


Emissions  5278 171AA 1 EBT 12.5 Gallon Tank (Diesel)  5017 443AA 1 EBD, NAB,NAC, European II, Mexic ECB  5017 209AA 1 NAA, NBV, NBU Federal Low Ultra Low Emission  2 STRAP, Fuel Tank  5278 012 1 Right  5278 013 1 Left		PART								
[EBD]=1.8L Engine         [ECB]=2.0L Engine         [NAA]= Federal Emissions         [NAE]=California Emissions         1       TANK, Fuel         5278 057       1         5278 171AA       1         5017 443AA       1         EBD, ECB       NAB,NAC, European II, Mexic         5017 209AA       1         NAA, NBV, NBU Federal Low       Ultra Low Emission         2       STRAP, Fuel Tank         5278 012       1         5278 013       1         Left       3 6502 863         4       SCREW AND WASHER, Hex FMS1.25x35         CAP, Fuel Tank Drain, (NOT REGUIRED)         -5       SHIELD, Heat         5278 683AA-       1         EBD, ECB       ESD, EXENSION	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD =1.8L Engine   EBT =1.9L Turbo Diese    EBD =2.0L Engine   EBD =										
[EBT]=1.9L Turbo Diesel         [ECB]=2.0L Engine         [NAA]= Federal Emissions         [NAE]=California Emissions         1       TANK, Fuel         5278 057       1         EBT       12.5 Gallon Tank (Diesel)         5017 443AA       1         EBD, ECB       NAB, NBV, NBU Federal Low         5017 209AA       1         2       Ultra Low Emission         5278 012       1         5278 013       1         3 6502 863       1         SCREW AND WASHER, Hex HM8x1.25x35         -4       CAP, Fuel Tank Drain, (NOT REQUIRED)         -5       SHIELD, Heat         5278 683AA-       1         EBD, ECB       EBD, Extension	NOTE: Sa	ales Codes								
[ECB]=2.0L Engine       [NAA]= Federal Emissions         [NAE]=California Emissions       TANK, Fuel         5278 057       1       TANK, Fuel         5278 171AA       1       EBT       12.5 Gallon Tank (Diesel)         5017 443AA       1       EBB       NAB, NAC, European II, Mexic ECB         5017 209AA       1       Ultra Low Emission         2       STRAP, Fuel Tank         5278 012       1       Right         Left       3       65278 013       1       SCREW AND WASHER, Hex How Max1.25x35         -4       CAP, Fuel Tank Drain, (NOT REQUIRED)         -5       SHIELD, Heat         5278 683AA-       1       EBD, ECB         5278 684AA-       1       EBD, Extension	[EBD]=1.8	BL Engine								
NAA  = Federal Emissions	[EBT]=1.9	L Turbo Diese	el							
TANK, Fuel   S278 057   1   TANK, Fuel   NAA, NAE Federal or Californ   Emissions	[ECB]=2.0	L Engine								
TANK, Fuel 5278 057 1	[NAA]= F	ederal Emissio	ns							
S278 057   1	[NAE]=Ca	lifornia Emissi	ions							
Emissions   EBT   12.5 Gallon Tank (Diesel)	1									TANK, Fuel
5017 443AA 1 EBD, NAB,NAC, European II, Mexic ECB  5017 209AA 1 NAA, NBV, NBU Federal Low Ultra Low Emission  2 STRAP, Fuel Tank 5278 012 1 Right 5278 013 1 SCREW AND WASHER, Hex F M8x1.25x35  -4 SCREW AND WASHER, Hex F M8x1.25x35  CAP, Fuel Tank Drain, (NOT REQUIRED)  -5 SHIELD, Heat  5278 683AA- 1 EBD, ECB 5278 684AA- 1 EBD, EXTENSION		5278 057	1							NAA, NAE Federal or California Emissions
ECB    5017 209AA   1		5278 171AA	1				EBT			12.5 Gallon Tank (Diesel)
STRAP, Fuel Tank   STRAP, Fuel Tank   Right   Left		5017 443AA	1				EBD,			NAB,NAC, European II, Mexico
Ultra Low Emission STRAP, Fuel Tank 5278 012							ECB			
2 STRAP, Fuel Tank 5278 012 1 5278 013 1 3 6502 863 1 SCREW AND WASHER, Hex H M8x1.25x35 CAP, Fuel Tank Drain, (NOT REQUIRED)  -5 SHIELD, Heat 5278 683AA- 1 EBD, ECB 5278 684AA- 1 EBD, EXTRAP, Fuel Tank Right Left SCREW AND WASHER, Hex H M8x1.25x35 CAP, Fuel Tank Drain, (NOT REQUIRED) SHIELD, Heat		5017 209AA	1							NAA, NBV, NBU Federal Low, an
5278 012 1										Ultra Low Emission
5278 013 1	2									STRAP, Fuel Tank
3 6502 863 1 SCREW AND WASHER, Hex F		5278 012	1							Right
-4		5278 013	1							Left
-4 CAP, Fuel Tank Drain, (NOT REQUIRED)  -5 SHIELD, Heat  5278 683AA- 1 EBD,  ECB  5278 684AA- 1 EBD, Extension	3	6502 863	1							SCREW AND WASHER, Hex Head
REQUIRED   -5										M8x1.25x35
-5 SHIELD, Heat 5278 683AA- 1 EBD, ECB 5278 684AA- 1 EBD, Extension	-4									CAP, Fuel Tank Drain, (NOT
5278 683AA- 1 EBD, ECB 5278 684AA- 1 EBD, Extension										•
ECB 5278 684AA- 1 EBD, Extension	-5									SHIELD, Heat
5278 684AA- 1 EBD, Extension		5278 683AA-	1							
<u>'</u>										
ECB		5278 684AA-	1							Extension
							ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								ontainin	g Gas Cap and Lock Cylinder
	talled. Dealer R	espons	ible for key	ing using t	umblers in	service kit	t.		
Sales Co		. 00110	40\/ 055	F					
_	1.8L 4 Cylinder			-					
	2.0L 4 Cylinder		16V SIVIP	Engine					CAD Fire Filler New Locking
1	5278 632AA	1							CAP, Fuel Filler, Non-Locking
2	5015 636AA	1							CAP KIT, Fuel Tank Locking
3	4682 676	1							TETHER, Fuel Filler Cap
4	0154 806	3							SCREW, Round Head, .164-15x1.0
5	4783 925	1							HOUSING, Fuel Filler
6	5256 863	2							BUMPER, Fuel Door
7	45.40 005.AD	4							TUBE, Fuel Filler
	4546 935AB	1							ORVR
0	5278 307AD	1							NON_ORVR
8	6505 322AA	1							CLAMP, Hose
9	5278 749AA	1							HOSE, Fuel Filler Tube
10	5278 660AA	1							VALVE, Check
11	5278 459AA	2							HOSE, Fuel Filler Tube Vent
-12	4000 050	4				EDD			LABEL, Unleaded Fuel Only
	4206 059	1				EBD,			
	4696 849	1				ECB EBD,			Canada
	4090 049	1				ECB			Canada
-13	4853 321AA-	1				ECD			LABEL, Fuel, Mexico Only
-13 -14	5257 132	1							TUMBLER, Ignition Number 1
-15	5257 133	1							TUMBLER, Ignition Number 2
-16	5257 133	1							TUMBLER, Ignition Number 3
-17	5257 135	1							TUMBLER, Ignition Number 4
-17	3237 133	ı							TOMBLEN, Ignition Number 4

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE O									
	les Codes								
[EBD]=1.8	∟ Engine L Turbo Diese	,I							
[ECB]=1.9		<b>7</b> 1							
	L Hi/Perf Eng	ine							
1	2 11,7 311 2119								TUBE, Fuel Supply
	4882 229	1	D, P			EBD,			Left Hand Drive
			•			ECB			
	5015 352AA	1	Z			EBD,			European, Right Hand Drive
						ECB			
2									TUBE, Fuel Supply
	4546 938AC	1	Z			EBD,			Right Hand Drive
						ECB			
	5278 492AB	1	D, P			EBD,			Left Hand Drive
						ECB,			
						ECH			
3									CLIP, Tube
	4495 636	4	D, P			ECB,			Rail-kick up
						ECH			
		3	Z			EBD,			Rail-kick up
						ECB			0115 5 171
4	5070 470 A A	4	D D			FOR			CLIP, Fuel Tube
	5278 179AA	1	D, P			ECB,			7-tube
		1	Z			ECH EBD,			7-tube
		1				ECB			7-tube
	5278 180AA	4	D, P			ECB,			5-tube
	0270 100701	•	Β, ι			ECH			o tabo
		4	Z			EBD,			5-tube
						ECB			
	5278 181AA	2	D, P			ECB,			3-tube
			•			ECH			
		2	Z			EBD,			3-tube
						ECB			
	5278 182AA	1	D, P			ECB,			4-tube
						ECH			
	5278 218AB	1	Z			EBD,			4-tube
						ECB			
	5278 496AA	1	D, P			ECB,			1-tube
						ECH			
5									TUBE, Fuel Vapor
	5278 164AA	1				EBT			
DODGE - PLY	MOUTH - CHRY	SLER NE	ON (PL)——						
SERIES L=Low Line H=High Line	LINE Z= RHD D= Dodge D= Chrysl P= Plymoi	er	BODY 41 = 4 Doo	r, 104.0WB		NE =2.0L 4 Cyl. 5 = 1.8L 4Cyl S		DD5 = 5 DGC = 7 DG0 = 7	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall



### Fuel Lines PL Figure 014-301

2	
	S. A. S. C.
	)
3 4	


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4883 310	1	D, P			EBD,			Left Hand Drive
_							ECB			
		5015 353AA	1	Z			EBD,			Right Hand Drive
							ECB			
	6									NUT
		6036 125AA	1	D, P			EBD,			.375-24x.850
							ECB,			
							ECH			
_			1	Z			EBD,			.375-24x.850
							ECB			
		6036 126AA	1	D, P			EBD,			.437-24x.825
							ECB,			
_							ECH			
			1	Z			EBD,			.437-24x.825
							ECB			
		6036 157AA	1	D, P			EBD,			.437-24x.850
_							ECB,			
							ECH			
			1	Z			EBD,			.437-24x.850
							ECB			
_	-7	4778 128	1	D, P			ECB			TUBE, Vacuum

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Fuel Rail PL Figure 014-401



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									
NOTE: S	ales Codes								
[EBD]=1.	BL Engine.								
[ECB]=2.	DL Engine.								
1									RAIL, Fuel
	5014 312AA	1				EBD			
		1				ECB			
2									BOLT AND CONED WASHER,
									M8x1.25x18
	6101 506	2				ECB			
		2				EBD			
3									CLIP, Fuel Injector
	4418 257	4				EBD			
		4				ECB			
4									O RING KIT, Fuel Injector
	4897 125AA	4				EBD			
		4				ECB			
5									INJECTOR, Fuel
	4669 772	4				ECB			
		4				EBD			
6									RETAINER, Quick Connect, 3/8,
									(NOT SERVICED) (Not Serviced)


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Fuel Pump and Sending Unit PL Figure 014-501



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			٦		0220	202.			1	223 11011
	NOTE: Sa	ales Codes								
-		BL Engine.								
		L Engine.								
	1	· · <b>9</b> · · · ·								MODULE KIT, Fuel Pump/Level Unit
		5014 351AA	1							•
-		5015 263AA	1							Mexico Only
	2									FILTER KIT, Fuel
		4897 419AA	1				EBD,			
_							ECB			
		5010 476AA	1							Mexico Only
		4897 416AB	1							
	3									LEVEL UNIT KIT, Fuel
_		5014 353AA	1							Mexico
			1							
		4546 692	1							SEAL, Fuel Pump and Level Unit
		4546 610	1							FILTER, Fuel Pressure Regulator
-	6	5200 5389	1							NUT, Fuel Pump Module
-										

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

4	


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOWBER	QII	LINE	SERIES	ВОВТ	LINGINE	TRANS	TIXIM	DESCRIPTION
	ales Codes	<del>-</del>							
	Speed Manual								
	utomatic Trans								
[EBD]=1.8	-								
	L Engine								TUDOTTI E DODY
1	4004 000AB					EDD	DOO		THROTTLE BODY
	4891 096AB	1				EBD, ECB	DGC		Automatic Transmission
	4669 894AB	1				EBD,	DD5		Manual Transmission
	4009 094AD	- 1				ECB	טטט		Manual Hansinission
-2						ECB			SCREW, Hex Flange Head, M6.3x1.
-2									81x16
	6101 976	3				EBD,	DD5		01210
	0101 970					ECB			
		3				EBD,	DGC		
		Ŭ				ECB	500		
-3						LOD			MOTOR KIT, A.I.S.
	5014 285AA-	1				EBD,	DD5		, -
						ECB			
		1				EBD,	DGC		
						ECB			
4									SENSOR KIT, Throttle Position
	4874 430AB	1				EBD,	DD5		
						ECB			
		1				EBD,	DGC		
						ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Throttle Controls PL** Figure 014-701



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
	anual 5 Speed	Trans.							
_	utomatic Trans								
1	4891 365AA	1					DGC		CABLE, Auto. Trans. Kickdown
2									CABLE, Throttle Control
	4891 250AB	1	Z				DD5		
	4891 251AC	1	D, P				DD5		
	4669 790AC	1	D, P				DGC		
	4669 967AB	1	Z				DGC		
3	5240 826AB	1					DGC		LEVER
4	4669 966AB	1							SHIELD, Throttle Control
5	5214 613	1							RETAINER, Throttle Cable

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

2	7	4	6
			) <sup>4</sup>
		3	
			1
	(8)		
		,	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
_	lanual 5 Speed								
_	Automatic Trans								
_	.8L Engine.								
	I.9L Turbo Dies	el Engii	ne						
-	.0L Engine.								
	.0L Hi/Perf Eng	ine							DODY 4: 01
1	4004 0474 4	4				EDD	D00		BODY, Air Cleaner
	4891 317AA	1				EBD, ECB	DGC		
		4				ECB	DDE		
2		1				ECD	DD5		COVER, Air Cleaner
2	4891 021AA	1				EBD,	DGC		COVER, All Cleaner
	4091 021AA	<u>'</u>				ECB	DGC		
		1				ECB	DD5		
-3		•				LOD	550		FILTER, Air
Ū	4891 097AA-	1				EBD,	DGC		, ,
						ECB			
	4891 097AB-	1				EBT			
	4891 097AA-	1				ECB	DD5		
4									DUCT, Air Cleaner to Resonator
	4891 032AA	1				EBD,	DD5		w/Sensor, Air Temp.
						ECB			
		1				EBD,	DGC		w/Sensor, Air Temp.
						ECB			
-5									COVER, Injector Harness
	4891 356AB-	1				ECB			
	4891 357AA-	1				EBD			
	4891 410AB-	1				ECH			
6	6102 039AA	1							SCREW, Air Cleaner Mounting - Fr
_	0.400.4050								M6.3x1.81x30.00
7	3420 1358	1							NUT AND WASHER, Hex Nut-
8	6503 846	1							Sealing Washer, M6 x 1.00 STUD, Single Ended, Knurled, Pilo
0	0303 040	'							Point, M6x1.00x20.00
-9									SCREW, Air Cleaner Cover
-9	5066 221AA-	5				ECB	DD5		JOILEY, All Oleaner Cover
	3000 ZZ IAA-	5				ECB	DGC		
-10	4669 177	2				_05	200		GROMMET, Air Cleaner Bracket
-11	4300 052	1				EBD,			BUMPER, Air Cleaner to Rocker
• •		•				ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Air Cleaner PL Figure 014-801




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-12	4573 049	2				EBD,			ISOLATOR, Air Cleaner Mounting
_							ECB			Leg
	-13	4573 211AB-	2				EBD,			BUSHING, Isolator Mounting Leg
							ECB			
	-14									SCREW, Throttle Body Attach, M6x1.
-										00x25.00
		6506 072AA-	4				EBD,	DD5		
							ECB			
			4				EBD,	DGC		
-							ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Air Intake PL Figure 014-901



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	.1								
NOTE: Sa	ales Code								
[EBD]=1.8	BL Engine								
	OL Engine								
1	4669 895AC	1				EBD, ECB			RESONATOR, Air Cleaner
2	4669 783AB	1				EBD,			DUCT, Throttle Body
						ECB			
3	6102 039AA	2							SCREW, Air Cleaner Mounting - Frt., M6.3x1.81x30.00
ODGE - PL	YMOUTH - CHRY	SLER NE	ON (PL)						
ERIES =Low Line I=High Line	LINE Z= RHD D= Dodge D= Chrysl P= Plymo	ler	BODY 41 = 4 Doo	or, 104.0WB	ENGIN ECB = EBD =	NE =2.0L 4 Cyl. 5 = 1.8L 4Cyl S	SOHC	DD5 = 5 DGC = 7 DG0 = 7	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SERVO, Speed Control
	4669 979	1	D, P						
		1	Z						
2									CABLE, Speed Control
	4669 793AB	1	D, P						
2	4891 041AA	1	Z						LOCK NUT Meyd Ove
3	6500 274	2	D, P						LOCK NUT, M6x1.0x6
	0300 274	2 4	D, P Z						
4									PLATE, Speed Control Servo
•	4591 046	1	D, P						1 E/11 E, opoca control corve
		1	Z						
5	4669 788	1							RESERVOIR, Speed Control
									Vacuum
6	4669 954	1	Z						BRACKET, Speed Control Servo
7	4891 042AA	1	Z						HARNESS, Vacuum Speed Control
8									HARNESS, Speed Control, Servo to
									Reservoir
	4669 452AB	1	Z						
	4669 582AB	1	D, P						
9	4459 055AB	1							CLIP, Cable Routing
10									SCREW AND WASHER, Hex Head M6x1x25, (NOT SERVICED) (Not Serviced)
11	4669 585AB	1	D, P						BRACKET, Speed Control Servo
-12	4891 307AA-	1	Σ, .						CLIP, Radiator Hose to Throttle
									Control Cable
-13									SPACER, Speed Control Servo
	3502 916	2	D, P						
		2	Z						
-14									CLIP, Cable
	6025 867	1	D, P						
		1	Z						
-15									ISOLATOR PAD, Speed Control
	4592 032	1	D, P						Mounting
	1002 002	1	Z, I						


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Accelerator Pedal PL** Figure 014-1101

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
NOTE: S	Sales Code								
[EBD]=1	.8L Engine								
[ECB]=2	.0L Engine								
1									PEDAL, Accelerator
	4669 789	1	D, P			EBD,			
						ECB			
	4669 964	1	Z			EBD,			Right Hand Drive
						ECB			
2	6502 843	2							NUT AND WASHER, Hex Nut-Coned
		·					·		Washer, M6 x 1.00



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Group – 017 Rear Suspension




Illustration Title Group-Fig. No.

**Rear Suspension** 

Suspension,Rear ..... Fig. 017-105






PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
<b>A</b>	NOTE: Sa	ales Codes								
		Feel Suspen		o Known a	s Touring	Suspensior	า			
9 (10) -(11)		vy Duty Suspe								
		pean Homolo	gation S	Suspension						
		MPETITION					0 1 0	1 11 41		
	2CC thur	ZRJ=Spring (	Froup 1	ypes Found	a on Individ	iuai venicie	e Sales Co	ode Listing	1	CAR Supposion Strut (NOT
	I									CAP, Suspension Strut, (NOT REQUIRED)
	2	6505 116AA	2							NUT, M14X2
	3									MOUNT, Strut
(13)—		4656 264AB	1							Right
		4656 265AB	1							Left
	4									SPRING, Rear Coil
		5272 283	1							(SDC,SDF,SDK) (ZAT,ZNT) Tag#
										283
$\bigcirc \bigcirc $		5272 284	1							(SDC,SDF,SDK) (ZAU,ZNU) Tag#
		5070 005 4 4	1							284
(2)		5272 285AA 4656 060AB	•							(SDB,SDC,SDF) (ZAV,ZNV)
		4626 757	2 2							SHIELD, Suspension ISOLATOR, Spring Seat
		5272 248AB	2							BUMPER, Jounce
	8	02.22.07.2								STRUT, Rear Suspension
		4656 354AC	1							[SDF-SDB], Right
		4656 355AC	1							[SDF-SDB], Left
		4656 474AD	1							[SDC], Right
(6)		4656 475AD	1							[SDC], Left
	9	6502 964	6							NUT AND WASHER, Hex Nut-Coned
										Washer, M8 x 1.25
\ (16) (14)		6502 765	4							BOLT, Hex Head, Clevis Bracket
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \end{array} \end{array} $	11	4773 957	4							BOLT PACKAGE, Camber Adjustment, Contains 2 Bolts, 2
										Nuts
(18)	12	6505 233AA	4							NUT, M12x1.75
20 18 31 (14)		5272 245	2							KNUCKLE, Rear
15)		4656 260AA	2							LINK, Sway Eliminator
30)	15	6503 253	6							WASHER, Flat, 12mm ID
	16	6502 526	2							NUT, Hex Locking, M12x1.75
(20)	17									CUSHION, Sway Eliminator
		4626 767	2							w/SDF
(14)		4656 140AA	2							w/SDC,SDB
	18	1050 17010								CLAMP, Stabilizer Bar Cushion
		4656 478AB	1 1							Right
		4656 479AB	1							Left
22 26 28										
	DODGE - PLY	MOUTH - CHRY	SLER NE	ON (PL)—— BODY		ENGIN			TDANO	MISSION
(16)	SERIES L=Low Line	Z= RHD		41 = 4 Doo	r, 104.0WB	ECB =2	2.0L 4 Cyl. S	SOHC	DD5 = 5	5 Speed Manual
(25) (27) (27) (27) (27) (27) (27) (27) (27	H=High Line	D= Dodge D= Chrys	e Ier			EBD =	1.8L 4Cyl S	SOHC		3 Speed Automatic All Automatic
$(15) \qquad (24) \qquad ) \qquad (27) \qquad (29)$		P= Plymo	uth							All Manuall
V										

### Suspension,Rear Figure 017-105




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	6506 203AA	4							SCREW, Hex Head, Rear Sway Bar
									Clamp After 3-1-99
20									BAR, Rear Sway
	4656 511AB	1							w/SDF
	5272 258AB	1							w/SDC,SDB
21	6502 796	2							SCREW, Hex Head, M12x1.75x242
22	4626 993	2							CAM, rear suspension
23									LINK, Rear Lateral
	4656 358AA	1							Right
	4656 359AA	1							Left
24	4656 361AA	2							RETAINER, Strut to Bushing
25	4656 357AA	4							BUSHING, Strut
26	4656 360AA	2							RETAINER, Strut to Bushing
27									STRUT, Stabilizer
	5272 250	1							Right
	5272 251	1							Left
28	6505 213AA	2							SCREW AND WASHER, M12x1.
									75xM1.50x77.76
29									SCREW, (NOT REQUIRED)
30	6503 203	2							SCREW, Hex Head, M12x1.75x230.
	2000 200	_							50
31	5272 254	2							LINK, Rear Lateral
32	0	_							NUT, [Service with Sway Bar Link
02									Assy], (NOT SERVICED) (Not
									Serviced)
33	6502 502	2							NUT, Hex Flange Lock, M14x2
-34	6503 292	4							SCREW, Hex Head, M8x1.25x50,
-J <del>-4</del>	0000 292	7							Rear Way Bar Clamp Up to 3-1-99

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


# Group – 019 Steering



019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–400 Steering Linkage
		ê de la companya de l	êa Mê
019-500 Power Steering Pump	019–700 Power Steering Hoses		

#### **GROUP 19 - Steering**

Illustration Title	Group-Fig. No
Steering Wheel Wheel, Steering	Fig. 019-105
Steering Column Column, Steering, Upper and Lower	Fig. 019-205
Steering Gear Gear, Rack and Pinion	Fig. 019-305
Steering Linkage Tie Rod Ends	Fig. 019-410
Power Steering Pump Pump, Assembly and Mounting	Fig. 019-505
Power Steering Hoses Hoses, Power Steering	Fia. 019-705




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-1								
1									DAMPER, Steering Wheel, (NOT
									REQUIRED)
2									AIR BAG, Driver
	SH22 LAZAE	1							with Chrysler Emblem [AZ]
	SH22 WL8AE								with Chrysler Emblem [L5]
	SH23 LAZAE	1	D						[AZ]
	SH23 WL8AE	1	D						[L5]
	SH24 LAZAF	1	Р						[AZ]
	SH24 WL8AF	1	Р						[L5]
3									WHEEL, Steering
	QB67 LAZAC	1							Base without Speed Control [AZ]
	QB67 WL8AC	1							Base without Speed Control [L5]
	QB68 1L8AC	1							with Leather, without Speed
									Control [L5]
	QB68 LAZAC	1							with Leather, without Speed
									Control [AZ]
	QY07 LAZAC	1							Base with Speed Control [AZ]
	QY07 WL8AC	1							Base with Speed Control [L5]
	QY08 1L8AC	1							with Leather, Speed Control [L5]
	QY08 LAZAC	1							with Leather, Speed Control [AZ]
4	6505 248AA	AR							NUT, Hex Flange Lock
5									SWITCH, Speed Control
	QA76 1AZ	1							On/Off Set Cruise [AZ]
	QA76 1L8	1							On/Off Set Cruise [L5]
6									SWITCH, Speed Control
	QA77 1AZ	1							Accel Resume/Canc Coast [AZ]
	QA77 1L8	1							Accel Resume/Canc Coast [L5]
7	0154 613	4							SCREW, Pan Head Tapping, .164-
									32x.625
8									CLOCKSPRING
	4671 753AA	1							One Circuit Mexico
	4793 583	1							Three Circuit
	4793 585	1							Five Circuit, with Speed Control
-9	6034 779	4							SCREW, Pan Head, .164-32x.50,
									Switch and Caps
10									COVER, Steering Wheel Back,
									Service in Steering Wheel, (NOT
4.4									SERVICED) (Not Serviced)
-11	4700 65545	,							LABEL, Airbag
	4783 055AB-	1							(French)
	4783 054AB-	1							(English)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								l	
-12									LABEL, Air Bag Warning, On
									European Service in Airbag, (NC
									SERVICED) (Not Serviced)
13	6505 850AA	2							SCREW, M6x1.00x12.00
14									PLUG, Steering Wheel Pad
	SN38 LAZAA	2							Base Back Cover [AZ]
	SN38 WL8AA	2							Base Back Cover [L5]
-15	4671 754AA-	1							CLOCKSPRING, Steering, Three
									circuit, Mexico
-16									PAD, Steering Wheel
	QU34 LAZAA								without Airbag [AZ]
	QU34 WL8AA	1							without Airbag [L5]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall


AR = Use as required -= Non illustrated part # = New this model year

## Column, Steering, Upper and Lower Figure 019-205

18	9	12 14
7	17 8 8	1
	2 4 3	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
N-4 C		L . I	. 0. 5	l ! B' '					
Sales Co	upling Assembl	ly Lowe	r See Rac	k and Pinic	on				
	o. Manual Tran	c							
·-	p. Auto. Trans.								
1	p. Auto. Trans.								COUPLING, Steering
'	4664 216AB	1	D, P						COOI LING, Steering
	4664 222AB	1	Z						
2	6503 985	1	_						PIN, Spring, M8.4x30x1.60
3	4664 221AA	1							SEAL, Steering Column Shaft
4	4004 ZZ 17 V V	<u>'</u>							COVER, Steering Column
7	4664 219AA	1	D, P						COVER, dicering column
	4664 220AA	1	Z, I						
5	6504 456	4	_						SCREW, Tapping
6	4664 217AA	1							SEAL, Steering Column Shaft
7	4004 Z17AA	'							COLUMN, Steering
,	4664 224AB	1	D, P				DGC		with Tilt, [European]
	4004 ZZ4AD		D, F				DGC		with Tilt
	4664 225AB	1	 D, P				DGC DD5		with Tilt, [European]
	4004 ZZSAD		D, P Z						with Tilt
	4600 E44AB	1					DD5		
	4690 514AB	1	D, P				DD5		without Tilt, [European]
	4690 518AB	1	D, P				DGC		with Tilt
0	4690 519AB	1	D, P				DD5		with Tilt
8	6503 182	4							NUT AND WASHER, Hex Lock N
•									Coned Teeth Washer, M8 x 1.25
9									SCREW, Tapping, M4x0.7x6.0, (N
40	5000 005 AB								SERVICED) (Not Serviced)
10	5269 985AB	1							MODULE, Immobilizer
11	4664 232AA	1							RING, Ignition, Steering Column
12	4794 303AA	1	D, P						SWITCH, Intermittent Wiper
-13	4704 0054 4								SWITCH, Multifunction
	4794 305AA-	1	D, P						w/o Fog Lamps
	4794 306AA-	1	D, P						w/Front Fog Lamps w/o Rear Fo
									Lamps (LPG) Fasica Mounted
	4794 307AA-	1							(European)w/Rear Fog Lamps
									(LPJ) w/o Frt Fog Lamps (LNJ
	4794 308AA-	1							(European) w/Rear Fog Lamps (LPG) Fascia Mounted
14	6503 395	2							SCREW AND WASHER, Self
									Tapping, M4x.7x14
15	6035 434	2							SCREW AND WASHER, Pan Hea
16									COUPLING, Steering, Upper,
									[Service in Steering Column, (No SERVICED) (Not Serviced)
	<b></b>	<b></b>							
SERIES	YMOUTH - CHRY:	SLER NE	BODY		ENGI				MISSION
.=Low Line H=High Line	Z= RHD D= Dodge		41 = 4 Doc	or, 104.0WB		=2.0L 4 Cyl. \$ = 1.8L 4Cyl S			5 Speed Manual 3 Speed Automatic
i–i iigri Line	D= Dodge D= Chrysl				EDD =	- 1.0L 4Cyl S	OHO		All Automatic
	P= Plymou							DBB = I	All Manuall

### Column, Steering, Upper and Lower Figure 019-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6034 206	1							PIN, Hair, .250 Dia x.766x.059
18	6502 413	1							BOLT, Special Head Locking, M8x1.
									25x42.50
19									SHROUD, Steering Column
	QK45 LAZ	1					DGC		Agate, Upper
		1					DD5		Agate, Upper
	QK45 WL8	1					DGC		Very Dark bown, Upper
		1					DD5		Very Dark bown, Upper
20									SHROUD, Steering Column
	QK48 LAZ	1					DGC		Agate, Lower
	QK48 WL8	1					DGC		Very Dark Bown, Lower
	QK49 LAZ	1					DD5		Agate, Lower
	QK49 WL8	1					DD5		Very Dark Bown, Lower


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Gear, Rack and Pinion Figure 019-305

PART



ITEM	NUMBER	OTV	LINE	CEDIEC	DODY	FNOINE	TDANC	TDIM	DESCRIPTION
IIEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	les Code:								
SBA] =	Standard Powe	r Steeri	ng						
SBB]= F	irm Feel Power	r Steeri	ng						
1									GEAR, Power Steering
	4656 097AC	1	Z						with Firm Feel Power Steering
									(SBB)
	4656 184AD	1	D, P						with Firm Feel Power Steering
									(SBB)
	5272 421AD	1	D, P						with Standard Power Steering
									(SBA)
-2									SWITCH, Power Steering
	5269 625	1	Z						
		1	D, P						
3									END PACKAGE, Tie Rod
	4762 861AA	1	Z						
		1	D, P						
4									JAM NUT, Outer Tie Rod
	5015 316AA	1	D, P						Package Consisit of 1 Nut and 1
									Collar
		1	Z						Package Consisit of 1 Nut and 1
									Collar
5									BOLT AND WASHER, Steering Gear
									Hsg to susp Crossmember M10x1.
									50x50.00, (NOT SERVICED) (Not
									Serviced)
6	6503 046	2							NUT, Hex Lock, M12 x 1.25
7	6505 607AA	2							SCREW, Hex Head, M10x1.50x40.00


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Tie Rod Ends Figure 019-410

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	<b>.</b>					l			
1									JAM NUT, Outer Tie Rod
	5015 316AA	1	D, P						Package Consist of 1 Nut and
									Collar
		1	Z						Package Consist of 1 Nut and
									Collar
2									END PACKAGE, Tie Rod
	4762 861AA	1	Z						
		1	D, P						
3	6503 046	2							NUT, Hex Lock, M12 x 1.25




DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Pump, Assembly and Mounting Figure 019-505




	ales Code EBD=							
	ales Code ECB=		-					
	ales Code ECH=		•		пі Реп.			
1 1	ales Code EBT= 6101 614	3	Cyl. Turbo	Diesei				SCREW AND WASHER, Hex Head
'	0101 014	<u> </u>						M8x1.25x45
2	4668 364AA	1				ECB		TENSIONER AND BRACKET,
_	4000 304AA	'				LOD		Engine Mount
3	4656 208AC	1				EBD,		PUMP, Power Steering
	1000 2007 10					ECB		. Cim , r ewer diceining
4	4668 245	1				EBD,		BRACKET, Power Steering Pump
						ECB		, , , , , , , , , , , , , , , , , , , ,
5								SCREW AND WASHER, Hex Head
								M8x1.25x25, (NOT REQUIRED)
6	6101 503	2				ECB		SCREW AND WASHER, Hex Head
								M10x1.5x25
7	4668 252	1				EBD,		PULLEY, Power Steering Pump
						ECB		
8	4656 516AA	1				EBD,		CAP, Power Steering Reservoir, w.
						EBT,		ECB,EBD Only
						ECB,		
						ECH		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Hoses, Power Steering Figure 019-705



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	les Codes								
EBD= 1.8	BL 4 Cyl. SOH	C 16 Va	ılve						
ECB= 2.0	L 4 Cyl. SOH	C 16 Va	ılve						
1	4656 233AB	1	D, P			EBD,			HOSE, Power Steering Return, and
						ECB			Pressure
2									CLAMP, [Service in Assy], (NOT
									SERVICED) (Not Serviced)
3	4656 208AC	1				EBD,			PUMP, Power Steering, and
						ECB			Reservoir
4	6101 777	1				EBD,			SCREW, Hex Flange Head Tapping,
						ECB			M6x1.00x20.00
5	5066 063AA	1				EBD,			CAP, Power Steering Reservoir
						ECB			
6	4641 780	1	D, P						STRAP, Tie
7									HOSE, Power Steering
	4656 637AC	1	D, P			EBD,			And Pressure
						ECB			
	4656 638AD	1	Z			EBD,			And Pressure
						ECB			
8									COOLER, Power Steering
	4656 616AD	1	D, P						
	4656 617AB	1	Z						
9	6505 911AA	2							SCREW, Hex Head, Cooling Module
-10									SWITCH, Power Steering
	5269 625	1	Z						
		1	D, P						


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 31TH


### **Automatic Transaxle 3 Speed**



31TH–100	31TH–200	31TH-300	31TH–400
Transaxle Assembly	Case and Extension	Oil Pump	Gear Train
33			
31TH–500	31TH-600	31TH-700	31TH-800
Bands, Reverse and Kickdown	Governor	Valve Body	Differential

## Group – 31TH

### **Automatic Transaxle 3 Speed**



#### **GROUP 31TH - Automatic Transaxle 3 Speed**

Illustration Title	Group-Fig. No.
Transaxle Assembly Transaxle Assembly, (DGC)	Fig. 31TH-120
Case and Extension	F: 04TH 000
Transaxle Mounting And Misc. Parts (DGC)	Fig. 31TH-203 Fig. 31TH-215
Oil Pump Pump, Oil With Reaction Shaft, (DGC)	Fig. 31TH-320
Gear Train	-
Clutch, Rear And Input Shaft, (DGC)	Fig. 31TH-415
Shaft, Transfer, (DGC)	Fig. 31TH-425
Clutch, Front, (DGC)	Fig. 31TH-435
Gears, Front Annulus And Sun, (DGC)	Fig. 31TH-445
Shaft, Output, Rear Carrier, Reverse Drum, And Overruning Clutch, (DGC)	Fig. 31TH-460
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown,(DGC)	Fig. 31TH-520
Governor	
Governor, (DGC)	Fig. 31TH-620
Valve Body	_
Valve Body, (DGC)	Fig. 31TH-715
Servos, Accumulator Piston And Springs, (DGC)	Fig. 31TH-725
Parking Sprag, (DGC)	Fig. 31TH-740
Differential	
Differential, (DGC)	Fig. 31TH-820
Gearshift Controls	g: = : : : : 3 <b>=</b> 0
Controls, Gearshift, Floor Shift, (DGC)	Fig. 31TH-1201
Controls, Gealstill, Floor Still, (DGC)	1 lg. 31111-1201

### Transaxle Assembly, (DGC) Figure 31TH-120

1		
		ൂയ
		0
	900	0

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LES CODES		· 3 Spd Au	to Trans 31	ITH				
CB = 2.0	L 4 Cyl - SOI	HC							
1									TRANSAXLE PACKAGE, WITH
	F044 000 A A	4				FOD	DCC		TORQUE CONVERTER
	5014 299AA	1				ECB	DGC		Production No. 4799901AB & Sales Code [DLM]
	5014 300AA	1				ECB	DGC		Production No. 4800309AA &
	0011000781	•				202	200		Sales Code [DLM]
	5014 763AA	1				ECB	DGC		Mexico Only - Production No.
									4800306AA & Sales Codes
									[DLX]
-2	4796 384AB-	1					DGC		CONVERTER PACKAGE, Torque

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 [
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Transaxle Mounting And Misc. Parts (DGC) Figure 31TH-203

	10 TO	
16) 15)	13	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ALES CODES:	DGC -	- 3 Snd Aı	ıto Trans 3	1TH				
	8 4 CYL SOHO		- 0 Opu / (c	ito mano o					
	0L 4 C yl - SO								
1	4670 320AB	1					DGC		LEVER, Manual Control
2	4567 147	1					DGC		COVER, Transaxle Converter
3	6501 755	1					DGC		SCREW AND WASHER, Hex Head
									M6x1x16
4	6505 314AA	2				ECB			STUD
5	6501 742	3					DGC		SCREW, Hex Head, M12x1.75x50
6	4668 281	1					DGC		INDICATOR, Transmission Fluid
									Level
7	6101 524	2					DGC		BOLT AND WASHER, Hex Head,
									M10x1.5x30
8	4668 282	1					DGC		TUBE, Transmission Oil Filler
9	6030 608	1					DGC		SEAL, Oil Filler Tube
10	2408 143	1				ECB	DGC		WASHER, Switch
11	3747 361	1				ECB	DGC		SWITCH, Neutral, Safety, Back Up
12	6030 035	7				ECB	DGC		PLUG, Pressure Check
13	4531 202	2				ECB	DGC		CONNECTOR, Oil Cooler Hose
14	5240 849	2				ECB			DOWEL, Block To Clutch Housing
15	4670 196	1					DGC		COVER, Transaxle Converter
16	4668 270AB	1				EBD,			COLLAR, Structural, Oil Pan To
						ECB			Transmission
17	4668 118AC	1					DGC		STRUT, Engine
18	6101 503	2				ECB			SCREW AND WASHER, Hex Head,
									M10x1.5x25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

**ENGINE** ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Case, Extension And Retainer, (DGC) Figure 31TH-215

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ALES CODES:	DGC =	= 3 Spd Au	ito Trans 3	1TH				
ECB = 2.	.0 4 Cyl SOHC								
-1	4798 152AC-	1				ECB	DGC		GASKET AND SEAL PACKAGE,
									Transaxle
-2	4798 215AC-	1				ECB	DGC		OVERHAUL PACKAGE, Transaxle
3	6501 474	2				ECB	DGC		BOLT, Hex Head, M8x1.25x16
4	4659 738	1				ECB	DGC		PAN, Transaxle Differential Oil
5	4659 237	1				ECB	DGC		CUP, Differential Side Bearing
6	4659 257	AR				ECB	DGC		SPACER, Final Drive, 0.98mm
-7	4659 258	AR				ECB	DGC		SPACER, Final Drive, 1.02mm
-8	4659 259	AR				ECB	DGC		SPACER, Final Drive, 1.06mm
-9	4659 260	AR				ECB	DGC		SPACER, Final Drive, 1.10mm
-10	4659 261	AR				ECB	DGC		SPACER, Final Drive, 1.14mm
-11	4659 262	AR				ECB	DGC		SPACER, Final Drive, 1.18mm
-12	4659 263	AR				ECB	DGC		SPACER, Final Drive, 1.22mm
-13	4659 264	AR				ECB	DGC		SPACER, Final Drive, 1.26mm
-14	4659 265	AR				ECB	DGC		SPACER, Final Drive, 1.30mm
-15	4659 266	AR				ECB	DGC		SPACER, Final Drive, 1.34mm
-16	4659 267	AR				ECB	DGC		SPACER, Final Drive, 1.38mm
-17	4659 268	AR				ECB	DGC		SPACER, Final Drive, 1.42mm
-18	4659 269	AR				ECB	DGC		SPACER, Final Drive, 1.46mm
-19	4659 270	AR				ECB	DGC		SPACER, Final Drive, 1.50mm
-20	4659 271	AR				ECB	DGC		SPACER, Final Drive, 1.54mm
-21	4659 272	AR				ECB	DGC		SPACER, Final Drive, 1.58mm
-22	4659 273	AR				ECB	DGC		SPACER, Final Drive, 1.62mm
-23	4659 274	AR				ECB	DGC		SPACER, Final Drive, 1.66mm
-24	4659 275	AR				ECB	DGC		SPACER, Final Drive, 1.70mm
-25	4659 283	AR				ECB	DGC		SPACER, Final Drive, 2.02mm
-26	4659 284	AR				ECB	DGC		SPACER, Final Drive, 2.06mm
27	4659 290	1				ECB	DGC		DAM, Differential Extension Oil
28	4659 736	1				ECB	DGC		RETAINER, Differential Bearing
-29	6500 511	4				ECB	DGC		SCREW, Flange Head, M8x1.25x33
30	4412 522AB	1				ECB	DGC		SEAL
31	4659 342	1				ECB	DGC		COVER, Transaxle Rear
-32	6501 474	2				ECB	DGC		BOLT, Hex Head, M8x1.25x16
33	3878 447	1				ECB	DGC		SEAL, Manual Lever Shaft
34	4471 573	1				ECB	DGC		PAN, Transmission Oil
-35	4446 728	1				ECB	DGC		MAGNET, Transmission
36	6501 474	2				ECB	DGC		BOLT, Hex Head, M8x1.25x16
37									CASE, Transmission
	5013 040AA	1				ECB	DGC		Up to and including 7-1-99
	5016 260AA	1				ECB	DGC		7-2-99 and after

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-


SERIES LINE L=Low Line H=High Line

BODY Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Case, Extension And Retainer, (DGC) Figure 31TH-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-38	6100 994	1				ECB	DGC		DOWEL, M6x16
39	4567 022	1				ECB	DGC		BEARING CUP, Differential
40	4567 494	1				ECB	DGC		RETAINER, Transmission Extension
									Oil
41	4549 219	1				ECB	DGC		EXTENSION PACKAGE,
									Transmission Rear
-42	6500 511	4				ECB	DGC		SCREW, Flange Head, M8x1.25x33
43	4412 522AB	1				ECB	DGC		SEAL
44	4800 018AA	1				ECB	DGC		VALVE, Cooler Bypass

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

#### Pump, Oil With Reaction Shaft, (DGC) **Figure 31TH-320**

ITEM

**PART** 

NUMBER

QTY

LINE

SERIES


BODY

**ENGINE** 

TRANS

TRIM

DESCRIPTION



**SERIES** 

L=Low Line H=High Line LINE

Z= RHD

D= Dodge

D= Chrysler

BODY

41 = 4 Door, 104.0WB

**ENGINE** 

ECB =2.0L 4 Cyl. SOHC

EBD = 1.8L 4Cyl SOHC


TRANSMISSION

DD5 = 5 Speed Manual

DG0 = All Automatic DBB = All Manuall

DGC = 3 Speed Automatic

#### Clutch, Rear And Input Shaft, (DGC) Figure 31TH-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	SALES CODES	: DGC -	3 Spd Au	to Trans 3	ITH				
ECB = 2	.0L 4 Cyl - SO	HC							
1	4377 047	3				ECB	DGC		SEAL, Input Shaft
2	4348 397	1				ECB	DGC		INPUT SHAFT, Transaxle
3	4269 593	1				ECB	DGC		SEAL, Rear Clutch Retainer, 1.75
									OD
4	5205 680	1				ECB	DGC		THRUST WASHER, Rear Clutch
5	4348 856	1				ECB	DGC		RETAINER, Transmission Rear
									Clutch
6	5205 691	1				ECB	DGC		SNAP RING, Input Shaft
7	5224 039	AR				ECB	DGC		THRUST WASHER, Output Shaft,
									98-2.03mm
-8	5224 040	AR				ECB	DGC		THRUST WASHER, Output Shaft,
									16-2.21mm
-9	5224 041	AR				ECB	DGC		THRUST WASHER, Output Shaft,
									34-2.39mm
10	5212 373	1				ECB	DGC		SEAL, Rear Clutch Piston
11	4207 202	1				ECB	DGC		PISTON, Clutch
-12	0147 483	1				ECB	DGC		CHECK BALL, Dia187
13	5205 701	1				ECB	DGC		SEAL, Rear Clutch Piston
14	4269 623	1				ECB	DGC		SPRING, Rear Clutch Piston
15	4207 265	1				ECB	DGC		SPRING, Rear Clutch
16	4269 618	1				ECB	DGC		PLATE, Transmission Clutch
									Reaction
17	4659 378	3				ECB	DGC		PLATE, Transmission Clutch
									Reaction
18	4659 191	4				ECB	DGC		DISC, Clutch
19	4269 619	1				ECB	DGC		PLATE, Transmission Clutch
									Reaction
20									SNAP RING
	1942 421	AR				ECB	DGC		.060062 Inch Thk.
	4130 774	AR				ECB	DGC		.074076 Inch Thk.
	4130 775	AR				ECB	DGC		.087089 Inch Thk.
	4269 670	AR				ECB	DGC		.048050 Inch Thk.

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

9 10 8 10 8
1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ALES CODES: DL 4 Cyl - SOF		= 3 Spd Au	ito Trans 3	1 I H				
1	DL 4 Cyl - 3OF	10							SHAFT, Transfer Gear
	4659 624	1				ECB	DGC		20 Teeth, with 3.19 Ratio
	4659 626	1				ECB	DGC		21 Teeth, with 2.98 Ratio
	4567 025AB	1				ECB	DGC		BEARING
3	4567 022	1				ECB	DGC		BEARING CUP, Differential
4	6500 169	1				ECB	DGC		O RING, Transfer Shaft Bearing
									Retainer, ATX
5	4269 688	1				ECB	DGC		RETAINER, Bearing
	5212 353	1				ECB	DGC		SNAP RING
7	5212 371	1				ECB	DGC		RETAINER, Transmission Govern
									Support
	4567 022	1				ECB	DGC		BEARING CUP, Differential
	4567 025AB	1				ECB	DGC		BEARING
10	4207 166	1				ECB	DGC		SPACER, Transfer Shaft, 0.94mn 037")
-11	4207 167	1				ECB	DGC		SPACER, Transfer Shaft, 0.99mn 039")
-12	4207 168	1				ECB	DGC		SPACER, Transfer Shaft, 1.04mr 041")
-13	4207 169	1				ECB	DGC		SPACER, Transfer Shaft, 1.09mr
-10	4207 109	'				LOD	ВОО		043")
-14	4207 170	1				ECB	DGC		SPACER, Transfer Shaft, 1.14mn 045")
-15	4207 171	1				ECB	DGC		SPACER, Transfer Shaft, 1.19mn
.0	.207	•				202	200		047")
-16	4207 172	1				ECB	DGC		SPACER, Transfer Shaft, 1.24mn
									051")
-17	4207 173	1				ECB	DGC		SPACER, Transfer Shaft, 1.29mn
									052")
-18	4207 174	1				ECB	DGC		SPACER, Transfer Shaft, 1.34mr
40	4007.475					FOR	DCC		053")
-19	4207 175	1				ECB	DGC		SPACER, Transfer Shaft, 1.39mr
-20	4207 176	1				ECB	DGC		055") SPACER, Transfer Shaft, 1.84mn
-20	74UI 11U	1				LUB	טפט		072")
-21	4207 177	1				ECB	DGC		SPACER, Transfer Shaft, 2.29mn
<b>-</b> '	0. 111	•				200	200		090")
22	4773 281	1				ECB	DGC		GEAR PACKAGE, Output And
									Transfer Shaft
-23	4772 591	1				ECB	DGC		GEAR, Transfer Shaft, Mexico O
		<b></b>							
<b>DODGE - PL\</b> SERIES	MOUTH - CHRY LINE	SLER NE	ON (PL)—— BODY		ENGI	 NE		TRANS	MISSION
L=Low Line H=High Line	Z= RHD D= Dodge			or, 104.0WB	ECB =	=2.0L 4 Cyl. 9 = 1.8L 4Cyl S		DD5 = 5 DGC =	5 Speed Manual 3 Speed Automatic
	D= Chrysl P= Plymo								All Automatic All Manuall

### Shaft, Transfer, (DGC) Figure 31TH-425



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-24	4772 592	1				ECB	DGC		GEAR, Output Shaft, Mexico Only
25	5222 010	1				ECB	DGC		WASHER, Output Shaft
26	5222 009	1				ECB	DGC		NUT, Hex, M20x1.5
27	4567 336	1				ECB	DGC		STIRRUP, Retainer Nut
28	4659 134	1				ECB	DGC		STRAP, Retaining
29	6503 355	2				ECB	DGC		BOLT, Hex Head, M8x1.25x10.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Clutch, Front, (DGC) Figure 31TH-435

PART

8 9 10	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	SALES CODES	: DGC -	3 Spd Au	to Trans 3	ITH				
CB = 2	2.0L 4 Cyl - SOI	HC							
1	4348 854	1				ECB	DGC		RETAINER, Transmission Front
									Clutch
2	4800 015AA	1				ECB	DGC		SEAL, Front Clutch Piston
3	4348 855	1				ECB	DGC		PISTON, Clutch
4	4800 017AA	1				ECB	DGC		SEAL, Front Piston Clutch
5	4659 379	4				ECB	DGC		PLATE, Transmission Clutch
									Reaction
6	4567 887	4				ECB	DGC		DISC, Direct Clutch
7	4348 888	1				ECB	DGC		PLATE, Transmission Clutch
									Reaction
8	4207 227	1				ECB	DGC		SPRING, Front Clutch
9	5205 673	1				ECB	DGC		RETAINER, Differential, Front Clutch
									Spring
10	5205 674	1				ECB	DGC		SNAP RING
11	4659 652	1				ECB	DGC		SNAP RING


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Gears, Front Annulus And Sun, (DGC) Figure 31TH-445



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ALES CODES	: DGC =	= 3 Spd Au	ito Trans 3	1TH				
ECB = 2	.0L 4 Cyl - SO	HC							
1	5222 022	1				ECB	DGC		SNAP RING
2	5222 493	1				ECB	DGC		THRUST WASHER, Annulus Gear
3	5224 079	2				ECB	DGC		SNAP RING
4	5224 070	1				ECB	DGC		SUPPORT, Annulus Gear
5	4269 620	1				ECB	DGC		GEAR, Front Annulus
6	4659 163	2				ECB	DGC		THRUST WASHER, Planetary
									Carrier
7	4659 141	1				ECB	DGC		CARRIER, Planetary Pinion
8	4567 133	1				ECB	DGC		GEAR, Sun
9	5224 236	1				ECB	DGC		SPACER, Sun Gear
10	5205 737	1				ECB	DGC		PLATE, Transmission Module
11	4207 195	1				ECB	DGC		SHELL, Sun Gear
12	5205 739	1				ECB	DGC		SNAP RING, Sun Gear Shell


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Shaft, Output, Rear Carrier, Reverse Drum, And Overruning Clutch, (DGC) Figure 31TH-460




	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
NOTE: S	NOTE: SALES CODES: DGC = 3 Spd Auto Trans 31TH									
	.0L 4 Cyl - SOH		•							
1	4348 932	1				ECB	DGC		OUTPUT SHAFT, Rear Axle	
-2	5205 691	1				ECB	DGC		SNAP RING, Input Shaft	
3	5205 724	2				ECB	DGC		THRUST WASHER, Planetary	
									Carrier	
4	4659 414AB	1				ECB	DGC		CARRIER, Planetary Pinion	
5	5222 047	1				ECB	DGC		GEAR, Rear Annulus	
6	4659 545	1				ECB	DGC		DRUM, Automatic Transmission	
-7	5222 137	1				ECB	DGC		FITTING, Reducer	
8	4186 886	1				ECB	DGC		SRING AND ROLLER PACKAGE,	
									Overrunning Clutch	
9	5205 772	1				ECB	DGC		THRUST WASHER, Overruning	
									Clutch	
10	4567 259	2				ECB	DGC		BEARING CONE, Output Shaft	
11	4567 260	2				ECB	DGC		BEARING CUP, Output Shaft	
12	4207 162	1				ECB	DGC		SPACER, Output Shaft, 12.65mm	
-13	4207 163	1				ECB	DGC		SPACER, Output Shaft, 13.65mm	
-14	5224 152	AR				ECB	DGC		SPACER, Output Shaft, 14.99mm	
15	4773 281	1				ECB	DGC		GEAR PACKAGE, Output And	
-									Transfer Shaft	
16	5222 010	1				ECB	DGC		WASHER, Output Shaft	
17	5222 009	1				ECB	DGC		NUT, Hex, M20x1.5	
18	4567 336	1				ECB	DGC		STIRRUP, Retainer Nut	
19	4659 134	1				ECB	DGC		STRAP, Retaining	
20	6503 355	2				ECB	DGC		BOLT, Hex Head, M8x1.25x10.00	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Bands, Reverse And Kickdown,(DGC) Figure 31TH-520




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	NOTE: SALES CODES: DGC = 3 Spd Auto Trans 31TH								
	0L 4 Cyl - SOI		- о ора ла	no mano o					
1	4412 466	1				ECB	DGC		SHAFT, Band Lever
2	5212 343	1				ECB	DGC		STRUT, Kickdown Band
3	4659 732	1				ECB	DGC		BAND, Kickdown
4	5212 206	1				ECB	DGC		NUT, Band Adjusting Screw Lock
5	5212 255	1				ECB	DGC		STUD, Double Ended, M12x1.75/
									9x67
6	4348 857	1				ECB	DGC		LEVER, Kickdown
7	4207 182	1				ECB	DGC		LEVER, Reverse Band
8									PLUG, Pipe, .250-18x.560, (NOT
									SERVICED) (Not Serviced)
9	5224 264	1				ECB	DGC		STRUT, Reverse Band
10	4531 138	1				ECB	DGC		BAND, Reverse
-11	5224 140	1				ECB	DGC		SCREW, Reverse Band Adjusting,
									M8x1.25x42
12	5212 344	1				ECB	DGC		ANCHOR, Reverse Band
13	5222 090	1				ECB	DGC		SHAFT, Band Lever

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	SALES CODES	: DGC :	= 3 Spd Au	ito Trans 3	1TH				
	2.0L 4 Cyl = SC		•						
1	4207 183	1				ECB	DGC		VALVE, Governor
2	4567 447	1				ECB	DGC		SPRING, Governor Valve
3	4659 366	1				ECB	DGC		BODY, Governor
4	6500 209	1				ECB	DGC		SCREW, Hex Flange Head Locking,
									M5x.8x37
5	6500 208	2				ECB	DGC		SCREW, Shoulder Hex Flange Head
									M5x.8x20
6	4269 641	1				ECB	DGC		VALVE, Governor
7									PIN, (NOT SERVICED) (Not
									Serviced)
8	6100 306	1				ECB	DGC		BOLT AND CONED WASHER, Hex
									Head, M8x35x20
9	5212 265	1				ECB	DGC		COUNTER WEIGHT, Governor
10	5205 839	1				ECB	DGC		FILTER, Transmission Governor
11	4659 352	1				ECB	DGC		SUPPORT, Governor
12	4269 594	3				ECB	DGC		SEAL, Governor Support

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 5	SALES CODES:	: DGC =	= 3 Spd Au	ıto Trans 3	1TH				
CB = 2	2.0L 4 Cyl - SOF	HC							
1	6035 208	1				ECB	DGC		SNAP RING
2	2538 062	1				ECB	DGC		WASHER, Manual Valve Lever
3	2466 548	1				ECB	DGC		SEAL, Valve Lever Shift
-4	6500 207	1				ECB	DGC		SCREW, Special Head, M5x.8x42.4
5									LEVER, Manual Valve, Serviced In
									Valve Body, (NOT SERVICED)
									(Not Serviced)
6									VALVE BODY, Complete
	4659 612AB	1				ECB	DGC		Use with 4799901AB Trans -
									noncooler by pass valve, Export
	4567 993AD	1				ECB	DGC		Use with 4800309AB Trans w/
									cooler by pass valve
	4659 612AE	1				ECB	DGC		Use with 4799901AC Trans w/
									cooler by pass valve, Export
	4659 612AC	1				ECB	DGC		Use with 4799901AB Trans -
									noncooler by pass valve
	4567 993AC	1				ECB	DGC		Use With 4800309AA
-7	6100 994	1				ECB	DGC		DOWEL, M6x16
8	4269 584	1				ECB	DGC		DETENT, Valve Body
-9	4329 873	1				ECB	DGC		VALVE, Transmission Regulator
10	5212 244	1				ECB	DGC		SHAFT, Valve Body
-11	6503 232	1				ECB	DGC		SCREW, Pan Head, M5 x 0.8 x 12.
									60
-12	6500 215	16				ECB	DGC		SCREW AND WASHER, Pan Head
									M5x.8x25
13	3878 313	1				ECB	DGC		SCREEN, Transmission Regulator
									Valve
-14	6100 155	7				ECB	DGC		BOLT, Hex Head, M8x30
15	5222 020	2				ECB	DGC		TUBE, Valve Body
16	4269 649	1				ECB	DGC		FILTER, Valve Body
-17	6500 216	2				ECB	DGC		SCREW AND WASHER, Pan Head
									M5x.8x25
18	4269 671	1				ECB	DGC		GASKET, Transmission Fluid Filter
19	4799 954AA	1				ECB	DGC		SOLENOID, Transmission Lock Up
20	6030 608	1					DGC		SEAL, Oil Filler Tube


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Servos, Accumulator Piston And Springs, (DGC) **Figure 31TH-725**

**PART** 



ECB = 2.0 1 ( 2 ( 3 (	LES CODES: L 4 Cyl - SOF 6031 765 6031 545		3 Spd Au	to Trans 31	TU			
1 6 2 6 3 8	6031 765				ПП			
2 6 3 5		1						
3 5	6031 545	'				ECB	DGC	SNAP RING
		1				ECB	DGC	SEAL, Accumulator
4 4	5224 344	1				ECB	DGC	GUIDE, Kickdown Servo
	4659 331AB	1				ECB	DGC	SPRING, Kickdown Servo Pisto
5 4	4058 943	1				ECB	DGC	ROD, Kickdown Servo Piston
6	4269 524	1				ECB	DGC	PISTON, Kickdown Servo
-7	6025 031	1				ECB	DGC	SNAP RING, 1.205 OD
-8 (	6031 410	1				ECB	DGC	O RING, Trans Kickdown Serv
9 3	3743 014	1				ECB	DGC	SEAL, Kickdown Servo
10 3	3743 033	1				ECB	DGC	SEAL, Kickdown Servo
11 3	3743 010	1				ECB	DGC	SEAL, Piston Accumulator, Sm
12 3	3743 013	1				ECB	DGC	SEAL, Piston Accumulator, larg
13 3	3743 650	1				ECB	DGC	PISTON, Accumulator
14	4659 332AB	1				ECB	DGC	SPRING, Accumulator
15	4205 857	1				ECB	DGC	PLATE PACKAGE, Accumulate
16 (	6031 545	1				ECB	DGC	SEAL, Accumulator
17	5212 252	1				ECB	DGC	SNAP RING
18 (	6031 909	1				ECB	DGC	SNAP RING
19 3	3681 434	1				ECB	DGC	SPRING, Reverse Servo Pistor
20 4	4269 707	1				ECB	DGC	PLUG, Reverse Servo
21	4659 179	1				ECB	DGC	SPRING, Reverse Servo Pistor
22	4659 837	1				ECB	DGC	PISTON, Reverse Servo
23	4269 736	1				ECB	DGC	SEAL, Reverse Servo Piston
24	1638 461	1				ECB	DGC	SNAP RING
25	4882 433	1				ECB	DGC	REVERSE SERVO PACKAGE

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES


L=Low Line H=High Line

LINE Z= RHD D= Dodge D= Chrysler P= Plymouth

BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Parking Sprag, (DGC) Figure 31TH-740

•		PART								
2       4431 530       1       ECB       DGC       ROD, Parking Sprag         3       6500 368       2       ECB       DGC       BOLT, Hex Flange Head, M8x1.         25x23         4       5212 296       1       ECB       DGC       SUPPORT, Parking Sprag Rod         5       5212 010       1       ECB       DGC       SHAFT, Parking Sprag         6       5222 244       1       ECB       DGC       SPRING, Parking Sprag	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECB = 2.0L 4 Cyl - SOHC  1 6035 256 1 ECB DGC SNAP RING, Rod  2 4431 530 1 ECB DGC ROD, Parking Sprag  3 6500 368 2 ECB DGC BOLT, Hex Flange Head, M8x1.  25x23  4 5212 296 1 ECB DGC SUPPORT, Parking Sprag Rod  5 5212 010 1 ECB DGC SHAFT, Parking Sprag  6 5222 244 1 ECB DGC SPRING, Parking Sprag										
1       6035 256       1       ECB       DGC       SNAP RING, Rod         2       4431 530       1       ECB       DGC       ROD, Parking Sprag         3       6500 368       2       ECB       DGC       BOLT, Hex Flange Head, M8x1.         25x23         4       5212 296       1       ECB       DGC       SUPPORT, Parking Sprag Rod         5       5212 010       1       ECB       DGC       SHAFT, Parking Sprag         6       5222 244       1       ECB       DGC       SPRING, Parking Sprag	NOTE: S	ALES CODES:	DGC =	= 3 Spd Au	ito Trans 3	1TH				
2       4431 530       1       ECB       DGC       ROD, Parking Sprag         3       6500 368       2       ECB       DGC       BOLT, Hex Flange Head, M8x1.         25x23         4       5212 296       1       ECB       DGC       SUPPORT, Parking Sprag Rod         5       5212 010       1       ECB       DGC       SHAFT, Parking Sprag         6       5222 244       1       ECB       DGC       SPRING, Parking Sprag	ECB = 2.	0L 4 Cyl - SOH	HC	•						
3         6500 368         2         ECB         DGC         BOLT, Hex Flange Head, M8x1.           25x23           4         5212 296         1         ECB         DGC         SUPPORT, Parking Sprag Rod           5         5212 010         1         ECB         DGC         SHAFT, Parking Sprag           6         5222 244         1         ECB         DGC         SPRING, Parking Sprag	1	6035 256	1				ECB	DGC		SNAP RING, Rod
25x23 4 5212 296 1 ECB DGC SUPPORT, Parking Sprag Rod 5 5212 010 1 ECB DGC SHAFT, Parking Sprag 6 5222 244 1 ECB DGC SPRING, Parking Sprag	2	4431 530	1				ECB	DGC		ROD, Parking Sprag
4 5212 296 1 ECB DGC SUPPORT, Parking Sprag Rod 5 5212 010 1 ECB DGC SHAFT, Parking Sprag 6 5222 244 1 ECB DGC SPRING, Parking Sprag	3	6500 368	2				ECB	DGC		BOLT, Hex Flange Head, M8x1.
5 5212 010 1 ECB DGC SHAFT, Parking Sprag 6 5222 244 1 ECB DGC SPRING, Parking Sprag										25x23
6 5222 244 1 ECB DGC SPRING, Parking Sprag	4	5212 296	1				ECB	DGC		SUPPORT, Parking Sprag Rod
	5	5212 010	1				ECB	DGC		SHAFT, Parking Sprag
7 5003 447AA 1 ECB DGC PAWL, Parking Sprag	6	5222 244	1				ECB	DGC		SPRING, Parking Sprag
	7	5003 447AA	1				ECB	DGC		PAWL, Parking Sprag




DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	SALES CODES:	: DGC =	= 3 Spd Tr	ans 31TH					
ECB = 2	2.0L 4 Cyl - SOH	HC							
1	4659 680	1				ECB	DGC		DIFFERENTIAL, Transaxle
2									GEAR, Differential Drive
	4659 627	1				ECB	DGC		60T
	4659 625	1				ECB	DGC		61T
3	4659 455	1				ECB	DGC		CASE, Transaxle
4	4348 679	2				ECB	DGC		PINION, Differential
5	4412 521	2				ECB	DGC		WASHER, Thrust
6	4659 502	2				ECB	DGC		GEAR, Differential Side
7	4504 568	AR				ECB	DGC		WASHER PACKAGE, Side Gea
									Thrust
8	6503 827	1				ECB	DGC		PIN, Pinion Shaft
9	4659 142	1				ECB	DGC		SHAFT, Pinion Gear
10									SHAFT, Transfer Gear
	4659 624	1				ECB	DGC		Mexico Only
	4659 626	1				ECB	DGC		
11	6501 240	12				ECB	DGC		BOLT, Hex Head, M10x1.00x25
12	4659 237	1				ECB	DGC		CUP, Differential Side Bearing
13	4659 238	1				ECB	DGC		BEARING CONE, Differential
14	4567 025AB	1				ECB	DGC		BEARING
15	4567 022	1				ECB	DGC		BEARING CUP, Differential

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Controls, Gearshift, Floor Shift, (DGC) Figure 31TH-1201

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SALES CODES:	DGC =	= 3 Spd Au	uto Trans 3	1TH				KNOD Coordiit
1	4000 F7F A A	4					DOC		KNOB, Gearshift
	4668 575AA 4668 576AA	1					DGC DGC		Loothor Wronned
2		1					DGC		Leather Wrapped
2	6504 104 4674 447AC	1	D, P						SCREW, Set
3	4671 417AC	1	D, P				DGC		BEZEL, Console PRNDL
4									SCREW, M580x15, (NOT
_	4000 00040	4					<b>D</b> .00		SERVICED) (Not Serviced)
5	4668 900AC	1					DGC		CABLE, Gearshift Control
6	4668 630AB	1					DGC		CLIP, Locking
-7	6016 072	1					DGC		CLIP, Shift Cable
-8	4670 042AC-	1							PLATE, Transmission Shifter
9	6500 284	2							NUT, Hex, M6x1.00
10	4668 205AC	1					DGC		SHIFTER, Transmission
11	L000 0194	1					DGC		BULB, 194
12	4670 320AB	1					DGC		LEVER, Gearshift
13	6101 978	1					DGC		SCREW AND WASHER, Hex Head
									M8-1.25x40
-14	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x
									00
15	4668 315	1					DD5		BRACKET, Transmission Control
		-							Cable
16	6101 462	3							SCREW AND WASHER, Hex Head
10	0101 402	0							M8x1.25x30
17									CABLE, Ignition Interlock
	4668 538AA	1	D, P				DGC		GABLE, Ighillon Interlock
	4668 538AB	1	Z				DGC		
10	4000 330AB	'	_				DGC		SNAP RING
-18	0000 00044	4				FOR	D00		
	6036 000AA-	1				ECB	DGC		DLM
		1				ECB	DGC		DLX


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# **Group – T350**

### **NVG Manual Transaxle 5 Speed**




T350–100 Transaxle Assembly	T350–200 Case and Extension	T350-400 Gear Train	T350-800 Differential
T350-900 Fork and Rails	T350–1200 Gearshift Controls		

#### **GROUP T350 - NVG Manual Transaxle 5 Speed**

Illustration Title	Group-Fig. No.
Transaxle Assembly	
Transaxle Assemblies, And Mounting (DD5)	Fig. T350-110
Case and Extension	
Case, Transaxle And Related Parts, (DD5)	Fig. T350-210
Gear Train	
Gear Train, (DD5)	Fig. T350-410
Differential	
Differential, (DD5)	Fig. T350-810
Fork and Rails	
Fork And Rail, (DD5)	Fig. T350-910
Gearshift Controls	
Controls, Gearshift, (DD5)	Fig. T350-1210

### Transaxle Assemblies, And Mounting (DD5) Figure T350-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	SALES CODES	: DD5 -	5 Spd Mai	nual Trans	A578				
	.88 Overall Top								
DLW =3	20 Overall Top	Gear F	Ratio						
EBD = 1	.8L 4 Cyl - SOI	HC							
ECB = 2	.0L 4 Cyl - SOI	HC							
1									TRANSAXLE
	5014 778AA	1					DD5		Sales Code -DLW - Production No
									4668605AA
	5014 779AB	1	D, P			ECB	DD5		Sales Code -DLV - Production No
									4668604AB
2	4567 147	1					DD5		COVER, Transaxle Converter
3	6501 742	3					DD5		SCREW, Hex Head, M12x1.75x50
4	4670 019	1	D, P				DD5		BOOT, Clutch Release Lever
5	4608 404	1							CLIP, Transaxle
6									STUD
	6505 314AA	2				EBD			
		2				ECB			
-7	4761 085	2	Z			EBD	DD5		STUD, M12x1.75/M10x1.25x94.5
8									BRACE, Transmission, (NOT
_		_							REQUIRED)
9	6101 503	2							SCREW AND WASHER, Hex Head
									M10x1.5x25
10	4668 176AC	1				EBD,	DD5		STRUT, Engine
						ECB			


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Case, Transaxle And Related Parts, (DD5) **Figure T350-210**

PART



#### Case, Transaxle And Related Parts, (DD5) **Figure T350-210**




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4864 775	1					DD5		SWITCH, Back Up Lamp
27									BOLT, Case Plate
	4761 082	10	D, P			ECB	DD5		
		10	D, P			EBD	DD5		
28	4762 606	1					DD5		RETAINER, Shaft
29	4762 602	1					DD5		BUSHING, Crossover Shaft
30	4761 076	1					DD5		BUSHING, Shift Rail, 15mm I/D,
									25mm Long
31									BUSHING, Shift Rail
	4740 899	1					DD5		15mm I/D, 12 mm Long
	4762 605	3	D, P			ECB	DD5		14mm I/D, 10mm Long
		3	D, P			EBD	DD5		

BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY ENG	GINE TRA	NS TRIM	DESCRIPTION
			4					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	NOTE: 9	ALES C ODES	: DD5 =	. 5 Snd M	anual Trans	Λ570			
		BL 4 Cyl - SOH		. J Spa IVI	anual HallS	HUIU			
(5)		.0L 4 Cyl - SOI							
	1		-						INPUT SHAFT PACKAGE, Transaxle
		5016 882AA	1	D, P		EC	CB DE	5	
			1	Z		EE	BD DE	5	
$(2) \qquad (4)$	2								NEEDLE BEARING
		4762 612	2	D, P			CB DE		
			2	D, P			BD DE		
			2	Z		EE	BD DE		
The state of the s	3	4761 132	1				DE	5	GEAR, Third
	4	4074 405	AR	D, P		Γ.	CB DE	E	STOP RING, Synchronizer
(14)		4874 135	AR	D, P			BD DE		_
			AR	Β, F Ζ			BD DE		
	5		7113	_				J	SYNCHRONIZER, Third and Fourth
	Ü	4761 133	1	D, P		EC	CB DE	5	orriorment, rima ana roam
			1	D, P			BD DE		
(11) (15) (16)			1	Z		EE	BD DE	5	
	6								RING, Synchronizer Hub, Yellow
		4761 136	AR	D, P		EC	CB DE	5	
			AR	D, P			BD DE		
	_		AR	Z		EE	BD DE	5	
	7	1071 100	4.5				00 00	_	SYNCHRONIZER, Fifth
		4874 136	AR AR	D, P D, P			CB DE		
			AR 1	D, P Z			BD DE		
	8	4761 141	1	_			DE DE		GEAR, Fifth
	9	4761 139	1				DE		GEAR, Fourth
	10	4761 138	1				DE		RING, 4th Gear
	11	4761 140	1				DE	5	PIN, Mainshaft
24	12								WASHER, Fourth Gear
		4761 137	AR	D, P			CB DE		
			AR	D, P			BD DE		
		4=04 44=	AR	Z		EE	BD DE		NEED! E DE 45''''
(5) (7)	13	4761 119	1				DE		NEEDLE BEARING
5 7	14	4761 120	1				DE		BEARING CUP, Reverse Brake
	15 16	4761 119 4761 121	1				DE DE		NEEDLE BEARING BEARING CONE, Reverse Brake
19 20 21	17	4761 121	1				DE		SPACER, Reverse Brake
	18	7701 110	1				DL	5	OUTPUT SHAFT, Transaxle
		4761 109	1				DE	5	Includes First & Second Gear- up
(18)			-				3.		to and Including 3-13-00
(18)									J
	D0D0E 5:	VMOUTH OUR	el En vic	ON (DL)					
	SERIES	YMOUTH - CHRY Line		BODY		ENGINE		TRAN	SMISSION
(22)	L=Low Line H=High Line	Z= RHD			or, 104.0WB	ECB =2.0L 4 EBD = 1.8L	4 Cyl. SOHC	DD5 =	5 Speed Manual 3 Speed Automatic
	ri–riigii Lille	D= Chrys	er			LDD = 1.0L	70yi 30i iC	DG0 =	: All Automatic
		P= Plymo	uth					DBB =	: All Manuall

### Gear Train, (DD5) Figure T350-410



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		5017 382AA	1	D, P			ECB	DD5		After 3-13-00
_	19	4886 482AA	1					DD5		GEAR, Reverse Idler
	20	4761 127	1					DD5		SPACER, Reverse Idler
	21	4761 126	1					DD5		IDLER SHAFT, Transmission
	22	6100 299	15							BOLT AND CONED WASHER, Hex
										Head, M8x45x17
	23									BALL, Pivot, (NOT SERVICED) (Not
										Serviced)
	24	4863 720	1					DD5		KEY, Synchronizer
	25									SPRING, Synchronizer
		4761 113	AR	D, P			ECB	DD5		
			AR	D, P			EBD	DD5		
			AR	Z			EBD	DD5		
	-26									RETAINER
		5003 747AA-	1	D, P			ECB	DD5		Plastic Spacer Without Reverse
										Brake
_			1	D, P			EBD	DD5		Plastic Spacer Without Reverse
										Brake
			1	Z			EBD	DD5		Plastic Spacer Without Reverse
										Brake

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

1	3	13	11)
The source of th		10	
1810	2 Transmitted	(5) (6) (7) (7)	8 4 5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: \$	SALES CODES:	DD5 =	5 Spd Ma	anual Trans	A578				
EBD = 1	.8L 4Cyl - SOH	С							
ECB = 2	2.0L 4 Cyl - SOH	HC							
1									DIFFERENTIAL, Transaxle
	4856 349	1					DD5		
	4856 348	1	D, P			ECB	DD5		
2									GEAR, Differential Ring
	4761 103	1					DD5		
	4761 104	1	D, P			ECB	DD5		
3	4761 102	1					DD5		CASE, Differential
4	4348 679	2					DD5		PINION, Differential
5	4137 024	2					DD5		WASHER, Pinion Thrust
6	4659 502	2					DD5		GEAR, Differential Side
7	4504 568	1					DD5		WASHER PACKAGE, Side Gear
_									Thrust
8	4659 142	1					DD5		SHAFT, Pinion Gear
9	6503 827	1					DD5		PIN, Pinion Shaft
10	4704 405	40	D D			EDD	DDE		BOLT, Differential Ring Gear
	4761 105	12	D, P			EBD	DD5		
		12	Z			EBD	DD5		
11	4567 022	12 1	D, P			ECB	DD5 DD5		PEARING CUR Differential
12	4567 025 4567 025AB	_					DD5 DD5		BEARING CUP, Differential BEARING
13	4797 316	1 1					DD5 DD5		GEAR, Speedometer Drive
14	4883 546AA	1					DD5 DD5		SHIM, Final Drive, .42mm, Illustration
	4000 J40AA	<u>'</u>							Includes Items 15-32
-15	4883 545AA-	1					DD5		SHIM, Final Drive, .46mm
-16	5222 345	1					DD5		SHIM, Final Drive, .50mm
-17	5222 346	1					DD5		SHIM, Final Drive, .54mm
-18	5222 347	1					DD5		SHIM, Final Drive, .58mm
-19	5222 348	1					DD5		SHIM, Final Drive, .62mm
-20	5222 349	1					DD5		SHIM, Final Drive, .66mm
-21	5222 350	1					DD5		SHIM, Final Drive, .70mm
-22	5222 352	1					DD5		SHIM, Final Drive, .78mm
-23	5222 353	1					DD5		SHIM, Final Drive, .82mm
-24	5222 355	1					DD5		SHIM, Final Drive, .90mm
-25	5222 356	1					DD5		SHIM, Final Drive, .94mm
-26	5222 358	1					DD5		SHIM, Final Drive, 1.02mm
-27	5222 359	1					DD5		SHIM, Final Drive, 1.06mm
-28	5222 362	1					DD5		SHIM, Final Drive, 1.18mm
-29	5222 364	1					DD5		SHIM, Final Drive, 1.26mm
-30	5222 365	1					DD5		SHIM, Final Drive, 1.30mm


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Differential, (DD5) Figure T350-810

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
-31	5222 367	1					DD5		SHIM, Final Drive, 1.38mm
-32	5222 368	1					DD5		SHIM, Final Drive, 1.42mm
	-31	-31 5222 367	-31 5222 367 1	-31 5222 367 1	-31 5222 367 1 SERIES	-31 5222 367 1 SERIES BODY	ITEM         NUMBER         QTY         LINE         SERIES         BODY         ENGINE           -31         5222 367         1         4	ITEM         NUMBER         QTY         LINE         SERIES         BODY         ENGINE         TRANS           -31         5222 367         1         DD5	ITEM         NUMBER         QTY         LINE         SERIES         BODY         ENGINE         TRANS         TRIM           -31         5222 367         1         DD5



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



#### Fork And Rail, (DD5) Figure T350-910

ITEM

PART


NUMBER

QTY

LINE

SERIES

BODY



IIEW	NOMBER	Q I I	LINE	SERIES	ВОВТ	ENGINE	IKANS	I KIIVI	
NOTE: S	SALES CODES	: DD5 =	5 Spd Ma	anual Trans	s A578				
	.8L 4 Cyl - SOH								
	2.0L 4 Cyl - SOI								
1	5014 465AA	1					DD5		LEVER PACKAGE, Gearshift
2	4778 249	1					DD5		PIN, Shift Shaft
3	4773 411	1					DD5		SHAFT, Detent
4	4761 146	1					DD5		BLOCKER, Shift
5		·					220		PIN
· ·	6101 475	AR	D, P			EBD	DD5		
		AR	Z			EBD	DD5		
		AR	D, P			ECB	DD5		
6	4761 176	1	_, .				DD5		RAIL, First and Second Shift
7	4796 649	1					DD5		FORK, Transmission
8	4761 178	1					DD5		RAIL, Third and Fourth Shift
9	4761 179	1					DD5		LUG, Third and Fourth Shift
10	4761 181	1					DD5		LUG, Fifth and Reverse
11	4761 180	1					DD5		RAIL, Fifth and Reverse Shift
12	4761 182	1					DD5		ARM, Reverse Lever
13	6501 862	1					DD5		SNAP RING
14	4761 152	1					DD5		BRACKET, Reverse Shift Rod
15									SCREW, Reverse Bracket
	4761 153	2	D, P			ECB	DD5		·
		2	D, P			EBD	DD5		
		2	Z			EBD	DD5		
16	4761 154	1					DD5		CAM, Reverse Block
17	4874 137	1					DD5		FORK, Transmission
18	4796 650	1					DD5		FORK, Transmission
19	4761 147	1					DD5		LEVER, Crossover
20	4761 148	1					DD5		PLATE, Crossover Stop
21	4761 151	1					DD5		SPACER, Inner Crossover Leve
22	4761 149	1					DD5		SPRING, Crossover Lever
23	4761 150	1					DD5		RETAINER, Spring
24	4761 143	1					DD5		LEVER, Crossover
25	4761 158	1					DD5		CLIP, Detent Shaft
26	4762 603	1					DD5		PIN, Shift Shaft

ENGINE TRANS TRIM


DESCRIPTION

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Controls, Gearshift, (DD5) Figure T350-1210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ALES CODES	· DD5 =	5 Snd Ma	nual Trans	: A578				
	8L 4 Cyl - SOI		о ора та	Trace	77.070				
	0L 4 Cyl - SOI								
1	,								KNOB, Gearshift
	4668 269	1					DD5		w/Leather Wrap
	4668 267	1					DD5		w/o Leather Wrap
2	4668 260AB	1					DD5		BOOT, Gearshift
3	4668 261AB	1					DD5		SHIFTER, Transmission
4	6500 284	2				EBD,			NUT, Hex, M6x1.00
						ECB			
5	6501 326	2					DD5		CLIP, Moulding
6	4668 268	1					DD5		CABLE, Gearshift Control
7	4269 830	2					DD5		CLIP, Cable
8	4668 315	1					DD5		BRACKET, Transmission Control
									Cable
9									BOLT, Hex Head
	6100 296	2				ECB			
		2				EBD			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 21P Speedometer Pinions



21P-100 Speedometer Pinions		

#### **GROUP 21P - Speedometer Pinions**

Illustration Title Group-Fig. No. **Speedometer Pinions** Pinion, Speedometer, (DD5 - DGC) ...... Fig. 21P-101

### Pinion, Speedometer, (DD5 - DGC) Figure 21P-101

1		2
	3——	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ALES CODES			nual Trans	A578				
	Spd Auto Trai		1						
	4707 839AA	1							SENSOR, Vehicle Speed
2									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	1					DD5		IVIOXIXIO
	0301 714	1					DGC		
3							200		PINION, Speedometer Drive, Blue
	4593 107	1					DD5		,
	4567 881	1					DGC		
-4	4641 215	1					DD5		PINION, Speedometer Drive, Natural


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 022 Wheels, Covers and Jacks






#### **GROUP 22 - Wheels, Covers and Jacks**

Illustration Title	Group-Fig. No
Wheels and Hardware	
Wheels and Hardware	Fig. 022-101
Wheel Covers and Center Caps	
Caps and Covers, Wheel	Fig. 022-201
Jack Stowage	
Jack and Spare Tire Stowage	Fig. 022-301

#### **Wheels and Hardware** Figure 022-101

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	les Codes:								
[TBC] = S	PARE TIRE -	COMP	ACT						
[WBB] = V	VHEELS - 14	X 5.5 E	BLACK						
[WCF] = V	VHEELS - 15	X 6.0 E	SLACK						
[WJA] = W	/HEELS - 15'	ALUMI	NUM						
[W4U] = V	VHEEL COVE	RS - 14	1'						
[W5J] = W	HEEL COVE	RS - 15	•						
1									WHEEL, Steel



[WCF] =	: WHEELS - 15 X	K 6.0 E	BLACK	
[WJA] =	WHEELS - 15'	ALUMI	NUM	
[W4U] =	WHEEL COVER	RS - 14	4'	
[W5J] =	WHEEL COVER	RS - 15	5'	
1				WHEEL, Steel
	4656 322	4		15 X 6, Black, Steel [WCF]
	4684 697AB	4		14 X 5.5, 5 Hole, Steel [WBB]
2	2073 355	5		STEM, Wheel Valve
3	6504 266	20		NUT, Wheel, [W4U,W5J]
4	QG91 PAK	4		WHEEL, Aluminum, [WJA]
5	4284 004	4		CAP, Wheel Center
6	6502 738	20		NUT, Wheel Chrome, M12x1.5,
				[WJA]
7	4656 509AA	1		WHEEL, Aluminum, Compact Spare,
				[TBC,WBB,WCF,WJA], 14 x 4
8				COVER, Wheel
	4656 191AA	4		[W4U]
	4656 328	4		[W5J]
-9				LABEL, Tire Pressure
	4656 589AB-	1		BILINGUAL
	4656 590AA-	1	D, P	
	4656 591AB-	1	Z	AUSTRALIA
	4656 592AA-	1		FRENCH
	4656 593AA-	1	D, P	COMPETITION GROUP
	4656 594AA-	1		FRENCH - COMPETITION
				GROUP

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Caps and Covers, Wheel Figure 022-201

ITEM

PART

NUMBER

QTY


LINE

SERIES

BODY

**ENGINE** 

[TBC] =	SPARE TIRE - (	COMPA	СТ	
	· WHEELS - 14 X			
[WCF] :	= WHEELS - 15 2	X 6.0 B	_ACK	
	= WHEELS - 15'			
	WHEEL COVE			
[W5J] =	: WHEEL COVER	RS - 15		
1				WHEEL, Steel
	4656 322	4		15 X 6, Black, Steel [W
	4684 697AB	4		14 X 5.5, 5 Hole, Steel
2	2073 355	5		STEM, Wheel Valve
3	6504 266	20		NUT, Wheel, [W4U,W5J]
4	QG91 PAK	4		WHEEL, Aluminum, [WJA
5	4284 004	4		CAP, Wheel Center, [WJ
6	6502 738	20		NUT, Wheel Chrome, M1
				[WJA]
7	4656 509AA	1		WHEEL, Steel, Compact
				[TBC,WBB,WCF,WJA]
8				COVER, Wheel
	4656 191AA	4		[W4U]
	4656 328	4		[W5J] (Black Caps)
-9				LABEL, Tire Pressure
	4656 589AB-	1		BILINGUAL
	4656 590AA-	1	D, P	
	4656 591AA-	1	Z	AUSTRALIA
	4656 592AA-	1		FRENCH
	4656 593AA-	1	D, P	COMPETITION GROU
	4656 594AA-	1		FRENCH - COMPETIT



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall


TRIM

TRANS

DESCRIPTION

### Jack and Spare Tire Stowage Figure 022-301

PART



TBC] =	SPARE TIRE - 0	COMP	ACT			
TBB] =	SPARE TIRE - I	-ULL S	SIZE			
1						COVER, Spare Tire
	QR84 VXLAC	1				[TBC]
	QU37 VXLAB	1				[TBB]
2	6032 619	1				WINGNUT, Jack and Tire Hold Down
3	4371 895	1				PLATE, Spare Tire Cover
4	6036 168AA	1				BOLT, Spare Wheel Hold Down,
						[TBB]
5	6505 590AA	1				BOLT, Square Neck, M10x1.50,
						[TBC]
6						PAD, Spare Tire, (NOT SERVICED)
						(Not Serviced)
7	4888 547AB	1				BRACKET, Spare Tire
8	5008 275AA	1				JACK
-9	5008 276AA-	1				HANDLE, Jack
-10	5256 549	1				BAG, Jack Tool Storage
-11	4783 862	2				STRAP, Jack Storage
-12						LABEL, Tire Pressure
	4656 590AA-	1	D, P			
	4656 591AA-	1	Z			Australia
-13	4103 504	1				LABEL, Jack Caution
-14						LABEL, Jack Instructions
	4888 536AB-	1				Conventional Spare
	4888 576	1	Z			Usage
	4888 682	1	Z			Warning


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Group – 23D

### Wiper/Lock Cylinder and Keys






#### GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinder And Keys	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper And Washer	Fig. 23D-205

### Lock Cylinder And Keys Figure 23D-105




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									KEY, Blank, 84 Groove
	4778 115	1							w/Pentastar Emblem
	5018 497AA	2							w/Neon Emblem
2									KEY, Master
	5010 366AA	1							w/Sentry Theft Deterrant, Pentastar
	5018 496AA	2							w/Sentry, Neon Emblem
3	5003 843AA	1							CYLINDER, Ignition Lock
4	5010 879AA	1							TUMBLER, Ignition Number 1,
									Sidebar
-5	5010 880AA-	1							TUMBLER, Ignition Number 2,
									Sidebar
-6	5010 881AA-	1							TUMBLER, Ignition Number 3,
									Sidebar
-7	5010 882AA-	1							TUMBLER, Ignition Number 4,
									Sidebar
8	5010 883AA	1							SPRING, Ignition Tumbler, Sidebar
9	5011 040AA	1							CYLINDER, Door Lock
10	4778 117	1							TUMBLER, Door and Deck Number
									1, Wide
-11	4778 118	1							TUMBLER, Door and Deck Number
		_							2, Wide
-12	4778 119	2							TUMBLER, Door and Deck Number
									3, Wide
-13	4778 120	1							TUMBLER, Door and Deck Number
									4, Wide
-14	4778 121	1							SPRING, Door and Deck Tumbler
15									CLIP, Latch
	4658 444	1							Purple
- 10	4658 445	1							Orange
16	4717 288	1							LEVER, Front Door Cylinder
17	4378 793	2							SPRING, Cylinder Return, Door
18	4778 150	2							SHUTTER, Door, Deck and Liftgate,
									Bright
19	4778 149	2							CAP, Door Lock Cylinder, Bright
20	5507 4799	1							GASKET, Door Lock Cylinder, Black
21	4778 146	1							CYLINDER, Deck Lid Lock
22	4778 117	2							TUMBLER, Door and Deck Number
									1, Wide
-23	4778 118	2							TUMBLER, Door and Deck Number
									2, Wide
-24	4778 119	2							TUMBLER, Door and Deck Number 3, Wide

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Lock Cylinder And Keys Figure 23D-105**




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-25	4778 120	2							TUMBLER, Door and Deck Number
									4, Wide
-26	4778 121	2							SPRING, Door and Deck Tumbler
27	4723 494	1							LEVER, Deck Lid Lock Cylinder
28	5257 245	1							SPRING, Deck Lid Return
29	4778 150	2							SHUTTER, Door, Deck and Liftga
									Bright
-30	4778 151	1							SHUTTER, Door, Deck Lid, Black
31	4778 149	2							CAP, Door Lock Cylinder, Bright
-32	5257 148	1							CAP, Door Lock Cylinder, Black
33	2583 377	1							RETAINER, Door Lock Cylinder, F
		•							Decklid Only
34	4746 903	1							CYLINDER, Glove Box Lock
35	5257 132	1							TUMBLER, Ignition Number 1, Glo
	· · · ·	•							Box Lock Only, Not Ignition Lock
-36	5257 133	1							TUMBLER, Ignition Number 2, Glo
	320. 100	•							Box Lock Only, Not Ignition Lock
-37	5257 134	1							TUMBLER, Ignition Number 3, Glo
٠.	3_00.	•							Box Lock Only, Not Ignition Lock
-38	5257 135	1							TUMBLER, Ignition Number 4, Glo
00	320. 100	'							Box Lock Only, Not Ignition Lock
-39									SPRING, Lock Cylinder Tumbler
00	4746 873	4							w/Sentry Theft Deterrent
	., 10 0/0	1							John y Thor Dotorion
40		•							LINK, Key Cylinder To Latch
	4783 570	1							Right
	4783 571	1							Left
41	4759 008AD	2							TRANSMITTER, Keyless Entry
-42	8350 4802	2							BATTERY, Transmitter
43	3000 1002								RECEIVER, Keyless Entry
	5293 040AE	1							
	5293 043AE	1							Export
	5293 045AE	1	Z						
44	5507 5824	2							LEVER, Door Lock Cylinder
45	5269 985AB	1							MODULE, Immobilizer, Sentry Key
70	0200 000AD	'							Theft Deterrent System
46	5293 050AB	1							SIREN, Alarm, Premium
47	6101 976	2							SCREW, Hex Flange Head, M6.3x
47	0101 310	_							81x16, Siren Mounting

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES L=Low Line H=High Line

LINE Z= RHD D= Dodge D= Chrysler P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Windshield Wiper And Washer Figure 23D-205




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•					
1	5015 347AA	1							RESERVOIR, Washer
2	6034 716	2							SCREW AND WASHER, Hex Flange
_		_							Head, .25-14x.875, Reservoir Mtg
3	4797 694	1							CAP, Washer Reservoir
4	55077 241AA								PUMP, Washer, Windshield
-5	5015 348AA-	1							GROMMET, Washer Pump
-6									SENSOR, Washer Fluid Level, (NOT
									SERVICED) (Not Serviced)
-7	5015 351AA-	1							GROMMET, Fluid Level Sensor
8	5014 964AA	1							HOSE, Windshield Washer
9									ARM, Wiper
	5014 792AA	1	D, P						Right
	5014 793AA	1	D, P						Left
	5014 802AA	1	Z						Right
	5014 803AA	1	Z						Left
10									BLADE, Wiper
	5014 804AA	1	Z						Right
	5014 805AA	1	Z						Left
	5014 794AA	1	D, P						Right
	5014 795AA	1	D, P						Left
-11									REFILL, Wiper Blade
	5014 806AA-	1	Z						Right
	5014 807AA-	1	Z						Left
	5014 796AA-	1	D, P						Right
	5014 797AA-	1	D, P						Left
12	6500 165	2							NUT, Wiper Arm
13	4389 440	2							CAP, Wiper Arm Nut
14 15	5288 462AD 4805 166	2							NOZZLE, Washer, Windshield
-15 -16	5288 255	2							CONNECTOR, Washer Hose, Y CLIP, Hood Washer Hose
17	3200 233	2							MOTOR, Wiper
17	5014 790AA	1	D, P						MOTOR, Wiper
	5014 798AA	1	Z						
18	0011700701								LINKAGE, Wiper Arm
10	5014 791AA	1	D, P						
	5014 799AA	1	Z						
-19	4794 043AD-	1							WIRING, Underhood Lamp
-20									CONNECTOR, Washer Hose, In Line
	5018 105AA-	1							Straight Inline
	5018 200AA-	1							3 Port with Tab
-21	5018 106AA-	2							CONNECTOR, Washer Hose, Elbow
									Туре

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 024 Air Conditioning & Heater




024–200 Air Conditioner and Heater Plumbing	024–300 Air Conditioner and Heater Controls	024–400 Air Conditioning Compressor
	Controls	
024–600 Air Ducts and Outlets		

#### **GROUP 24 - Air Conditioning & Heater**

Illustration Title	Group-Fig. No.
Air Conditioner and Heater Units	
Heater Unit Left-Hand Drive	Fig. 024-103
Heater Unit Right-Hand Drive	Fig. 024-105
Air Conditioning Unit Left-Hand Drive	Fig. 024-115
Air Conditioning and Heater Unit Right-Hand Drive	Fig. 024-120
Air Conditioner and Heater Plumbing	
Plumbing, Heater	Fig. 024-202
Plumbing, Air Conditioning	Fig. 024-204
Air Conditioner and Heater Controls	
Controls, Air Conditioning and Heater	Fig. 024-302
Air Conditioning Compressor	
Compressor	Fig. 024-403
Air Conditioning Compressor Mounting	
Compressor Mounting	Fig. 024-503
Air Ducts and Outlets	
Air Distribution Ducts	Fig. 024-603
Air Distribution Outlets	Fig. 024-605

#### **Heater Unit Left-Hand Drive** Figure 024-103




		PART								
ITE	M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5015 287AA	1	D, P						HOUSING, Blower Motor
	2	4644 388	2	D, P						CLIP, A/C Heater Housing
	3	4734 227	30	D, P						SCREW, Hex Head, M4.8-1.59x19
	4	4734 392	3	D, P						STUD, A/C Heater Housing
	5	6031 087	3	D, P						WASHER, A/C Unit Mounting Stud
-	6	4644 525	1	D, P						LEVER, Blend Air Door
	7	4885 325AA	1	D, P						MOTOR, Blower with Wheel
-	8	5264 803AA-	1	D, P						RESISTOR, Blower Motor
-	9	4734 239	1	D, P						CAP, Blower Motor
1	0	6101 308	1	D, P						NUT, U, M6x1
1	1	4793 949AB	1	D, P						WIRING, Heater Jumper
1	2	4734 453	1	D, P						CORE, Heater
-1	3									SEAL, Heater Core, Serviced in
										Heater Core, (NOT SERVICED)
										(Not Serviced)
1	4	4644 499	2	D, P						CLIP, Air Conditioning Cable
1	5	5015 288AA	1	D, P						HOUSING, Distribution
1	6	4885 423AA	1	D, P						DUCT, Floor Distribution
1	7	5015 289AA	1	D, P						SEAL KIT, A/C And Heater Unit,
										Includes: Plate Dash, Panel/
										Demister Opening, Demister
			_							Opening, Drain Tube, Evap. to
										Dash, 3-Unit Seals, Air Inlet

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Heater Unit Right-Hand Drive Figure 024-105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5013 422AA	1	Z						HOUSING, Heater Air Inlet
2	5013 421AA	1	Z						HOUSING, A/C And Heater
-3	4644 525	1	D, P						LEVER, Blend Air Door
4	5017 720AA	1	Z						MOTOR, Blower with Wheel
-5	5264 803AA-	1	D, P						RESISTOR, Blower Motor
-6	4874 185	1	Z						COVER, Blower Motor
7	4874 181	1	Z						CORE, Heater
8	4874 182	1	Z						COVER, Heater Core Tubes
9	4874 183	1	Z						TUBE, Heater Core
10	4644 388	6	Z						CLIP, A/C Heater Housing
11	4644 225	3	Z						STUD, A/C Heater Housing
12	6031 087	3	Z						WASHER, A/C Unit Mounting Stud
13	4874 186	1	Z						PLUG, A/C Evaporator Drain Tube
14	4874 187	1	Z						SEAL KIT, A/C And Heater Unit
15	4793 950AB	1	Z						WIRING, A/C and HEATER
-16	4734 227	25	Z						SCREW, Hex Head, M4.8-1.59x19
-17	4874 184	1	Z						GROMMET, A/C Probe




DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Air Conditioning Unit Left-Hand Drive Figure 024-115



## Air Conditioning and Heater Unit Right-Hand Drive Figure 024-120



14       4661 940AB       1       Z       WIRING, A/C and HEATER         -15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution		PART								
2 5013 421AA 1 Z	ITEN	M NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 5013 421AA 1 Z										
-3 4644 525 1 D, P  4885 326AA 1 D, P  5017 720AA 1 Z  5 4874 185 1 Z  6 4644 536 1 D, P  7 4874 180AB 1 Z  8 4874 181 1 Z  COVER, Blower Motor  9 4874 182 1 Z  COVER, Heater  9 4874 183 1 Z  COVER, Heater Core  10 4874 183 1 Z  TUBE, Heater Core  11 4644 388 6 Z  CLIP, A/C Heater Housing  12 4644 225 3 Z  STUD, A/C Heater Housing  13 6031 087 3 Z  WASHER, A/C Unit Mounting Sture  14 4661 940AB 1 Z  WIRING, A/C and HEATER  16 4874 187 1 Z  SEAL KIT, A/C And Heater Unit  17 4734 227 25 Z  SCREW, Hex Head, M4.8-1.59x15  18 4885 423AA 1	1	5013 423AA	1	Z						HOUSING, Air Inlet
4       MOTOR, Blower with Wheel         4885 326AA       1       D, P         5017 720AA       1       Z         6 4874 185       1       Z         6 4644 536       1       D, P       PROBE, Air Conditioning         7 4874 180AB       1       Z       EVAPORATOR, Air Conditioning         8 4874 181       1       Z       CORE, Heater         9 4874 182       1       Z       COVER, Heater Core Tubes         10 4874 183       1       Z       TUBE, Heater Core         11 4644 388       6       Z       CLIP, A/C Heater Housing         12 4644 225       3       Z       STUD, A/C Heater Housing         13 6031 087       3       Z       WASHER, A/C Unit Mounting Sturwall Manual M	2	5013 421AA	1	Z						HOUSING, A/C And Heater
4885 326AA       1       D, P         5017 720AA       1       Z         5       4874 185       1       Z         6       4644 536       1       D, P       PROBE, Air Conditioning         7       4874 180AB       1       Z       EVAPORATOR, Air Conditioning         8       4874 181       1       Z       CORE, Heater         9       4874 182       1       Z       COVER, Heater Core Tubes         10       4874 183       1       Z       TUBE, Heater Core         11       4644 388       6       Z       CLIP, A/C Heater Housing         12       4644 225       3       Z       STUD, A/C Heater Housing         13       6031 087       3       Z       WASHER, A/C Unit Mounting Sturw         14       4661 940AB       1       Z       WIRING, A/C and HEATER         15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	-3	4644 525	1	D, P						LEVER, Blend Air Door
5017 720AA       1       Z         5       4874 185       1       Z         6       4644 536       1       D, P       PROBE, Air Conditioning         7       4874 180AB       1       Z       EVAPORATOR, Air Conditioning         8       4874 181       1       Z       CORE, Heater         9       4874 182       1       Z       COVER, Heater Core Tubes         10       4874 183       1       Z       TUBE, Heater Core         11       4644 388       6       Z       CLIP, A/C Heater Housing         12       4644 225       3       Z       STUD, A/C Heater Housing         13       6031 087       3       Z       WASHER, A/C Unit Mounting Sturw         14       4661 940AB       1       Z       WIRING, A/C and HEATER         15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	4									MOTOR, Blower with Wheel
5       4874 185       1       Z       COVER, Blower Motor         6       4644 536       1       D, P       PROBE, Air Conditioning         7       4874 180AB       1       Z       EVAPORATOR, Air Conditioning         8       4874 181       1       Z       CORE, Heater         9       4874 182       1       Z       COVER, Heater Core Tubes         10       4874 183       1       Z       TUBE, Heater Core         11       4644 388       6       Z       CLIP, A/C Heater Housing         12       4644 225       3       Z       STUD, A/C Heater Housing         13       6031 087       3       Z       WASHER, A/C Unit Mounting Sturward Wirling, A/C and HEATER         14       4661 940AB       1       Z       WIRING, A/C and HEATER         15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution		4885 326AA	1	D, P						
6 4644 536 1 D, P 7 4874 180AB 1 Z EVAPORATOR, Air Conditioning 8 4874 181 1 Z CORE, Heater 9 4874 182 1 Z COVER, Heater Core Tubes 10 4874 183 1 Z TUBE, Heater Core 11 4644 388 6 Z CLIP, A/C Heater Housing 12 4644 225 3 Z STUD, A/C Heater Housing 13 6031 087 3 Z WASHER, A/C Unit Mounting Students 14 4661 940AB 1 Z WIRING, A/C and HEATER 15 4793 950AB- 1 Z WIRING, A/C and HEATER 16 4874 187 1 Z SEAL KIT, A/C And Heater Unit 17 4734 227 25 Z SCREW, Hex Head, M4.8-1.59x19 18 4885 423AA 1		5017 720AA	1	Z						
7       4874 180AB       1       Z       EVAPORATOR, Air Conditioning         8       4874 181       1       Z       CORE, Heater         9       4874 182       1       Z       COVER, Heater Core Tubes         10       4874 183       1       Z       TUBE, Heater Core         11       4644 388       6       Z       CLIP, A/C Heater Housing         12       4644 225       3       Z       STUD, A/C Heater Housing         13       6031 087       3       Z       WASHER, A/C Unit Mounting Study         14       4661 940AB       1       Z       WIRING, A/C and HEATER         -15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	5	4874 185	1	Z						COVER, Blower Motor
8       4874 181       1       Z       CORE, Heater         9       4874 182       1       Z       COVER, Heater Core Tubes         10       4874 183       1       Z       TUBE, Heater Core         11       4644 388       6       Z       CLIP, A/C Heater Housing         12       4644 225       3       Z       STUD, A/C Heater Housing         13       6031 087       3       Z       WASHER, A/C Unit Mounting Study         14       4661 940AB       1       Z       WIRING, A/C and HEATER         -15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	6	4644 536	1	D, P						PROBE, Air Conditioning
9 4874 182 1 Z 10 4874 183 1 Z 11 4644 388 6 Z 12 CLIP, A/C Heater Core 11 4644 225 3 Z 13 6031 087 3 Z 14 4661 940AB 1 Z 15 4793 950AB- 1 Z 16 4874 187 1 Z 17 SEAL KIT, A/C And Heater Unit 18 4885 423AA 1 2 COVER, Heater Core Tubes TUBE, Heater Core CLIP, A/C Heater Housing WASHER, A/C Unit Mounting Study WASHER, A/C Unit Mounting Study WIRING, A/C and HEATER SEAL KIT, A/C And Heater Unit SCREW, Hex Head, M4.8-1.59x19	7	4874 180AB	1	Z						EVAPORATOR, Air Conditioning
10       4874 183       1       Z         11       4644 388       6       Z         12       4644 225       3       Z         13       6031 087       3       Z         14       4661 940AB       1       Z         -15       4793 950AB-       1       Z         16       4874 187       1       Z         16       4874 187       1       Z         18       4885 423AA       1       DUCT, Floor Distribution	8	4874 181	1	Z						CORE, Heater
11       4644 388       6       Z         12       4644 225       3       Z         13       6031 087       3       Z         14       4661 940AB       1       Z         -15       4793 950AB-       1       Z         16       4874 187       1       Z         16       4874 187       1       Z         18       4885 423AA       1       DUCT, Floor Distribution	9	4874 182	1	Z						COVER, Heater Core Tubes
12       4644 225       3       Z         13       6031 087       3       Z         14       4661 940AB       1       Z         -15       4793 950AB-       1       Z         16       4874 187       1       Z         17       4734 227       25       Z         18       4885 423AA       1       DUCT, Floor Distribution	10	4874 183	1	Z						TUBE, Heater Core
13       6031 087       3       Z       WASHER, A/C Unit Mounting Students         14       4661 940AB       1       Z       WIRING, A/C and HEATER         -15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	11	4644 388	6	Z						CLIP, A/C Heater Housing
14       4661 940AB       1       Z       WIRING, A/C and HEATER         -15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	12	4644 225	3	Z						STUD, A/C Heater Housing
-15       4793 950AB-       1       Z       WIRING, A/C and HEATER         16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	13	6031 087	3	Z						WASHER, A/C Unit Mounting Stud
16       4874 187       1       Z       SEAL KIT, A/C And Heater Unit         -17       4734 227       25       Z       SCREW, Hex Head, M4.8-1.59x19         18       4885 423AA       1       DUCT, Floor Distribution	14	4661 940AB	1	Z						WIRING, A/C and HEATER
-17 4734 227 25 Z SCREW, Hex Head, M4.8-1.59x19 18 4885 423AA 1 DUCT, Floor Distribution	-15	4793 950AB-	1	Z						WIRING, A/C and HEATER
18 4885 423AA 1 DUCT, Floor Distribution	16	4874 187	1	Z						SEAL KIT, A/C And Heater Unit
	-17	4734 227	25	Z						SCREW, Hex Head, M4.8-1.59x19
	18	4885 423AA	1							DUCT, Floor Distribution
-19 5264 802AA- 1 RESISTOR, Blower Motor	-19	5264 802AA-	1							RESISTOR, Blower Motor


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




	1.8L 4 CYL SOI	HC 16\	/				
_	1.9L 4 CYL TUR						
_	2.0L SOHC 16V						
1							HOSE, Heater Core To Tube
	5264 755	2	D, P		EBD,		,
					ECB		
	5264 781AA	2	Z		EBD,		
					ECB		
-2	5288 722AA-	2					CLIP
3	6502 017	6			EBT		CLAMP, Heater Hose
4							CLAMP, Supply Hose, 26 mm
							Diameter
	6503 422	4			ECB		
		4			EBD		
5							TUBE, Heater
	4884 028AA	1			ECB		
		1			EBD		
6	4400.005	•			FOR		HOSE, Heater
	4428 965	2 2			ECB EBD		
7					EDD		HOSE, Heater, Tube to Pump
,							(Serviced in Item #6)
	4428 965	2			ECB		(Octobed in item #0)
	1120 000	2			EBD		
8							CLAMP, Supply Hose, 26 mm
•							Diameter
	6503 422	4			EBD		
		4			ECB		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Plumbing, Air Conditioning Figure 024-204




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 101	NOMBER	Q(II	LINE	DERIES	ВОВТ	LINGINE	INANO	TIXIIVI	DECOMI TION
NOTE: S	Sales Codes:								
EBD] =	1.8L 4 CYL SO	HC 16\	/						
ECB] =	2.0L SOHC 16	V							
1									DRIER, Air Conditioning Filter
	5015 343AA	1	D, P			EBD,			
		4	Z			ECB			
		1	_			EBD, ECB			
2	5264 643AB	1				LOD			GROMMET, A/C Drier Mounting
3	020 : 0 :0: .2	<u> </u>							LINE, A/C Liquid
	5015 342AA	1	D, P			EBD,			,
						ECB			
		1	Z			EBD,			
						ECB			
4	4882 139	2							O RING, High Pressure, Liquid Line
									[8mm]
5	5045.0444.4								LINE, A/C Suction And Liquid
	5015 344AA	1	D, P			EBD,			
	E01E 24E A A	4	7			ECB			
	5015 345AA	1	Z			EBD, ECB			
6	5278 761AB	1	D, P			EBD,			LINE, A/C Suction
Ü	0270 701718	•	٥, ١			ECB			EINE, 700 Guodon
7									O RING, A/C Line, Suction Line
	4796 564	1	D, P			EBD,			5/8 inch
						ECB			
	4796 565	1							1/2 inch
-8	5278 762AA-	1	D, P			EBD,			CLIP, A/C Suction Line
						ECB			
9	4700 700		_			500			VALVE CORE, Service Port
	4762 788	2	Z			EBD,			
		2	D, P			ECB EBD,			
			D, P			ECB			
10	5264 642	2				LOD			CAP, A/C Check Valve
-11	6101 770	1							SCREW AND WASHER, Hex Head,
									.19-16x1.00
-12	6101 660	1							SCREW AND WASHER, Hex Head,
									M8x1.25x35, Suction Line to H-
									Valve
13									VALVE, A/C Expansion, w/Cut-Off
									Switch

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Plumbing, Air Conditioning Figure 024-204



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5278 510AC	1	D, P						
	5278 538AB	1	Z						
14	5264 633	1							GASKET, A/C Expansion Valve
15	6032 572	2							SCREW, Cap, .25-20x2.00
16	5264 759	1							LINE, A/C Discharge
17	4796 565	2							O RING, A/C Line, Discharge Line
-18	4677 204	1	D, P						VALVE, Vacuum Check
19									GASKET, H Valve Fixation, Use
									3846836 - also serviced with
									Expansion Valve, (NOT
									SERVICED) (Not Serviced)
20	5014 582AA	1				EBD,			CONDENSER, Air Conditioning
						ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### **Controls, Air Conditioning and Heater** Figure 024-302

6 7 3 4

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		71.1							2.200
NOTE:									
	ace Plate serv	iood wit	h contor Ir	otrumont F	Onal Paza				
1	ace Flate Serv	icea wii	ii centei ii	istrument r	anei beze	;			CONTROL, A/C And Heater
1	4885 336AA	1	D, P						CONTROL, A/C And Fleater
	5015 381AA	1	D, F						
2	3013 301AA								CONTROL, Heater
2	4885 337AA	1	D D						CONTROL, Heater
	5015 382AA	1 1	D, P Z						
3	5015 362AA	1	۷						KNOB, A/C Control
	SZ13 DX9AA	2							KNOB, A/C COILIO
	SZ IS DASAA	1	Z						Recirc
4		1	۷						KNOB, Blower Switch
4	SZ14 DX9AA	4							Blower
	3214 DA9AA	1 1	D, P						
F	6022 722	-	D, P						Recirc
5	6032 723	4							SCREW, Self Tapping, M4.2x1.
0	4005 204 4 4	4	D D						69x19.05
6	4885 391AA	1	D, P						CABLE, A/C And Heater Control,
7	4044 405		7						Mode, Mode, A/C
7	4644 495	1	Z						CABLE, Mode
8	4885 392AA	1	D, P						CABLE, A/C And Heater Control,
	4044 400								Temp Blend, Temp - Blend, A/C
9	4644 496	1	Z						CABLE, Temperature Control
10	4644 494	1	Z						CABLE, Recirculation Door, A/C
11	4885 339AA	1	D, P						HARNESS, A/C And Heater Vacuur
12									CLIP, Air Conditioning Cable
	4644 499	4	D, P						
	<b>=</b> 000 cc	4	Z						DIND III a series a
-13	5003 281AA-	4							BULB, Heater and A/C Control


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Compressor Figure 024-403



								$\overline{}$	
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I EIV	NOWIDEN	<u> </u>	LINE	SERILS	6001	ENGINE	INANG	I IXIIvi	DESCRIP HON
4	5004 700AD	4							COMPRESSOR Air Conditioning
2	5264 760AB 5014 572AA								COMPRESSOR, Air Conditioning CLUTCH OVERHAUL KIT, A/C
۷	3014 JIZAA	ı							Compressor
3	4864 715	1							COIL, Stator, A/C Compressor Clutch
	5014 573AA								PULLEY HUB KIT, A/C Compressor
5	5014 574AA								SWITCH, A/C High Pressure Cut Off
OODGE - PL' SERIES	LYMOUTH - CHRY LINE	SLER NE	EON (PL)—— BODY		ENGIN			TDANS	EMISSION
_=Low Line	Z= RHD			or, 104.0WB	ECB =	=2.0L 4 Cyl. S	SOHC	DD5 = 5	5 Speed Manual
H=High Line	e D= Dodge D= Chrysl	e eler			EBD =	= 1.8L 4Cyl S	OHC	DGC = 1 DG0 =	3 Speed Automatic All Automatic
	P= Plymo	uth							All Manuall

## Compressor Mounting Figure 024-503

2
---

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE:									
	ides: .0L SOHC 16V	,							
	.8L 4 CYL SOF		SEFI						
1									SCREW AND WASHER, Hex Head
									M10x1.5x45
	6101 512	3				ECB			
•	4000 404	3				EBD			DDAOKET T
2	4668 194	1				EBD, ECB			BRACKET, Torque Reaction,
3	5264 760AB	1				ECD			Compressor Mounting COMPRESSOR, Air Conditioning
4	6503 219	4				EBD,			SCREW AND WASHER, Hex Head
						ECB			M8x1.25x100


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Air Distribution Ducts** Figure 024-603



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DUCT, Defroster
	5264 792AA	1	D, P						
	5264 801AA	1	Z						
2	5264 748	1	D, P						DUCT, Air Outlet Distribution, Center
3	5264 785AA	1	Z						DUCT, Air Outlet, Center
4									DUCT, Air Outlet Distribution
	5264 749	1	D, P						
	5264 784AA	1	Z						
5	5264 753	1	D, P						DUCT, Air Outlet, Left
6	5264 788AA	1	Z						DUCT, Air Outlet, Right
7	5264 752	1	D, P						DUCT, Air Outlet, Right
8	5264 787AB	1	Z						DUCT, Air Outlet, Left
9	5264 750	1							HOSE, Demister
10	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
11	6030 441	2							PIN, Retainer
12									DUCT, Air Outlet
	5264 799AA	1	D, P						Left
	5264 800AA	1	Z						Right
13	5264 751	1	D, P						ADAPTER, Demister, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line

LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Air Distribution Outlets** Figure 024-605

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

TRANS

**ENGINE** 

TRIM

DESCRIPTION

OUTLET, Air, Outer


		, ,
	QT56 LAZAA 2 D, P	Agate
	2 Z	Agate
	QT56 WL5AA 2 D, P	Taupe
	2 Z	Taupe
	2	OUTLET, Air, Center
	QT58 DX9AB 1	Black, Right
	QT59 DX9AB 1	Black, Left
	3	GRILLE, Demister
	RB23 LAZAA 1 D, P	Agate, Right
	RB24 LAZAA 1 D, P	Agate, Left
	RB23 WL5AA 1 D, P	Taupe, Right
	RB24 WL5AA 1 D, P	Taupe, Left
(2)	RC58 LAZAA 1 Z	Agate, Right
$\sqrt{3}$	RC59 LAZAA 1 Z	Agate, Left
	RC58 WL5AA 1 Z	Taupe, Right
	RC59 WL5AA 1 Z	Taupe, Left
		1 /
(3)		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES

L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – 025 Emission Systems





#### **GROUP 25 - Emission Systems**

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels PL	Fig. 025-101
Vacuum Canister	
Vapor Canister and Leak Detection Pump	Fig. 025-301
<b>Emission Harness</b>	
Emission Control Vacuum Harness PL	Fig. 025-401

	1
	VEHICLE EMISSION CONTROL INFORMATION
	THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW MOTOR VEHICLES AT ALL ALTITUDES.
	*BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.  X X LITER MCR2.5V5HHP7 MCR2.5V5HHP7 MCRVB RNI2YC
	*ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE TIMING BTC 12°
ST	CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE NO OTHER ADJUSTMENTS NEEDED
CATALYS1 CATALYS1	ELECTRIC EGR TRAMSDUCER  POWER SOLEHOID  PACK PRESSURE EGR VALVE  ORIFICE CONTROL  TO MEATER A/C CONTROL  MEATED AIR DIAPH  ORIFICE CONTROL  PROSSURE BOOY  THROTTLE BOOY  AIR DIAPH  ORIFICE CLEAMER  VALVE COVER
CHRYSLER CORPORATION	PRESSURE RELIEF/ ROLL OVER VALVE  ASPIRATOR AND TO ASPIRATOR AND TO CLEANER SILENCER CATALYST  VAPOR CANISTER  OPTIONAL VACUUM OPERATED ACCESSORIES


	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
				•							
NOTE: Sa	les Codes										
	nual Trans										
	DGC]=Automatic Trans										
	[EBD]=1.8L Engine										
	[ECB]=2.0L SOHC Engine [NAA]=Federal Emissions										
	lifornia Emissi										
	rtheastern Sta		issions								
[8DE]=Jap											
[8GA]=Tia	wan										
1	4004 000 4 4	4				FOR			LABEL, Emission		
	4891 260AA 4891 262AA	1 1				ECB ECB	DGC		Domestic [NAA] Federal ALL [NAE] California w/Out [NBN]		
	+031 Z0ZAA	'				LOD			Northeastern States		
	4891 262AB	1				ECB	DGC		All [NBN] Northeastern States		
	4891 263AA	1				ECB	DD5		ALL [NAE] California w/Out [NBN]		
									Northeastern States		
	4891 263AB	1				ECB	DD5		Canada [NAA] Federal		
	4891 261AC 4891 264AA	1 1				ECB ECB	DD5,		Canada [NAA] Federal International w/Out [8GA] [8DE]		
	4091 ZU4AA	1				EGB	DD3,		Tiawan or Japan		
	4891 265AA	1				EBD			All w/Out [8DE] Japan		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Vapor Canister and Leak Detection Pump Figure 025-301




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEIVI	NUMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
NOTE: S	Sales Codes								
	.8L Engine.								
_	.0L SOHC Engir	ne.							
 1	4891 024AA	1				EBD,			BRACKET, Vapor Canister, Top
-		•				ECB			,p,p
2	4669 869	1				EBD,			CANISTER, Vapor
						ECB			
-3	6035 155	4							SCREW, Hex Head, .25-14x.875
4		•							BRACKET, Vapor Canister
	4891 394AA	1				EBD			Lower
		1				ECB			Lower
-5	6100 048	2			42				NUT, Hex, M6x1.00
-6	6503 951	2				ECB			STUD, M6X1.00X.250-14X30.00
-7	4695 872					EBD,			CAP, Vent Tube
						ECB			
8	4891 049AB	1							BRACKET, Vent Valve Filter Mtg.
9	4891 046AB	1							PUMP, Leak Detection
-10	4891 048AC-	1							HOSE, Leak Detection Pump to
									Filter, To Filter
11	6506 203AA	4							SCREW, Hex Head
12	4612 901	1							FILTER, Leak Detection Pump
13	6101 695	1				EBD,			NUT, Hex Flange Lock, M8x1.25
						ECB			
14	6102 132AA	1				EBD,			SCREW, Hex Head, M6x1x20
						ECB			
15	4891 060AC	1				ECB			HARNESS, Vacuum, Leak Detection
									Pump
16	4891 047AC	1				ECB			HOSE, Leak Detection Pump to
									Canister, To Canister
17	6101 976	2				EBD,			SCREW, Hex Flange Head, M6.3x1.
						ECB			81x16
-18	53031 643AA-	. 1				EBD,			CAP, Vent Tube
						ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Emission Control Vacuum Harness PL** Figure 025-401



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
[EBD]=1	.8L SOHC Engi	ne							
[ECB]=2	.0L SOHC Engi	ne,							
1	_								HARNESS, Vapor Purge
	4891 298AA	1							Domestic and Tiawan
	4891 303AC	1	D, P			EBD,			Export (Exclude Tiawan)
						ECB			
	4891 300AC	1	Z			EBD,			Right Hand Drive
						ECB			
-2									HOSE, ORVR Purge
	5278 162AA-	1	D, P			EBD,			
						ECB			
		1	Z			EBD,			
						ECB			
3	4669 569	1							SOLENOID, Linear Purge
4	4891 044AB	1				EBD,			BRACKET, Proportional Purge
						ECB			Solenoid
5	6101 777	1				EBD,			SCREW, Hex Flange Head Tappin
						ECB			M6x1.00x20.00
6	4891 077AE	1				EBD,			HARNESS, Proportional Purge
						ECB			Solenoid
7	4891 455AB	1				EBD,			HARNESS, Proportional Purge
						ECB			Solenoid

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Group – DPL

### **Doors and Related Parts**





#### **GROUP DPL - Doors and Related Parts**

Illustration Title	Group-Fig. No
Front Door	
Door, Front Shell and Hinges	Fig. DPL-105
Door, Front Regulator, Glass, Handle and Locking	Fig. DPL-107
Rear Door	
Door, Rear Shell and Hinges	Fig. DPL-205
Door, Rear Regulator, Glass, Handle and Locking	Fig. DPL-207
Exterior Mirror	
Mirror, Exterior	Fig. DPL-505
Weatherstrips and Seals	
Door Front and Rear	Fig. DPL-605

## Door, Front Shell and Hinges Figure DPL-105

5	
	2
5	8

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11210	NOMBER	Q I I	LINE	OLIVIEO	ВОВТ	LINGINE	IIIAIIO	1101111	DEGGKII HON
1									DOOR, Front
	5012 460AB	1							Right
	5012 461AB	1							Left
2									PANEL, Door Outer
	4783 632	1							Right
	4783 633	1							Left
-3									SPACER, Door Impact Blocker
	5008 334AA-	1							Right
	5008 335AA-	1							Left
4									SCREW, M6 x 1.00 x 25.00, (NO
									SERVICED) (Not Serviced)
5									HINGE, Front Door
	4783 646AB	2							Lower Left, Upper Right
	4783 648AB	2							Upper Left,Lower Right
6	6505 082AA	8							SCREW AND WASHER, Hex Hea
									M8x1.25x54, Hinge Attaching
7	6505 591AA	16							NUT & WASHER, M8x1.25, Hinge
									Attaching
8									SPEAKER, Front Door
	4794 030AA	1							Right
	4794 031AA	1							Left
9	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
-10	5256 594	1							LABEL, Lift Point
11									LABEL, Child Protection Lock,
									English
	4396 978	2							Window
	4490 361	2							French, Window
	4615 722AB	2							Door
	4615 723	2							French, Door


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Door, Front Regulator, Glass, Handle and Locking Figure DPL-107



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Front Door Window
	5008 038AA	1							Manual, Right
	5008 039AA	1							Manual, Left
	5015 216AA	1							Power (w/o Motor), Right
	5015 217AA	1							Power (w/o Motor), Left
-2									MOTOR, Window Regulator
	5015 218AA-	1							Right
	5015 219AA-	1							Left
3									WEATHERSTRIP, Front Door Glass
									Run
	4783 684AH	1							Up to 4-7-2000, Right
	4783 685AH	1							Up to 4-7-2000, Left
	5008 576AA	1							After 4-7-2000, Right
	5008 577AA	1							After 4-7-2000, Left
4	6505 422AA	4							SCREW AND WASHER, Hex Head,
									M6x1x20, Glass Run
5									GLASS, Front Door
	5008 114AA	1							Right
	5008 115AA	1							Left
6	6505 298AA	6							SCREW AND WASHER, Hex Head,
									M6x1x18, Regulator Attaching
7									CHECK, Front Door
	4783 590	1							Right
	4783 591	1							Left
8	6503 504	4							NUT AND WASHER, Hex, M6x1
9		_							HANDLE, Window Regulator
	FW80 TAZ	2							Agate
4.0	FW80 WL5	2							Taupe
10	OV00 TA7								SPACER, Window Regulator
	GY80 TAZ	2							Agate
4.4	GY80 WL5	2							Taupe
-11	002214748	1	ВΒ						BEZEL, Power Window Switch
	QQ32 LAZAB- QQ32 WL5AB		D, P D, P						[AZ], Right [L5], Right
	QQ32 WL3AB		D, P						Power Mirror, [AZ], Left
	QQ39 LAZAB		D, P						Power Mirror, [L5], Left
	QQ39 WL3AB		D, F						Power Mirror, [LS], Left
-	QQ40 LAZAB		Z						Power Mirror, [L5], Left
	QQ40 WLSAB		Z						[AZ], Right
	QQ49 WL5AB		Z						[L5], Right
12	4780 259	2	_						STRIKER, Door
13	4520 289	AR							SPACER, Door Latch Striker
	10_0 _00								2

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year


## Door, Front Regulator, Glass, Handle and Locking Figure DPL-107



	PART				_				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	6503 120	4							SCREW AND WASHER, Button
									Head Torx, Striker Attaching
15	5011 040AA	1							CYLINDER, Door Lock
16									HANDLE, Front Door Exterior
	QA38 DX8AB								[X8], Right
	QA39 DX8AB								[X8], Left
	QA38 GW7AE								[W7], Right
	QA39 GW7AE								[W7], Left
	QA38 PR4AB								[R4], Right
	QA39 PR4AB								[R4], Left
	QA38 SG8AB								[G8], Right
	QA39 SG8AB								[G8], Left
	QA38 TCNAB								[CN], Right
	QA39 TCNAB								[CN], Left
	QA38 VLBAB	1							[LB], Right
	QA39 VLBAB	1							[LB], Left
	QA38 VMTAB								[MT], Right
	QA39 VMTAB								[MT], Left
	QA38 WB7AB								[B7], Right
	QA39 WB7AB								[B7], Left
	QA38 WE5AB								[E5], Right
	QA39 WE5AB								[E5], Left
	QA38 WS2AB								[S2], Right
	QA39 WS2AB	3 1							[S2], Left
-17	01140147								HANDLE, Inside Remote Control
	QH46 LAZ	1							[AZ] - Black Handle, Right
	QH47 LAZ	1							[AZ] - Black Handle, Left
	QH46 WL5	1							[L5] - Black Handle, Right
	QH47 WL5	1							[L5] - Black Handle, Left
	SH96 LAZAA-								[AZ] - Chrome Handle, Right
	SH97 LAZAA-								[AZ] - Chrome Handle, Left
	SH96 WL5AA								[L5] - Chrome Handle, Right
10	SH97 WL5AA	- 1							[L5] - Chrome Handle, Left
18	4702 F70	4							LINK, Key Cylinder To Latch
	4783 570 4783 571	1							Right
-19	4783 571	1							Left CLIP Latch
-19	4658 444	1							CLIP, Latch
	4658 445	1							Purple, Right Orange, Left
20	<del>-1000 440</del>	'							LINK, Outside Handle To Latch,
20									Front Door
	4783 572	1							Right
	4783 572 4783 573	1							Left
	., 00 0,0	ı							2510
DDGE - PL ERIES	YMOUTH - CHRYS	SLER NE	EON (PL)—— BODY		ENGI	 NE		TRANS	MISSION
Low Line	Z= RHD			or, 104.0WB	ECB =	=2.0L 4 Cyl. \$		DD5 = 5	5 Speed Manual
=High Line	D= Dodge D= Chrysle				EBD =	= 1.8L 4Cyl S	SOHC		3 Speed Automatic All Automatic
	P= Plymou								All Manuall



## Door, Front Regulator, Glass, Handle and Locking Figure DPL-107



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21									CLIP, Latch Link
	4658 674	1							Red, Right
	4658 675	1							Green, Left
22	6505 533AA	4							SCREW, Hex Flange Head Tapping,
									M4.8 x 1.59 x 14.00
23									LINK, Key Cylinder To Latch
	4888 834AB	1							Right
	4888 835AB	1							Left
24									LINK, Front Door Inside Remote
									Control to Latch
	4783 518	1							Right
	4783 519	1							Left
25									LATCH, Front Door
	4783 574AB	1							Manual, Right
	4783 575AB	1							Manual, Left
	4783 592AB	1							Power, Right
	4783 593AB	1							Power, Left
-26	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch to Door Inner Panel
-27	6503 968	6							NUT AND WASHER, Hex, M6x1,
									Regulator Motor Attaching
28	6505 518AA	4							SCREW TAPPING & WASHER, Hex
									Head, M6.3 x 2.54 x 20.00
29	5008 055AA	4							RETAINER, Glass to Liftplate
30									WEATHERSTRIP, Front Door Glass
									Run
	5257 962AA	1							Right
	5257 963AA	1							Left
-31	6505 591AA-	16							NUT & WASHER, M8x1.25,
									Weatherstrip
-32	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Inside Remote Mounting,
									Inside Remote Mounting
33	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Door, Rear Shell and Hinges Figure DPL-205

6	5 7 6	8 1
5	7	4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	5012 462AB	1							Right
	5012 463AB	1							Left
2									PANEL, Door Outer
	4783 628	1							Right
	4783 629	1							Left
3									CHECK, Rear Door
	4783 516	1							Right
	4783 517	1							Left
4									SCREW, M6X1.00X25.00, (NOT
									SERVICED) (Not Serviced)
5									HINGE, Rear Door
	4783 788AB	2							Upper Right,Lower Left
	4783 806AB	2							Lower Right,Upper Left
6	6505 591AA	16							NUT & WASHER, M8x1.25, Hinge
									Attaching
7	6505 082AA	8							SCREW AND WASHER, Hex Head,
									M8x1.25x54, Hinge Attaching
8									LABEL, Child Protection Lock,
									English
	4490 361	2							French, Window
	4615 722AB	2							Door
	4396 978	2							Window
	4615 723	2							French, Door
-9	6036 315AA-	2							RIVET, Blind Bulb, Open


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


**ENGINE** ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Door, Rear Regulator, Glass, Handle and Locking Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•					•	•	•	
1									GLASS, Rear Door
	5008 116AA	1							Right
	5008 117AA	1							Left
2	5008 055AA	4							RETAINER, Glass to Liftplate
3									REGULATOR, Rear Door Window
	5008 036AA	1							Right
	5008 037AA	1							Left
4	6505 298AA	6							SCREW AND WASHER, Hex Hea M6x1x18
5	4780 259	2							STRIKER, Door
6	4520 289	AR							SPACER, Door Latch Striker
7	6503 120	4							SCREW AND WASHER, Button
									Head Torx
8									WEATHERSTRIP, Rear Door Glas
									Run
	4783 686AH	1							Up to 4-10-00, Right
	4783 687AH	1							Up to 4-10-00, Left
	5008 578AA	1							After 4-10-00, Right
	5008 579AA	1							After 4-10-00, Left
9	6505 422AA	4							SCREW AND WASHER, Hex Hea
									M6x1x20
10									CHECK, Rear Door
	4783 516	1							Right
	4783 517	1							Left
11	6503 504	4							NUT AND WASHER, Hex, M6x1
12	4888 929AB	2							SEAL, B-Pillar, Check Strap
13	EW00 TA7	0							HANDLE, Window Regulator
	FW80 TAZ	2							Agate
14	FW80 WL5	2							Taupe SPACER, Window Regulator
14	GY80 TAZ	2							<del>-</del>
	GY80 WL5	2							Agate
15	G100 WLS	2							Taupe HANDLE, Rear Door Exterior
10	QA50 DX8AB	1							[X8], Right
	QA51 DX8AB	1							[X8], Left
	QA50 GW7AB								[W7], Right
	QA51 GW7AB								[W7], Left
	QA50 PR4AB	1							[R4], Right
	QA51 PR4AB	1							[R4], Left
	QA50 SG8AB	1							[G8], Right
	QA51 SG8AB	1							[G8], Left
	QA50 TCNAB								[CN], Right
	QA51 TCNAB								[CN], Left
ODGE - PI	YMOUTH - CHRYS	I FR NE	:ON (PI \						
ERIES	LINE	,I\ INE	BODY		ENGI				MISSION
=Low Line =High Line	Z= RHD D= Dodge		41 = 4 Doo	or, 104.0WB		=2.0L 4 Cyl. \$ = 1.8L 4Cyl S			5 Speed Manual 3 Speed Automatic
–i iigii Line	D= Chrysle				<b>ΕDU</b> =	- 1.0L 4CYI S		DG0 = A	All Automatic
	P= Plymou								All Manuall

## Door, Rear Regulator, Glass, Handle and Locking Figure DPL-207



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
	QA50 VLBAB	1							[LB], Right			
	QA51 VLBAB	1							[LB], Left			
	QA50 VMTAB	1							[MT], Right			
	QA51 VMTAB	1							[MT], Left			
	QA50 WB7AB	1							[B7], Right			
	QA51 WB7AB	1							[B7], Left			
	QA50 WE5AB	1							[E5], Right			
	QA51 WE5AB	1							[E5], Left			
	QA50 WS2AB	1							[S2], Right			
	QA51 WS2AB	1							[S2], Left			
-16									HANDLE, Inside Remote Control			
	QH46 LAZ	1							[AZ] - Black Handle, Right			
	QH47 LAZ	1							[AZ] - Black Handle, Left			
	QH46 WL5	1							[L5] - Black Handle, Right			
	QH47 WL5	1							[L5] - Black Handle, Left			
	SH96 LAZAA-	1							[AZ] - Chrome Handle, Right			
	SH97 LAZAA-	1							[AZ] - Chrome Handle, Left			
	SH96 WL5AA	- 1							[L5] - Chrome Handle, Right			
	SH97 WL5AA	- 1							[L5] - Chrome Handle, Left			
17	6505 533AA	4							SCREW, Hex Flange Head Tapping,			
									M4.8 x 1.59 x 14.00			
18									LATCH, Rear Door			
	4783 540AB	1							Manual, Right			
	4783 541AB	1							Manual, Left			
	4783 594AB	1							Power, Right			
	4783 595AB	1							Power, Left			
19	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1			
20									LINK, Inside handle To Latch, Rear			
									Door			
	4783 528	1							Right			
	4783 529	1							Left			
21									LINK, Latch Locking			
	4783 530	1							Right			
	4783 531	1							Left			
22									LINK, Outside Handle To Latch, Rea			
									Door			
	4783 526	1							Right			
	4783 527	1							Left			
-23									CLIP, Latch			
	4658 444	1							Purple			
	4658 445	1							Orange			
24	6505 518AA	4							SCREW TAPPING & WASHER, Hex			
									Head, M6.3 x 2.54 x 20.00			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year





## Door, Rear Regulator, Glass, Handle and Locking Figure DPL-207



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-25	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
-26	6035 837	4							NUT/SPRING, "U"1THD, For .164-15
									Screw, Inside Remote Mounting
-27									CLIP, Latch Link, Door Lock
	4658 676	1							Right
	4658 677	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

PART

3 5	
8	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes:								
	MIRROR - LEF								
	MIRROR - LEF								
	MIRROR - LEF								
	MIRROR -LEFT				ABLE				
	MIRROR - RIG								
	MIRROR - RIG								
	MIRROR - RIGI			D RETRAC	TABLE				
	MIRROR - RIGI	HT MA	NUAL						
1									MIRROR, Outside Rearview
	4783 560AD	1	D, P						[GZF], Right,Manual
	4783 561AD	1	D, P						[GRE], Left,Manual
-2									GLASS, Mirror Replacement
	5018 304AA-	1	D, P						[GZF], Right,Manual
	5018 305AA-	1	D, P						[GRE], Left,Manual
3									MIRROR, Outside Rearview Electric
									Foldaway
	4783 566AG	1	D, P						[GSS,GSN], Right
	4783 567AG	1	D, P						[GRS,GRN], Left
	4783 820AD	1	Z						[GS5], Right
	4783 821AD	1	Z						[GR5], Left
-4									GLASS, Mirror Replacement
	5018 306AA-	1	D, P						[GSS,GSN], Right
	5018 307AA-	1	D, P						[GRS,GRN], Left
	5018 308AA-	1	Z						[GS5], Right
	5018 309AA-	1	Z						[GR5], Left
5	4888 782AD	1	D, P						MIRROR, Outside Rearview Electric
									Foldaway, Arabic, [GSN], ARABIC
-6	5018 297AA-	1	D, P						GLASS, Mirror Replacement, [GSN]
									ARABIC
7	6101 443	6							NUT AND WASHER, Hex, M5x.80
8									BEZEL, Front Door Mirror
	QA53 LAZAB	1	D, P						[GRE], Agate
·	QA53 WL5AB	1	D, P						[GRE], Taupe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Door, Front and Rear Figure DPL-605

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Front Door
									Opening
	SF98 LAZAA	2							Agate
	SF98 WL5AA	2							Taupe
2									WEATHERSTRIP, Rear Door
									Opening
	SG02 LAZAA	2							Agate
	SG02 WL5AA	2							Taupe
3									WEATHERSTRIP, Door Upper
									Secondary
	4783 664AB	1							Right
	4783 665AB	1							Left
4									WEATHERSTRIP, Center Pillar
	5008 296AA	1							Right
	5008 297AA	1							Left
5									WEATHERSTRIP, Front Door Beli
									Inner
	4783 674	1							Right
	4783 675	1							Left
6									WEATHERSTRIP, Rear Door Belt
									Inner
	4783 676	1							Right
	4783 677	1							Left
7	4783 666	2							WEATHERSTRIP, Sill Front
									Secondary
8	4783 668	2							WEATHERSTRIP, Sill Rear
									Secondary
9									WEATHERSTRIP, Front Door Bell
									Outer
	5027 066AB	1							Right
	5027 067AB	1							Left
10									WEATHERSTRIP, Rear Door Belt
									Outer
	5027 068AB	1							Right
	5027 069AB	1							Left
11	5008 339AA	4							CLIP, Weatherstrip


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – EPL Exterior Ornamentation







#### **GROUP EPL - Exterior Ornamentation**

Illustration Title	Group-Fig. No.
Nameplates	
Nameplates	Fig. EPL-105
Moldings and Ornamentation	
Mouldings and Ornamentation	Fig. EPL-205

## Nameplates Figure EPL-105



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
1	5288 948AA	1							NAMEPLATE, Neon	
2	5288 946AA	1							NAMEPLATE, Deck Lid, Dodge	
3	5288 947AA	1							NAMEPLATE, Plymouth	
4	5288 949AC	1							NAMEPLATE, Deck Lid, Chrysler,	
									Decklid	
5									NAMEPLATE, Rear Door, ES	
	4814 973AA	2							ES	
	5288 414	2							LE	
6	5288 413	2							NAMEPLATE, SE	
7	5288 415	2							NAMEPLATE, LX	
8	5288 849AA	1							NAMEPLATE, 2.0I 16V	
9	5288 856AB	1							NAMEPLATE, 1.8I 16V	
10	5288 945AA	2							NAMEPLATE, Front Door, Dodge	
11	5288 947AA	2							NAMEPLATE, Plymouth	
12	5288 949AC	1							NAMEPLATE, Deck Lid, Chrysler,	
									Door	




DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Mouldings and Ornamentation Figure EPL-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									MOLDING A BULLAR
1	5000 574AD								MOLDING, A-PILLAR
	5288 574AB	1							Right
	5288 575AB	1							Left
2	0154 819	8							SCREW AND WASHER, Round
	5000 574								Head, .164-15x.625
	5288 571	1							MOLDING, Windshield
4									APPLIQUE, B Pillar, Front
	5288 576	1							Right
	5288 577	1							Left
5									APPLIQUE, B Pillar, Rear
	5288 578	1							Right
	5288 579	1							Left
-6	6036 210AA-	12							SCREW, Tapping Pan Head, .138-2
									x .625, Applique
-7	6036 209AA-	12							NUT, Snap In, .164-18, Applique
8									APPLIQUE, Rear Door
	4888 606AB	1							Right
	4888 607AB	1							Left
9	6004 512	6							CLIP, D Pillar Exhauster
10									WEATHERSTRIP, Front Door Belt,
									Front
	5027 066AA	1							Right
	5027 067AA	1							Left
11									WEATHERSTRIP, Rear Door Belt,
									Rear
	5027 068AB	1							Right
	5027 069AB	1							Left
12									MOLDING, Front Door
	QK58 DX8	2							[K4X]
	QK58 PR4	2							[K4R]
	QK58 SG8	2							[K4F]
	QK58 TCN	2							[K4A]
	QK58 VMT	2							[K4K]
	QK58 WB7	2							[K4D]
	QK58 WE5	2							[K4M]
	QT76 GW7AA								[K4W]
	QT76 VLBAA	2							[K4N]
	QT76 WS2AA	2							[K4S]
13									MOLDING, Rear Door
	QK60 DX8	2							[K4X]
	QK60 PR4	2							[K4R]
	QK60 SG8	2							[K4F]
	QK60 TCN	2							[K4A]
DOGE - PLY	/MOUTH - CHRYS	LER NE	ON (PL)—— BODY		ENGIN			TRANCI	MISSION
Low Line	Z= RHD		-	or, 104.0WB	ECB =	2.0L 4 Cyl. S	OHC		Speed Manual
High Line	D= Dodge D= Chrysle				EBD =	: 1.8L 4Cyl S	OHC	DGC = 3	3 Speed Automatic
•								D C C	All Automatic

## Mouldings and Ornamentation Figure EPL-205




TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
	•		•			•	•	•			
	QK60 VMT	2							[K4K]		
	QK60 WB7	2							[K4D]		
	QK60 WE5	2				[K4M]					
	QT74 GW7AA	. 2			[K4W]						
	QT74 VLBAA	2	[K4N]								
	QT74 WS2AA	. 2							[K4S]		
14									CLIP, Weatherstrip, (NOT		
									SERVICED) (Not Serviced)		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

# Group – IPL Interior Trim




IPL-100	IPL-200	IPL-300	IPL-400
Headliner and Visor	Panel, Moldings, Scuff Plates	Carpet	Door Trim Panels
IPL-500	IPL-600	IPL-700	IPL-800
Front Seats and Attaching Parts	Rear Seats-Folding	Seat Belts-Front and Rear	Adjusters, Covers, Shields, and
			Risers

#### **GROUP IPL - Interior Trim**


Illustration Title	Group-Fig. No.
Headliner and Visor Headliner, Visor and Shelf Panel	Fig. IPL-110
Panel, Moldings, Scuff Plates	
Cowl Panels	Fig. IPL-210
A-Pillar	Fig. IPL-215
Quarter Trim Panel	Fig. IPL-225
Scuff Plates - Front and Rear	Fig. IPL-230
Carpet	
Carpet, Mats and Silencers	Fig. IPL-310
Door Trim Panels	
Door Panels - Front	Fig. IPL-410
Door Panels - Rear	Fig. IPL-420
Front Seats and Attaching Parts	
Seat Front - Trim Code K7	Fig. IPL-505
Seat Front - Trim Code B7	Fig. IPL-510
Seat Front - Trim Code C7	Fig. IPL-515
Seat Front - Trim Code CL	Fig. IPL-520
Seat Reclinning - Attaching Parts	Fig. IPL-525
Rear Seats-Folding	
Seat Rear - Trim Code K7	Fig. IPL-605
Seat Rear - Trim Code B7	Fig. IPL-610
Seat Rear - Trim Code C7	Fig. IPL-615
Seat Rear - Trim Code CL	Fig. IPL-620
Seat Rear - Attaching Parts	Fig. IPL-625
Seat Belts-Front and Rear	
Seat Belts - Front	Fig. IPL-710
Seat Belts - Rear	Fig. IPL-720
Adjusters, Covers, Shields, and Risers	
Seat Adjusters, Recliners and Side Shields	Fig. IPL-810

## Headliner, Visor and Shelf Panel Figure IPL-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR
	PY89 TL2AB	1	D, P					00	Beige, w/o Mirror, Left
	QV60 TL2AA	1						<b>O</b> 0	Beige, w/o Mirror, Right
2									VISOR, W/Mirror
	PY90 TL2	1	D, P					00	Beige, w/Mirror, Right
	PY91 TL2AB	1						<b>O</b> 0	Beige, w/Mirror, Left
3									VISOR, Illuminated
	PY92 TL2AB	1						<b>O</b> 0	Beige, Right
	PY93 TL2AB	1						O0	Beige, Left
-4	6501 966	1						00	BULB, 74, Visor, w/Illuminated
-5									LABEL, Air Bag Warning
	4595 746AA-	1	D, P					O0	End Cap Warning, Right
	4595 748AA-	1	D, P						Dash Warning (Removable)
	4595 749AA-	1	D, P						Bilingual Removable Dash Warning
	4787 437AA-	2	D, P						Visor, English/French 5 Points
	6036 132AA	4							SCREW, Pan Head, Visor Attaching
7									HEADLINER
	PY96 TL2AD	1	D, P					O0	Beige, w/o Assist Handles
	PY98 TL2AE	1						O0	Beige, w/Assist Handles
	TL42 TL2AA	1						00	Beige, w/Assist Handles and
	DD 10 TI 01 F								Sunroof
	RP48 TL2AE	1						00	Beige, w/Assist Handles and Alarm
	TI 44 TI 04 A							00	System
	TL41 TL2AA	1						00	Beige, w/Assist Handles, Sunroof
	LIDO4 TLOAA								and Alarm System
0	UB31 TL2AA	1						00	EACTENED Handling Dains
8	ST47 TL2AA	3	D D					00	FASTENER, Headliner, Beige
	QY61 TL2AA	2	D, P					O0	HOOK, Coat, Beige
10	000014740								PANEL, Shelf Trim
	QX60 LAZAB	1	Z					00	Agate
	QX60 WL8AB		Z					00	Taupe
	TA53 LAZAA	1						00	Agate
4.4	TA53 WL8AA	1						O0	Taupe
-11	TA50   A7AA	•						00	COVER, Anchor
	TA52 LAZAA-							00	[AZ]
40	TA52 WL8AA-	. 3						O0	[L5]
12	DE00 B\/0.4.4								MOLDING, Cargo Door, (Pass-Thru)
	RF28 DX9AA	1						B7	Black,
4.0		1						C7	Black,
13	0000 444	•							PIN, Retainer
	6030 441	2							Deck Lid Cover Attaching
		2							Molding Pass-Thru Attaching (Cargo Door)
<b>DODGE - PL</b> ' SERIES	YMOUTH - CHRYS LINE	SLER NE	EON (PL)—— BODY		ENGI	 NE		TRANS	MISSION
=Low Line	Z= RHD		41 = 4 Doo	or, 104.0WB	ECB :	=2.0L 4 Cyl. S		DD5 = 5	5 Speed Manual
H=High Line	D= Dodge D= Chrysle				FRD :	= 1.8L 4Cyl S	OHC		3 Speed Automatic All Automatic
		-						,	

#### **Headliner, Visor and Shelf Panel** Figure IPL-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	PX40 TL2	2						00	CLIP, Visor, Beige
15									SCREW, .164-18x.75
	6035 324	2	D, P					00	Coat Hook Attaching
		2	D, P					00	Assist Handle Attaching
		2						00	Visor, Center Support Attachinh
		8						00	Visor Attaching
16									HANDLE, Roof Grab
	QY62 TL2AB	2						00	Beige, Right & Left
	QY66 TL2AA	1						00	Beige, w/Coat Hook, Right,Rear
	QY67 TL2AA	1						00	Beige, w/Coat Hook, Left,Rear
-17									CLIP, Headlining
	4775 742AA-	8						00	Assist Handle Attaching
		2						00	Headliner To Roof Attaching Visor
									Support
		2						00	Headliner To Roof Attaching Coat
									Hook



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

|--|

	PART								
ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side Trim
	PY76 LAZ	1	D, P					00	Agate, Right
	PY76 WL5	1	D, P					00	Taupe, Right
	PY78 LAZ	1	Z					00	Agate, Right
	PY77 LAZ	1	D, P					O0	Agate, Left
	PY77 WL5	1	D, P					00	Taupe, Left
	PY79 LAZ	1	Z					00	Agate, Left
	PY78 WL5	1	Z					O0	Taupe, Right
	PY79 WL5	1	Z					O0	Taupe, Left
-2									CLIP, Trim Panel
	6503 167	3						O0	
		2	Z					00	


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### A-Pillar Figure IPL-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, A Pillar Trim
<u>'</u>	PY68 TL2AB	1						00	Beige, Right
	PY69 TL2AB							00	Beige, Left
2	4775 846AA	3						00	CLIP, Pillar Trim, Attaching

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Quarter Trim Panel** Figure IPL-225

	2

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	PY80 TL2AB	1						00	Beige, Right
	PY81 TL2AB	1						00	Beige, Left
2									PANEL, Quarter Trim, Lower
	PY84 LAZ	1						O0	Agate, Right
	PY84 WL5	1						00	Taupe, Right
	PY85 LAZ	1						00	Agate, Left
	PY85 WL5	1						00	Taupe, Left
-3	6503 167	4						00	CLIP, Trim Panel, Quarter Panel,
									Lower
-4	4775 846AA-	3						00	CLIP, Pillar Trim, Head Impact -
									Quarter Upper
-5	6503 104	2						00	CLIP, Pillar Trim, Quarter Panel,
									Lower


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Scuff Plates - Front and Rear** Figure IPL-230




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PLATE, Scuff, Front
	PY75 LAZ	2						00	Agate, Front
	PY75 WL5	2						00	Taupe, Front
2	5)/= 4   4 =	•						00	PLATE, Scuff, Rear
	PY74 LAZ	2						00	Agate, Rear
-3	PY74 WL5 6503 167	2						O0 O0	Taupe, Rear CLIP, Trim Panel, Scuff Plate
-3	0303 107	4						00	CLIF, THIII Fallel, Scull Flate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Carpet, Mats and Silencers Figure IPL-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_									CARRET R. FI
1	D700 I A7A0		- D D						CARPET, Passenger Floor
	PZ36 LAZAC	1	D, P					00	Agate
	PZ36 WL8AC	1	D, P					00	Dark Taupe
	PZ38 LAZAC	1	Z					00	Agate
	PZ38 WL8AC	1	Z					00	Dark Taupe
2	4740 136	1							SILENCER, Floor Pan
3	PZ42 VXLAC	1						00	CARPET, Luggage Compartment,
									Dark Charcoal
4	6030 441	2							PIN, Retainer, Carpet Attaching
5									MAT KIT, Floor - Front
	RH59 LAZAC	1	Z					O0	Agate
	RH59 WL8AC	1	Z					O0	Dark Taupe
	8220 4954	1	D, P	H	41				Taupe
	8220 4955	1	D, P	Н	41				Agate
	8220 5168	1	D, P	Н	41				Taupe, (Slush Mat - Oversize)
	8220 5169	1	D, P	Н	41				Agate, (Slush Mat - Oversize)
6									MAT KIT, Floor - Rear
	8220 4956	1	D, P	Н	41				Taupe
	8220 4957	1	D, P	Н	41				Agate
	8220 5170	1	D, P	Н	41				Agate, (Slush Mat - Oversize)
	8220 5171	1	D, P	Н	41				Taupe, (Slush Mat - Oversize)
-7									CLIP, Floor Mat Retention
	5086 365AA-	1	D, P					00	Driver Side
		1	Z					00	Driver Side
8	RH74 DX9AB	1						00	PANEL, Luggage Compartment Side
									Black
9	RZ83 VXLAE	1						00	PANEL, Decklid
-10	5016 809AA-	1							LATCH PACKAGE, Decklid,
									Emergency Kit Trunk Release (With
									Remote Entry)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Door Panels - Front** Figure IPL-410




		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									PANEL, Front Door Trim
-		PZ14 LAZAE	1						K7	Agate, w/o Power Locks, w/o
										Power Windows, Right
		PZ14 WL5AE	1						K7	Taupe, w/o Power Locks, w/o
_										Power Windows, Right
		PZ15 LAZAE	1						K7	Agate, w/o Power Locks, w/o
										Power Windows, Left
		PZ15 WL5AE	1						K7	Taupe, w/o Power Locks, w/o
_										Power Windows, Left
		PZ18 LAZAE	1						K7	Agate, w/Power Locks, w/o Power
		D740 W 545							1/7	Windows, Right
		PZ18 WL5AE	1						K7	Taupe, w/Power Locks, w/o Power
-		PZ19 LAZAE	1						K7	Windows, Right Agate, w/Power Locks, w/o Power
		1 Z 19 LAZAL	'						IXI	Windows, Left
		PZ19 WL5AE	1						K7	Taupe, w/Power Locks, w/o Power
			·							Windows, Left
_		PZ52 1L5AE	1						K7	Taupe, w/Power Windows and
										Door Locks, Right
		PZ52 LAZAE	1						K7	Agate, w/Power Windows and Door
_										Locks, Right
		PZ53 1L5AE	1						K7	Taupe, w/Power Windows and
										Door Locks, Left
		PZ53 LAZAE	1						K7	Agate, w/Power Windows and Door
_		D70441545								Locks, Left
		PZ64 1L5AE	1						B7	Taupe, w/Power Windows and
										Door Locking Central (Use Up To 11-16-99), Right
			1						<b>C</b> 7	Taupe, w/Power Windows and
-			'							Door Locking Central (Use Up To
										11-16-99), Right
		PZ64 LAZAE	1						B7	Agate, w/Power Windows and Door
										Locking Central (Use Up To 11-
_										16-99), Right
			1						C7	Agate, w/Power Windows and Door
										Locking Central (Use Up To 11-
_										16-99), Right
		PZ65 1L5AE	1						B7	Taupe, w/Power Windows and
										Door Locking Central (Use Up To
			4						07	11-16-99), Left
_			1						C7	Taupe, w/Power Windows and
										Door Locking Central (Use Up To 11-16-99), Left
										11-10-33), Leit

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Door Panels - Front** Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PZ65 LAZAE	1						В7	Agate, w/Power Windows and Door
									Locking Central (Use Up To 11-16-99), Left
		1						C7	Agate, w/Power Windows and Door Locking Central (Use Up To 11-
	SJ18 1L5AA	1						C7	16-99), Left Taupe, w/Power Windows and Door Locking Central (Use After 11-16-99), Right
	SJ18 1L5AB	1						В7	Taupe, w/Power Windows and Door Locking Central (Use After 11-16-99), Right
	SJ18 LAZAA	1						C7	Agate, w/Power Windows and Doo
	0010 2742701	•							Locking Central (Use After 11-16- 99), Right
	SJ18 LAZAB	1						В7	Agate, w/Power Windows and Door Locking Central (Use After 11-16-
	SJ19 1L5AA	1						C7	99), Right Taupe, w/Power Windows and Door Locking Central (Use After 11-16-99), Left
	SJ19 1L5AB	1						B7	Taupe, w/Power Windows and
									Door Locking Central (Use After 11-16-99), Left
	SJ19 LAZAA	1						C7	Agate, w/Power Windows and Doo
									Locking Central (Use After 11-16 99), Left
	SJ19 LAZAB	1						B7	Agate, w/Power Windows and Doo Locking Central (Use After 11-16-
	CL 20 41 EAE	4						CI	99), Left
	SL30 1L5AF SL31 1L5AF	1						CL CL	Taupe, Right Taupe, Left
2	OLOT TEORI	'						<u> </u>	ARMREST, Door, Serviced With
									Door Panel Only, (NOT
3									SERVICED) (Not Serviced) BOLSTER, Front Door, Serviced
									With Door Panel Only, (NOT SERVICED) (Not Serviced)
4	4775 558	2							BRACKET, Door Trim Panel, Attaching
5									SCREW
	0153 921	4 2							Pull Cup Bracket Attaching Remote Bezel
DODGE P	VMOLITH CHEV	CI ED ME	EON (BL)						
SERIES L=Low Line H=High Line	YMOUTH - CHRY LINE Z= RHD D= Dodge D= Chrysl P= Plymo	er	BODY	or, 104.0WB		NE :2.0L 4 Cyl. \$ : 1.8L 4Cyl S		DD5 = 5 DGC = DG0 = 7	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005



#### **Door Panels - Front** Figure IPL-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	6032 723	2							SCREW, Self Tapping, M4.2x1.
									69x19.05, Door Panel Attaching
7									PLUG, Cover
	LB57 TAZ	2						00	Agate, Pull Cup
	LB57 WL5	2						O0	Taupe, Pull Cup
8									CUP, Door Pull
	QS28 LAZAA	1						K7	Agate
		1						B7	Agate
	QS28 WL5AA	1						K7	Taupe
		1						B7	Taupe
		1						C7	Taupe
-9	6503 167	2	D, P					00	CLIP, Trim Panel, Door Flag
									Attaching
-10									RETAINER, Trim Panel
	5023 111AA-	8						K7	Pin/Grommet w/Seal
		8						B7	Pin/Grommet w/Seal
		8						C7	Pin/Grommet w/Seal
11									NUT, U, For A .164-15 Screw, (No
									SERVICED) (Not Serviced)
12									WATERSHIELD, Front Door, (NO
									SERVICED) (Not Serviced)
13									PLUG, Bezel Trim
	SR22 LAZAA	1						B7	Agate
		1						C7	Agate
		1						K7	Agate
	SR22 WL5AA	1						B7	Taupe
		1						C7	Taupe
		1						K7	Taupe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

13 12 12 12 12 13 3
---------------------------------------

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
1									PANEL, Rear Door Trim
<u> </u>	PZ16 LAZAD	1						K7	Agate, Right
	PZ16 WL5AD	1						K7	Taupe, Right
	PZ17 LAZAD	1						K7	Agate, Left
	PZ17 WL5AD	1						K7	Taupe, Left
	PZ66 LAZAD	1						B7	Agate, (Use Up To 11-16-98),
									Right
		1						C7	Agate, (Use Up To 11-16-98),
									Right
	PZ66 WL5AD	1						B7	Taupe, (Use Up To 11-16-98),
									Right
		1						C7	Taupe, (Use Up To 11-16-98),
									Right
	PZ67 LAZAD	1						B7	Agate, (Use Up To 11-16-98), Left
		1						C7	Agate, (Use Up To 11-16-98), Left
	PZ67 WL5AD	1						B7	Taupe, (Use Up To 11-16-98), Left
		1						C7	Taupe, (Use Up To 11-16-98), Left
	SJ20 LAZAB	1						B7	Agate, (Use After 11-16-98), Right
	0	1						C7	Agate, (Use After 11-16-98), Right
	SJ20 WL5AB	1						B7	Taupe, (Use After 11-16-98), Right
	0.104 1.4740	1						C7	Taupe, (Use After 11-16-98), Right
	SJ21 LAZAB	1						B7	Agate, (Use After 11-16-98), Left
	C IO4 W/I EAD	1						C7	Agate, (Use After 11-16-98), Left
	SJ21 WL5AB	1						В7 С7	Taupe, (Use After 11-16-98), Left Taupe, (Use After 11-16-98), Left
	SL34 1L5AF	1						CL	Taupe, (Use Alter 11-10-96), Left Taupe, Right
	SL35 1L5AF	1						CL	Taupe, Right Taupe, Left
2	OLOG TEGAT	'						OL	BOLSTER, Door, Serviced w/Door
									Panel, (NOT SERVICED) (Not
									Serviced)
3									ARMREST, Door, Serviced w/Door
									Panel, (NOT SERVICED) (Not
									Serviced)
-4									BRACKET, Door Pull Cup
	5023 220AA-	1							Right
	5023 221AA-	1							Left
5									PLUG, Cover
	LB57 TAZ	2						O0	Agate, Pull Cup Rear
	LB57 WL5	2						00	Taupe, Pull Cup Rear
6									BRACKET, Door Panel Attaching,
									(NOT SERVICED) (Not Serviced)
7									CUP, Door Pull

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

#### **Door Panels - Rear** Figure IPL-420




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QS28 LAZAA	1						K7	Agate, Right
		1						B7	Agate, Right
		1						C7	Agate, Right
	QS28 WL5AA	1						K7	Taupe, Right
		1						B7	Taupe, Right
		1						C7	Taupe, Right
	QS29 LAZAA	1						K7	Agate, Left
		1						B7	Agate, Left
		1						C7	Agate, Left
	QS29 WL5AA	1						K7	Taupe, Left
		1						B7	Taupe, Left
		1						C7	Taupe, Left
-8									RETAINER, Trim Panel
	5023 111AA-	8						K7	Pin/Grommet w/Seal
		8						B7	Pin/Grommet w/Seal
		8						C7	Pin/Grommet w/Seal
-9	6503 167	3						00	CLIP, Trim Panel, Door Flag
									Attaching
-10	6032 723	2							SCREW, Self Tapping, M4.2x1.
									69x19.05, Door Panel Attaching
11									WATERSHIELD, Rear Door, (NOT
									SERVICED) (Not Serviced)
12	0153 921	4							SCREW
13									NUT, U, (NOT SERVICED) (Not
									Serviced)
-14									PLUG, Cover
	LB57 TAZ	2						O0	Agate, Goes Behind Door Handle
	LB57 WL5	2						00	Taupe, Goes Behind Door Handle

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Seat Front - Trim Code K7** Figure IPL-505




	PART							
QTY	NUMBER	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								CUSHION, Front Seat
2	SL49 1AZAA	D, P					K7	Agate, Right & Left
2		Z					K7	Agate, Right & Left
2	SL49 1L5AA	D, P					K7	Taupe, Right & Left
								COVER, Front Seat Cushion
2	SL53 1AZAA	Z					K7	Agate, Right & Left
2		D, P					K7	Agate, Right & Left
2	SL53 1L5AA	D, P					K7	Taupe, Right & Left
								SEAT BACK, Front
1	TE38 1AZAA	Z					K7	Agate, Right
1	TE39 1AZAA	Z					K7	Agate, Left
1	SL50 1AZAA	D, P					K7	Agate, Right
1	SL50 1L5AA	D, P					K7	Taupe, Right
1	SL51 1AZAA	D, P					K7	Agate, Left
1	SL51 1L5AA	D, P					K7	Taupe, Left
								COVER, Front Seat Back
2	TE37 1AZAA	Z					K7	Agate, Right & Left
1	SL54 1AZAA	D, P					K7	Agate, Right & Left
1	SL54 1L5AA	D, P					K7	Taupe, Right & Left
								SHIELD, Seat Cushion
1	JF76 1AZ	Z					K7	Agate, Right,Outboard
1		D, P					K7	Agate, Right,Outboard
1	JF76 1L5	D, P					K7	Taupe, Right,Outboard
1	JF77 1AZ	Z					K7	Agate, Left,Outboard
1		D, P					K7	Agate, Left,Outboard
1	JF77 1L5	D, P					K7	Taupe, Left,Outboard
								SCREW, Shield Attaching (10-24x1.
								30 T20 Torx, (NOT SERVICED)
								(Not Serviced)
								HEADREST, Front
2	SL52 1AZAA	D, P					K7	Agate
2		Z					K7	Agate
2	SL52 1L5AA	D, P					K7	Taupe
								SLEEVE, Headrest
. 1	QX11 1AZAA	Z					K7	Agate, w/Release Button
1		D, P					K7	Agate, w/Release Button
1	QX11 1L5AA	D, P					K7	Taupe, w/Release Button
. 1	QX12 1AZAA	Z					K7	Agate, w/o Release Button
1		D, P					K7	Agate, w/o Release Button
1	QX12 1L5AA	D, P					K7	Taupe, w/o Release Button
		1	1 D, P K7					

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Seat Front - Trim Code B7** Figure IPL-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	<u> </u>								CUSHION, Front Seat
	SL90 1AZAA	1	D, P					B7	Agate, Right
	SL90 1L5AA	1	D, P					B7	Taupe, Right
	SL91 1AZAA	1	D, P					B7	Agate, Left
	SL91 1L5AA	1	D, P					B7	Taupe, Left
2									COVER, Front Seat Cushion
	SL92 1AZAA	2	D, P					B7	Agate, Right & Left
	SL92 1L5AA	2	D, P					B7	Taupe, Right & Left
3									SEAT BACK, Front
	SL18 1AZAA	1	D, P					B7	Agate, Right
	SL18 1L5AA	1	D, P					B7	Taupe, Right
	SL19 1AZAA	1	D, P					B7	Agate, Left
	SL19 1L5AA	1	D, P					B7	Taupe, Left
4									COVER, Front Seat Back
	SL22 1AZAA	1	D, P					B7	Agate, Right & Left
	SL22 1L5AA	1	D, P					B7	Taupe, Right & Left
5									HEADREST, Front
	SL20 1AZAA	1	D, P					B7	Agate, Right & Left
	SL20 1L5AA	1	D, P					B7	Taupe, Right & Left
6									COVER, Seat Headrest, (NOT
									SERVICED) (Not Serviced)
7									SLEEVE, Headrest
	QX11 1AZAA	2	D, P					В7	Agate, w/Release Button
	QX11 1L5AA	2	D, P					В7	Taupe, w/Release Button
	QX12 1AZAA	2	D, P					В7	Agate, w/o Release Button
	QX12 1L5AA	2	D, P					B7	Taupe, w/o Release Button
8			,						SHIELD, Seat Cushion
	JF76 1AZ	1	D, P					В7	Agate, Right
	JF76 1L5	1	D, P					B7	Taupe, Right
	JF77 1AZ	1	D, P					B7	Agate, Left
	JF77 1L5	1	D, P					B7	Taupe, Left
9	3. 77 120	•	٥, ١					٥,	SCREW, Side Shield (10-24x1.030
J									T-20 Torx), (NOT SERVICED) (No

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



1	•		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1						•	•	•	
									CUSHION, Front Seat
	SL90 1AZAA	1	Z					C7	Agate, Right
		1	D, P					C7	Agate, Right
5	SL90 1L5AA	1	Z					C7	Taupe, Right
		1	D, P					C7	Taupe, Right
5	SL91 1AZAA	1	Z					C7	Agate, Left
		1	D, P					C7	Agate, Left
5	SL91 1L5AA	1	Z					C7	Taupe, Left
		1	D, P					C7	Taupe, Left
2									COVER, Front Seat Cushion
5	SL92 1AZAA	2	Z					C7	Agate, Right & Left
5	SL92 1L5AA	2	Z					C7	Taupe, Right & Left
3									SEAT BACK, Front
5	SL18 1AZAA	1	Z					C7	Agate, Right
		1	D, P					C7	Agate, Right
5	SL18 1L5AA	1	Z					C7	Taupe, Right
		1	D, P					C7	Taupe, Right
5	SL19 1AZAA	1	Z					C7	Agate, Left
		1	D, P					C7	Agate, Left
5	SL19 1L5AA	1	Z					C7	Taupe, Left
		1	D, P					C7	Taupe, Left
4									COVER, Front Seat Back
5	SL22 1AZAA	1	Z					C7	Agate, Right & Left
		1	D, P					C7	Agate, Right & Left
5	SL22 1L5AA	1	Z					C7	Taupe, Right & Left
		1	D, P					C7	Taupe, Right & Left
5									HEADREST, Front
5	SL15 1AZAA	1	Z					C7	Agate, Right & Left
		1	D, P					C7	Agate, Right & Left
5	SL15 1L5AA	1	Z					C7	Taupe, Right & Left
		1	D, P					C7	Taupe, Right & Left
6									COVER, Seat Headrest, (NOT
									SERVICED) (Not Serviced)
7									SLEEVE, Headrest
(	QX11 1AZAA	2	Z					C7	Agate, w/Release Button
		2	D, P					C7	Agate, w/Release Button
(	QX11 1L5AA	2	Z					C7	Taupe, w/Release Button
		2	D, P					C7	Taupe, w/Release Button
(	QX12 1AZAA	1	Z					C7	Agate, w/o Release Button
		1	D, P					C7	Agate, w/o Release Button
		2	Z					C7	Taupe, w/o Release Button
		2	D, P					C7	Taupe, w/o Release Button
8									SHIELD, Seat Cushion
ODGE - PI VI	MOUTH - CHRYS	SI FR NE	ON (PI \						
ERIES =Low Line =High Line	LINE Z= RHD D= Dodge D= Chrysle P= Plymou	er	BODY	r, 104.0WB		NE =2.0L 4 Cyl. \$ = 1.8L 4Cyl S		DD5 = 5 DGC = DG0 = 7	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

#### **Seat Front - Trim Code C7** Figure IPL-515



	PART		l <u>-</u>						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1576 4 4 7	4	Z					<b>C</b> 7	Agoto Dight
	JF76 1AZ	<u>1</u> 1	 D, P					C7	Agate, Right Agate, Right
	1570 41.5	1							
	JF76 1L5	1	Z					C7	Taupe, Right
		1	D, P					C7	Taupe, Right
	JF77 1AZ	1	Z					C7	Agate, Left
		1	D, P					C7	Agate, Left
	JF77 1L5	1	Z					C7	Taupe, Left
		1	D, P					C7	Taupe, Left
9									SCREW, Side Shield (10-24x1.030
									T-20 Torx), (NOT SERVICED) (No
									Serviced)
									,

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Seat Front - Trim Code CL** Figure IPL-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	TB95 1L5AA	1	D, P					CL	Taupe, Left
		1	Z					CL	Taupe, Left
	TB94 1L5AA	1	D, P					CL	Taupe, Right
		1	Z					CL	Taupe, Right
2									COVER, Front Seat Back
	TB96 1L5AA	2	D, P					CL	Taupe, Right & Left
		2	Z					CL	Taupe, Right & Left
3									CUSHION, Front Seat
	TB93 1L5AA	1	D, P					CL	Taupe, Left
		1	Z					CL	Taupe, Left
	TB92 1L5AA	1	D, P					CL	Taupe, Right
		1	Z					CL	Taupe, Right
4									COVER, Front Seat Cushion
	TB99 1L5AA	1	D, P					CL	Taupe, Left
		1	Z					CL	Taupe, Left
	TB98 1L5AA	1	D, P					CL	Taupe, Right
		1	Z					CL	Taupe, Right
5									HEADREST, Front
	TC10 1L5AA	2	D, P					CL	Taupe
		2	Z					CL	Taupe
6									SLEEVE, Headrest
	QX11 1L5AA	1	D, P					CL	Taupe, w/Release Button
		1	Z					CL	Taupe, w/Release Button
	QX12 1L5AA	1	Z					CL	Taupe, w/o Release Button
		1	D, P					CL	Taupe, w/o Release Button
7			,						SHIELD, Seat Cushion
	JF76 1L5	1	Z					CL	Taupe, Right
		1	D, P					CL	Taupe, Right
	JF77 1L5	1	Z					CL	Taupe, Left
		1	_ D, Р					CL	Taupe, Left
8		•	, -					- =	SCREW, (NOT SERVICED) (Not
-									Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Seat Reclinning - Attaching Parts Figure IPL-525

	ITEM	PART NUMBER	ОТУ	LINE	OFFICE	DODY	FNOINE	TRANS	TDIM	DECORIDEION
		NUMBER	QTY	LINE	SERIES	BODY	ENGINE	IKANS	TRIM	DESCRIPTION
	1									SCREW, Side Shield Attaching (10-
										24x1.030 T-20 Torx), (NOT
										SERVICED) (Not Serviced)
	2									SHIELD, Seat Cushion
		JF76 1AZ	1	D, P					B7	Agate, Right
			1	D, P					K7	Agate, Right
			1	Z					C7	Agate, Right
			1	D, P					C7	Agate, Right
		JF76 1L5	1	Z					C7	Taupe, Right
(8)		JF76 1AZ	1	Z					K7	Agate, Right
		JF76 1L5	1	D, P					CL	Taupe, Right
		JF77 1AZ	1	Z					C7	Agate, Left
		JF76 1L5	1	D, P					C7	Taupe, Right
///			1	D, P					B7	Taupe, Right
/// 11			1	D, P					K7	Taupe, Right
		1577 4 4 7	1	Z					CL C7	Taupe, Right
		JF77 1AZ	<u> </u>	D, P Z					K7	Agate, Left Agate, Left
		JF77 1L5	1	D, P					B7	Taupe, Left
1/2 11		JF77 1L3	1	D, P					B7	Agate, Left
		JETT TAZ	1	D, P					K7	Agate, Left
		JF77 1L5	<u>'</u>	Z					C7	Taupe, Left
		01 77 TES	1	D, P					K7	Taupe, Left
			1	Z					CL	Taupe, Left
//			1	D, P					C7	Taupe, Left
			1	D, P					CL	Taupe, Left
	3		•	-, .					-	BOLT, Recliner
		4746 997	1	Z					C7	Attaching
			1	D, P					C7	Attaching
			1	D, P					B7	Attaching
			1	D, P					K7	Attaching
7			1	D, P					CL	Attaching
0,330			1	Z					K7	Attaching
			1	Z					CL	Attaching
(9)	4									RECLINER, Seat Back
		4797 318	1	Z					C7	Right
			1	D, P					C7	Right
<b>(4)</b> _			1	D, P					B7	Right
			1	D, P					K7	Right
			1	D, P					CL	Right
		4797 319	1	Z					C7	Left
			1	D, P					C7	Left
	DODGE DIN	MOUTH - CHRY	CIED NE	ON (PL)						
	CEDIES	INIOUTH - CHRT	SLEK NE	DODY		ENCU			TDANO	MICCION

SERIES

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

BODY 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Seat Reclinning - Attaching Parts Figure IPL-525

	8
9	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4797 318	1	Z					CL	Right
	4797 319	1	D, P					K7	Left
		1	D, P					B7	Left
		1	Z					CL	Left
		1	D, P					CL	Left
5									HANDLE, Recliner
	4740 986	1	D, P					B7	Right
		1	D, P					K7	Right
		1	D, P					CL	Right
		1	Z					C7	Right
		1	D, P					C7	Right
		1	Z					CL	Right
	4740 987	1	D, P					C7	Left
		1	D, P					B7	Left
		1	Z					K7	Left
	4740 986	1	Z					K7	Right
	4740 987	1	Z					C7	Left
		1	D, P					K7	Left
		1	D, P					CL	Left
		1	Z					CL	Left
6									SCREW, Recliner Handle (M6x10-
									T30 Torx), (NOT SERVICED) (No
									Serviced)
7									BOLT, Adjuster Shoulder
	4874 140	1	Z					C7	
		1	D, P					C7	
		1	D, P					B7	
		2	D, P					K7	
		2	Z					K7	
8									FRAME, Front Seat Back, Serviced
									In Seat Back Assembly, (NOT
									SERVICED) (Not Serviced)
9									FRAME, Front Seat Cushion,
						·			Serviced In Seat Cushion
									Assembly, (NOT SERVICED) (No
									Serviced)


DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line LINE
Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Seat Rear - Trim Code K7 Figure IPL-605



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Full Rear Seat
	01.50.44744	4	D D					177	Back
	SL58 1AZAA	1	D, P					K7	Agate
	01 = 0 41 = 4.4	1	Z					K7	Agate
	SL58 1L5AA	1	D, P					K7	Taupe
2		_							SEAT BACK, Rear, 60%
	SL60 1AZAA	1	D, P					K7	Agate
		1	Z					K7	Agate
	SL60 1L5AA	1	D, P					K7	Taupe
3									SEAT BACK, Rear, 40%
	SL59 1AZAA	1	D, P					K7	Agate
		1	Z					K7	Agate
	SL59 1L5AA	1	D, P					K7	Taupe
4									COVER, Rear Seat Back, 60% Side
									(NOT SERVICED) (Not Serviced)
5									COVER, Rear Seat Back, 40 % Side
									(NOT SERVICED) (Not Serviced)
6									COLLAR, Rear Seat Back
	SL62 1AZAA	1	D, P					K7	Agate
		1	Z					K7	Agate
	SL62 1L5AA	1	D, P					K7	Taupe
7									CUSHION, Rear Seat
	SL57 1AZAA	1	D, P					K7	Agate
		1	Z					K7	Agate
	SL57 1L5AA	1	D, P					K7	Taupe
8									COVER, Rear Seat Cushion
	SL63 1AZAA	1	D, P					K7	Agate
		1	Z					K7	Agate
	SL63 1L5AA	1	D, P					K7	Taupe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

1 2 3 4 5 6
8

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Complete
	SL23 1AZAA	1	D, P					B7	Agate
	SL23 1L5AA	1	D, P					B7	Taupe
2									SEAT BACK, Rear, 40%
	SL25 1AZAA	1	D, P					B7	Agate
	SL25 1L5AA	1	D, P					B7	Taupe
3									COVER, Rear Seat Back, 40 % Side
									(NOT SERVICED) (Not Serviced)
4									SEAT BACK, Rear, 60%
	SL27 1AZAA	1	D, P					B7	Agate
	SL27 1L5AA	1	D, P					B7	Taupe
5									COVER, Rear Seat Back, 60 % Side
									(NOT SERVICED) (Not Serviced)
6									COLLAR, Rear Seat Back
	SL28 1AZAA	1	D, P					B7	Agate
	SL28 1L5AA	1	D, P					B7	Taupe
7									CUSHION, Rear Seat
	SL24 1AZAA	1	D, P					B7	Agate
	SL24 1L5AA	1	D, P					B7	Taupe
8									COVER, Rear Seat Cushion
	SL29 1AZAA	1	D, P					B7	Agate
	SL29 1L5AA	1	D, P					B7	Taupe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

1 2 3 4 5
7


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									SEAT BACK, Rear, Complete
	SL23 1AZAA	1	Z					C7	Agate
		1	D, P					C7	Agate
	SL23 1L5AA	1	Z					C7	Taupe
		1	D, P					C7	Taupe
2									SEAT BACK, Rear, 40%
	SL25 1AZAA	1	Z					C7	Agate
		1	D, P					C7	Agate
	SL25 1L5AA	1	Z					C7	Taupe
		1	D, P					C7	Taupe
3									COVER, Rear Seat Back, 40 % Side,
									(NOT SERVICED) (Not Serviced)
4									SEAT BACK, Rear, 60%
	SL27 1AZAA	1	Z					C7	Agate
		1	D, P					C7	Agate
	SL27 1L5AA	1	Z					C7	Taupe
		1	D, P					C7	Taupe
5									COVER, Rear Seat Back, 60 % Side,
									(NOT SERVICED) (Not Serviced)
6			_						COLLAR, Rear Seat Back
	SL28 1AZAA	1	Z					C7	Agate
		1	D, P					C7	Agate
	SL28 1L5AA	1	Z					C7	Taupe
-		1	D, P					C7	Taupe
7	010444744							07	CUSHION, Rear Seat
	SL24 1AZAA	1	Z					C7	Agate
	01.04.41.54.4	1	D, P					C7	Agate
	SL24 1L5AA	1	Z					C7 C7	Taupe
8		1	D, P					C/	Taupe COVER, Rear Seat Cushion
0	SL29 1AZAA	1	Z					C7	
	SLZ9 IAZAA	1	D, P					C7	Agate Agate
	SL29 1L5AA	1	Z					C7	Taupe
	OLZ9 ILOAA	1	D, P					C7	Taupe
-9		'	Б, 1					O1	HEADREST, Rear
Ü	SL38 1AZAA-	1	Z					C7	Agate
	0200 1712701	1	D, P					C7	Agate
	SL38 1L5AA-	1	Z					C7	Taupe
	0_000	1	_ D, Р					C7	Taupe
-10		•	, -					- •	SLEEVE, Headrest
-	QX11 1AZAA-	2	Z					C7	Agate, w/Release Button
	<del></del>	2	D, P					C7	Agate, w/Release Button
		-	, -						J,

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		QX11 1L5AA-	- 2	Z					C7	Taupe, w/Release Button
_			2	D, P					C7	Taupe, w/Release Button
		QX12 1AZAA	- 1	Z					C7	Agate, w/o Release Button
			1	D, P					C7	Agate, w/o Release Button
		QX12 1L5AA-	· 1	D, P					C7	Taupe, w/o Release Button
_			2	D, P					C7	Taupe, w/o Release Button



DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth 41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Complete
	TC00 1L5AA	1	D, P					CL	Taupe
		1	Z					CL	Taupe
2									SEAT BACK, Rear, 40%
	TC01 1L5AA	1	D, P					CL	Taupe
		1	Z					CL	Taupe
3									COVER, Rear Seat Back, 40 % Side
									(NOT SERVICED) (Not Serviced)
4									SEAT BACK, Rear, 60%
	TC02 1L5AA	1	D, P					CL	Taupe
		1	Z					CL	Taupe
5									COVER, Rear Seat Back, 60 % Side
									(NOT SERVICED) (Not Serviced)
6									COLLAR, Rear Seat Back
	TC03 1L5AA	1	D, P					CL	Taupe
		1	Z					CL	Taupe
7									CUSHION, Rear Seat
	TB97 1L5AA	1	D, P					CL	Taupe
		1	Z					CL	Taupe
8									COVER, Rear Seat Cushion
	TC04 1L5AA	1	D, P					CL	Taupe
		1	Z					CL	Taupe
-9									HEADREST, Rear
	TC05 1L5AA-	1	Z					CL	Beige
		1	D, P					CL	Beige
-10									SLEEVE, Headrest
	QX11 1L5AA-	1	D, P					CL	Taupe, w/Release Button
		1	Z					CL	Taupe, w/Release Button
	QX12 1L5AA-	1	Z					CL	Taupe, w/o Release Button
		1	D, P					CL	Taupe, w/o Release Button

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Seat Rear - Attaching Parts Figure IPL-625

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	1	01.00.4.57.4							07	COLLAR, Rear Seat Back
		SL28 1AZAA	1 1	Z D, P					C7 C7	Agate Agate
			1	D, P					B7	Agate
<u>.</u>		SL28 1L5AA	1	Z					C7	Taupe
			1	D, P D, P					C7 B7	Taupe
		SL62 1AZAA	1	D, Р D, Р					Б7 К7	Taupe Agate
			1	Z					K7	Agate
$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$		SL62 1L5AA	1	D, P					K7	Taupe
	2	JY05 1AZ	1	D, P					C7	LATCH, Seat Agate
		0100 1/12	1	Z					C7	Agate
			1	D, P					B7	Agate
		JY05 1L5	1	D, P Z					C7 C7	Taupe
			1	D, P					С7 В7	Taupe Taupe
			1	D, P					CL	Taupe
	3	4744 050		5.5					0-	BRACKET, Inboard Pivot, 40 % Side
10 (16)		4741 252	1 1	D, P Z					C7 C7	
$\begin{array}{c c} & & & & \\ & & & & \\ & & & & \\ & & & & $			1	D, P					B7	_
			1	D, P					K7	
	4		1	Z					K7	BRACKET, Outboard Pivot
		4741 253	1	D, P					C7	BRACKET, Odibbard Fivor
			1	Z					C7	
			1	D, P					B7	
			1	D, P Z					K7 K7	
	5									STRIKER, Seat Back Latch
		5011 382AA	1	D, P					C7	
			1	D, P D, P					B7 K7	
			1	Z					K7	
			1	D, P					CL	
4 9	6		1	Z					CL	BRACKET, Rear Seat Center
		4797 697	1	D, P					C7	BRACKET, Real Seat Center
(7) (12) D			1	Z					C7	
8			1	D, P					B7	
			1	D, P					K7	
	DODGE - PL	YMOUTH - CHRY	SLER NE	ON (PL)						
	SERIES _=Low Line	LINE Z= RHD		BODY	r, 104.0WB	ENGIN ECB =	2.0L 4 Cvl. S	SOHC	TRANS DD5 = !	MISSION 5 Speed Manual
	H=High Line	D= Dodge	er	. 230	, :	EBD =	1.8L 4Cyl S	OHC	DGC =	5 Speed Manual 3 Speed Automatic All Automatic
(15)		D= Chrysl P= Plymo	uth						DBB = /	All Manuall

### Seat Rear - Attaching Parts Figure IPL-625

		PART				5.051/				
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	Z					K7	
	7		<u>'</u>						IXI	BRACKET, Lower Pivot
		4741 261	1	D, P					C7	·
			1	Z					C7	
			1	D, P D, P					B7 K7	
			1	D, P Z					K7	
	8		·	_						BRACKET, Seat
		4741 257	1	D, P					C7	
			1	Z					C7	
			1	D, P D, P					B7 K7	
			1	Z					K7	
	9									SCREW, Torx Head, .25-20x.75
		4741 274	1	D, P					C7	
			1	Z D, P					C7 B7	
			1	D, P					K7	
			1	Z					K7	
	10									COVER, Plastic Collar
(10) (11) (16)		4761 016	1	D, P Z					C7	Right Right
			1	D, P					B7	Right
			1	D, P					K7	Right
			1	Z					K7	Right
		4761 017	1	D, P Z					C7 C7	Left Left
			1	D, P					B7	Left
			1	D, P					K7	Left
			1	Z					K7	Left
	11	4741 274	1	D, P					C7	SCREW, Torx Head, .25-20x.75
		4141 214	1	D, F					C7	
			1	D, P					B7	
			1	D, P					K7	
	12		1	Z					K7	BRACKET, Inboard Pivot
4) (9)		4741 256	1	D, P					C7	BRACKET, IIIDOAIU FIVOL
$(7) \qquad (9) \qquad (1)$			1	Z					C7	
			1	D, P					B7	
8			1	D, P Z					K7 K7	
	13		1	۷					K/	BOLT, Shoulder
	. •									, <del>-</del> -
	DODGE - PL	YMOUTH - CHRY	SLER NE	ON (PL)——						
	SERIES L=Low Line	YMOUTH - CHRY LINE Z= RHD		BODY 41 = 4 Doc	or, 104.0WB	ENGIN	NE 2.0L 4 Cyl. S 1.8L 4Cyl S	SOHC	TRANS	MISSION 5 Speed Manual
	H=High Line	D= Dodge	e	71 = 4 500	7, 104.0VVD	EBD =	1.8L 4Cyl S	OHC	DGC =	5 Speed Manual 3 Speed Automatic All Automatic
(15)		D= Chrys P= Plymo	outh						DBB = /	All Automatic All Manuall

### Seat Rear - Attaching Parts Figure IPL-625


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4773 124	1	D, P					C7	
			1	Z D, P					C7 B7	
			1 1	D, P Z					K7 K7	
	14 15 16	4645 906AA 4645 939AA 6501 703	2 2 2							CLIP, Seat Back RETAINER, Seat Cushion U-NUT, M6 x 1.00, M6x1.00
(14)										
5 10 (11)										
$\begin{pmatrix} 4 & 9 \\ 4 & 9 \end{pmatrix}$										
$ \begin{array}{c c} \hline 7 &                                  $										
	DODGE - PI SERIES	LYMOUTH - CHRY LINE Z= RHD	SLER NE	ON (PL)—— BODY		ENGI			TRANSI	MISSION
15	L=Low Line H=High Line	Z= RHD D= Dodg D= Chrys P= Plymo	e ller outh	41 = 4 Doc	or, 104.0WB	ECB = EBD =	NE =2.0L 4 Cyl. \$ = 1.8L 4Cyl S	SOHC SOHC	DD5 = 5 DGC = 3 DG0 = A DBB = A	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

2	
12)	9

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	IIEW	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
			_							
_	1	4645 950AB	2							ADJUSTER, Seat Belt Turning Loop
	2									BOLT, Serviced With Item 1, (NOT
	0									SERVICED) (Not Serviced)
	3	DZ06 DV0AD	4	D D					00	SEAT BELT, Front Outer Black, Middle East Equipment,
-		PZ96 DX9AB	1	D, P					00	• • • • • • • • • • • • • • • • • • • •
		SW87 DX9AA	. 1	D, P					00	Right Black, Middle East Equipment, Left
		PZ96 DX9AB	1	D, F Z					00	Black, Right
		PZ97 DX9AB	1	Z					00	Black, Left
-		QQ52 DX9AB							00	Black, Japan Equipment, Right
		PZ94 1AZ	1	D, P					00	Agate, Right
		PZ94 1L5	1	D, P					00	Taupe, Right
		PZ95 1AZ	1	D, P					00	Agate, Left
-		PZ95 1L5	1	D, P					00	Taupe, Left
		TF46 1AZAA	1	D, P					00	Agate, (Mexico), Right
		TF46 1L5AA	1	D, P					00	Taupe, (Mexico), Right
		TF45 1AZAA	1	D, P					00	Agate, (Mexico), Left
_		TF45 1L5AA	1	D, P					O0	Taupe, (Mexico), Left
	4	6506 238AA	2							SCREW, Pan Head, Turn Loop
										Attachment Front
_	5									COVER, Adjustable Turning Loop
		JV77 LAZ	2	D, P					O0	Agate, (AZ)
		JV77 TL2	2						<b>O</b> 0	Neutral Beige
		JV77 WL5	2	D, P					00	Taupe, (L5)
_	6	4645 780	2							KNOB, Seat Belt Adjuster
	7	6504 542	2							SCREW, 6 Lobed
	8	6504 973AA	2							SCREW, Seat Belt Attaching
	9									SEAT BELT, Front Inner
_		4864 880	1	D, P					C7	Black
			1	Z					C7	Black
			1	D, P					K7	Black, (European)
	10		1	Z					K7	Black
-	10	SL39 1AZAA	1	D, P					B7	SEAT BELT, Buckle Half Agate, Inner
		SL39 TAZAA	1	D, Р D, Р					ь, К7	Agate, Inner Agate, Inner
		SL39 1L5AA	1	D, Р D, Р					B7	Taupe, Inner
		OLOG TEOAA	1	D, P					K7	Taupe, Inner
-	11	6504 542	2	D, 1					137	SCREW, 6 Lobed, Seat Belt
	• • •	000.0.2	_							Attaching
	12									EXTENDER, Seat Belt
		4856 560	1	D, P		22			W5	
-			1	Z		42			F7	
_	ODGE SI	VMOUTU OURY	01 ED 1:-	CON (DL.)						
	ODGE - PL ERIES	YMOUTH - CHRY: LINE	OLEK NE	BODY		ENGIN	 IE		TRANS	MISSION
L	=Low Line	Z= RHD		41 = 4 Door,	104.0WB	ECB =	2.0L 4 Cyl. S		DD5 = \$	5 Speed Manual
٢	l=High Line	D= Dodge D= Chrysl				FRD =	: 1.8L 4Cyl S	UNU		3 Speed Automatic All Automatic
		P= Plymor							DBB =	All Manuall

### Seat Belts - Front Figure IPL-710

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	D, P		42			F7	
			1	Z D, P		42 42			G7 G7	
			1 1 1	D, P D, P		22 22 42			G7 H7 H7	
6 5			1	D, P		22			L7	
3										
8)										
(7)										
12										
	DODGE - PLY SERIES	/MOUTH - CHR LINE	YSLER NE	BODY	or 104 0MD	ENGIN	NE -2.0L 4 Cyl. \$ - 1.8L 4Cyl S		TRANSMISSION	onual
	H=High Line	<b>/MOUTH - CHR</b> LINE Z= RHD D= Dodo D= Chry P= Plym	ge sler outh	41 = 4 D00	UI, IU4.UVVD	EBD =	: 1.8L 4Cyl S	SOHC	TRANSMISSION DD5 = 5 Speed M DGC = 3 Speed A DG0 = All Automa DBB = All Manual	utomatic tic




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6504 542	2							SCREW, 6 Lobed
2									SEAT BELT, Rear Outer
	PZ98 1X8	2	D, P					00	Black/Taupe, (L5) w/ABB
		2	Z					00	Black/Taupe, (L5)
	PZ91 1L5	2	D, P					00	Taupe
	PZ91 LAZ	2	D, P					O0	Agate
	PZ98 1XZ	2	D, P					00	Black/Agate, (AZ) w/ABB
		2	Z					00	Black/Agate, (AZ)
3	6035 992AA	2							SCREW AND WASHER, Pan Hea
									.437-20x1.20
4									BEZEL, Seat Belt, Serviced With
									Seat Belt, (NOT SERVICED) (No
									Serviced)
5									SEAT BELT, Rear Inner
	QR00 1X9AA	1	D, P					00	Black, Right
		1	Z					00	Black, Right
	QA00 1AZ	1	D, P					00	Agate, Right
	QA00 1L5	1	D, P					O0	Taupe, Right
6									SEAT BELT, Rear Inner
	QA01 1X9	1	D, P					00	Black, Left
		1	Z					00	Black, Left
	PZ99 1AZ	1	D, P					O0	Agate, Left
	PZ99 1L5	1	D, P					00	Taupe, Left
7	6034 819	2							SCREW, Seat Belt Attaching, .50-
									20x1.38
-8									BRACKET, Child Tether Anchor
	5008 333AA-	1							Left
	5008 328AA-	1							Center
	5008 332AA-	1							Right
-9	6035 737	3	Z						NUT, .312-18, Child Seat Teather
-10									WASHER, Flat Round, (ID M11.12
									OD 28.00, Thk 2.80), (NOT
									SERVICED) (Not Serviced)
-11	5017 563AB-	1							ANCHOR PACKAGE, Child Seat
									Tether

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220					223 116.1
1									SCREW, Side Shield Outer, (NOT
									SERVICED) (Not Serviced)
2									SHIELD, Seat Cushion
	JF76 1AZ	1	Z					C7	Agate, Right
		1	D, P					C7	Agate, Right
		1	D, P					B7	Agate, Right
		1	D, P					K7	Agate, Right
		1	Z					K7	Agate, Right
	JF76 1L5	1	D, P					C7	Taupe, Right
		1	D, P					B7	Taupe, Right
		1	D, P					K7	Taupe, Right
		1	D, P					CL	Taupe, Right
		1	Z					CL	Taupe, Right
	JF77 1AZ	1	Z					C7	Agate, Left
		1	D, P					C7	Agate, Left
		1	D, P					B7	Agate, Left
		1	D, P					K7	Agate, Left
	1577 41 5	1	Z					K7	Agate, Left
	JF77 1L5	1	Z					C7 C7	Taupe, Left
		1 1	D, P D, P					С7 В7	Taupe, Left Taupe, Left
		1	D, P					K7	Taupe, Left
		1	D, P					CL	Taupe, Left
		1	Z					CL	Taupe, Left
3		•	_					~-	BOLT, Recliner
	4746 997	1	Z					C7	
		1	D, P					C7	
		1	D, P					B7	
		1	D, P					K7	
		1	Z					K7	
		1	D, P					CL	
		1	Z					CL	
4									RECLINER, Seat Back
	4797 318	1	Z					C7	Right
		1	D, P					C7	Right
		1	D, P					B7	Right
		1	D, P					K7	Right
		1 1	Z D, P					K7 CL	Right Right
		1	D, P Z					CL	Right
	4797 319	1	Z					C7	Left
	1101 010	1	 D, P					C7	Left
		•	٥, ١					٥.	


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P					B7	Left
		1	D, P					K7	Left
		1	Z					K7	Left
		1	D, P					CL	Left
		1	Z					CL	Left
5									HANDLE, Recliner
	4740 986	1	Z					C7	Right
		1	D, P					C7	Right
		1	D, P					B7	Right
		1	D, P					K7	Right
		1	Z					K7	Right
		1	D, P					CL	Right
		1	Z					CL	Right
	4740 987	1	Z					C7	Left
		1	D, P					C7	Left
		1	D, P					B7	Left
		1	D, P					K7	Left
		1	Z					K7	Left
		1	D, P					CL	Left
		1	Z					CL	Left
6									BOLT, Recliner, Recliner Handle
									Attaching (M6x10-T30 Torx
	4746 997	1	Z					C7	Handle
		1	D, P					C7	Handle
		1	D, P					В7	Handle
		1	D, P					K7	Handle
		1	Z					K7	Handle
		1	D, P					CL	Handle
		1	Z					CL	Handle
7									BOLT, Cushion To Adjuster
	4761 014	1	Z					C7	•
		1	D, P					C7	
		1	D, P					B7	
		2	D, P					K7	
		2	Z					K7	
		1	Z					CL	
		1	D, P					CL	
-8	6505 872AA-	8	_, .						SCREW AND WASHER, Hex Head
_									M10x1.5x40, Adjuster To Floor
9									TOWEL BAR, Seat Adjuster Handle
Ü	4740 979	1	D, P					C7	Left
	4140 010	<del>'</del>	D, P					CL	Left
		•	Σ, ι					OL.	2011
DGE - PL	YMOUTH - CHRYS	SLER NE	EON (PL)—— BODY		ENGI	 NE		TRANS	MISSION
Low Line	Z= RHD			or, 104.0WB	ECB =	=2.0L 4 Cyl. S		DD5 = 5	5 Speed Manual
:High Line	D= Dodge D= Chrysle	er			FBD =	= 1.8L 4Cyl S	UHC		3 Speed Automatic All Automatic
	P= Plymou	ıth							All Manuall



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Į.			!	!	ļ			
		1	Z					C7	Left
		1	Z					CL	Left
	5013 153AA	2	D, P					B7	2-Pcs, Right
		2	Z					K7	2-Pcs, Right
		2	D, P					K7	2-Pcs, Right
		1	D, P					C7	2-Pcs, Right
		1	D, P					CL	2-Pcs, Right
		1	Z					C7	2-Pcs, Right
		1	Z					CL	2-Pcs, Right
	5017 602AA	2	D, P					B7	(Use After 8-1-99), Right
		2	Z					K7	(Use After 8-1-99), Right
		2	D, P					K7	(Use After 8-1-99), Right
		1	D, P					C7	(Use After 8-1-99), Right
		1	D, P Z					CL C7	(Use After 8-1-99), Right
		1 1	Z					CL	(Use After 8-1-99), Right (Use After 8-1-99), Right
10		'	۷					CL	BOLT, Adjuster Shoulder
	4874 140	1	Z					C7	Adjuster To Cushion
	107 1 1 10	1	D, P					C7	Adjuster To Cushion
		1	D, P					B7	Adjuster To Cushion
		2	D, P					K7	Adjuster To Cushion
		2	Z					K7	Adjuster To Cushion
11									RIVET, Pop, (NOT SERVICED) (Not
									Serviced)
12	6504 973AA	2							SCREW, Attaching, Seat Belt
13									ADJUSTER, Manual Seat
	5013 154AA	1	D, P					B7	Right,Outboard
		1	Z					K7	Right,Outboard
		1	D, P					K7	Right,Outboard
		1	D, P					C7	Right,Outboard
		1	D, P					CL	Right,Outboard
	5013 155AA	1	D, P					B7	Right,Inboard
		1	Z					K7	Right,Inboard
		1	D, P					K7	Right,Inboard
		1	D, P					C7 CL	Right Inboard
	5013 158AA	1 1	D, P D, P					B7	Right,Inboard (Use Up To 8-1-99), Left,Inboard
	3013 130AA	1	Z					K7	(Use Up To 8-1-99), Left,Inboard
		1	D, P					K7	(Use Up To 8-1-99), Left,Inboard
		1	Z					C7	(Use Up To 8-1-99), Left,Inboard
		1	Z					CL	(Use Up To 8-1-99), Left,Inboard
	5013 159AA	1	 D, P					B7	(Use Up To 8-1-99), Left,Outboard
			,						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			<u> </u>	<u> </u>	<u> </u>				
		1	Z					K7	(Use Up To 8-1-99), Left,Outboard
		<u>'</u>	D, P					K7	(Use Up To 8-1-99), Left,Outboard
		1	Z					C7	(Use Up To 8-1-99), Left,Outboard
		1	Z					CL	(Use Up To 8-1-99), Left,Outboard
	5013 926AA	1	Z					C7	One-Piece, Right
	3010 320/01	1						CL	One-Piece, Right
	5013 927AA	1	D, P					C7	One-Piece, Left
	3013 921AA	1	D, P					CL	One-Piece, Left
	5017 598AA	1	D, P					B7	(Use After 8-1-99), Left,Inboard
	3017 396AA	1	Z					K7	(Use After 8-1-99), Left,Inboard
		-							
		1	D, P					K7	(Use After 8-1-99), Left,Inboard
		1	Z					C7	(Use After 8-1-99), Left,Inboard
	5047 50044	1	Z					CL	(Use After 8-1-99), Left,Inboard
	5017 599AA	1	D, P					B7	(Use After 8-1-99), Left,Outboard
		1	Z					K7	(Use After 8-1-99), Left,Outboard
		1	D, P					K7	(Use After 8-1-99), Left,Outboard
		1	Z					C7	(Use After 8-1-99), Left,Outboard
	=0.1= 000AA	1	Z					CL	(Use After 8-1-99), Left,Outboard
	5017 600AA	1	Z					K7	(Use After 8-1-99), Right,Outboard
		1	D, P					B7	(Use After 8-1-99), Right,Outboard
		1	D, P					K7	(Use After 8-1-99), Right,Outboard
		1	D, P					C7	(Use After 8-1-99), Right,Outboard
		1	D, P					CL	(Use After 8-1-99), Right,Outboard
	5017 601AA	1	Z					K7	(Use After 8-1-99), Right,Inboard
		1	D, P					B7	(Use After 8-1-99), Right,Inboard
		1	D, P					K7	(Use After 8-1-99), Right,Inboard
		1	D, P					C7	(Use After 8-1-99), Right,Inboard
		1	D, P					CL	(Use After 8-1-99), Right,Inboard
-14									WIRE, Seat Adjuster
	5017 596AA-	1	D, P					B7	
		1	Z					K7	
		1	D, P					C7	
		1	D, P					CL	
-15									SPRING, Seat Track Adjuster
	5017 595AA-	1	D, P					B7	(Use After 8-1-99)
		1	D, P					K7	(Use After 8-1-99)
		1	Z					K7	(Use After 8-1-99)
		1	D, P					C7	(Use After 8-1-99)
		1	D, P					CL	(Use After 8-1-99)
-16	4897 937AA-	AR						00	COVER, Seat Adjuster, Black, Rear


DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC


### Group - SPL

### **Body Sheet Metal Except Doors**






# Group – SPL Body Sheet Metal Except Doors




#### **GROUP SPL - Body Sheet Metal Except Doors**

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan Front	Fig. SPL-210
Floor Pan, Rear	Fig. SPL-220
Plugs	
Plugs	Fig. SPL-310
Front Fenders	
Front Fender	Fig. SPL-410
Hood and Hood Release	
Hood and Hood Release	Fig. SPL-510
Seal and Weather Strips (Hood)	Fig. SPL-520
Cowl and Dash Panel	
Cowl and Dash Panel	Fig. SPL-610
Glass and Mirror	
Windshield, Backlite and Mirror	Fig. SPL-710
Aperture Panel	
Aperture Panels - Packages (4-Door)	Fig. SPL-810
Aperture Panels - 4 Door 4-Door	Fig. SPL-820
Quarter Panel	F:~ CDI 040
Quarter Panel 4-Door	Fig. SPL-910
Roof Panels	E: ODL 4446
Roof Panel	Fig. SPL-1110
Sunroof	E: ODI 4040
Sunroof	Fig. SPL-1210
Deck Lid	Fir CDI 4240
Deck Lid	Fig. SPL-1310
Rear Shelf Panel	Ei- ODL 4446
Rear Shelf Panel	Fig. SPL-1410

#### Floor Pan Front Figure SPL-210






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5013 070AB	1							PAN, Floor, Rear
2	4888 865AA	1							SILENCER, Floor Pan, Under Rear
									Seat, Rear
3	4783 316AC	1							CROSSMEMBER, Rear Suspension
4									CROSSMEMBER, Rear Suspension
	4783 316AB	1							Center
	4783 361	2							Outer
5									RAIL, Rear Floor Pan Side
	5013 128AC	1							Right
	5013 129AC	1							Left
6									REINFORCEMENT, Bumper
	4888 610AA	1							Rear Side Rail, Right
	4888 611AA	1							Rear Side Rail, Left
7									BRACKET, Exhaust Hanger
	4783 612AB	1							Side Rail, Right,Rear
	4783 613	1							Side Rail, Left,Rear
8	4783 615AC	1							BRACKET, Exhaust Hanger, Side
									Rail, Front, Mounting
9									TAPE, Hole Cover, 50x50x1 mm
	4278 178	12							Slot Cover, Rear,Rail
		2							Body Side Sill Inner Panel
10	4888 915AB	1							BRACKET, Towing
-11	6502 337	4							NUT, M10x1.5, Toe Bracket
									Attaching
12	4888 547AB	1							BRACKET, Spare Tire, Spare Wheel
									Anchor Bolt
13	4655 004	2							REINFORCEMENT, Floor Pan, Fron
									Crossmember Fuel Tank Strap
									Mounting
14	4645 939AA	2							RETAINER, Seat Cushion

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Plugs Figure SPL-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PLUG, Floor Pan
	4586 055	3							Front
		1							Rear
2									PLUG, Top Seal
	4696 666	3							Front,Floor
		2							Rear,Floor
3	4586 055	3							PLUG, Floor Pan, Rear
4	4860 911AA	2							PLUG, Rear,Side
5									PLUG, Cowl Side
	4888 550	1							Right
	4888 551	1							Left
6									PLUG, Body, .875 Diameter
	5255 216	2							
		1							
7	5008 012AA	1							ISOLATOR, Cowl Top
8	6029 939	2							PLUG, Body, .50 Diameter, Panel
									Deck Lid, Inner
9	4373 728	2							PLUG, Ext Gage Hole
10	4780 194	2							PLUG, Front Hinge Pillar
11	4696 467	2	D, P						PLUG, Body Side Aperture
12	4440 294	2							PLUG, Rear Fascia, Body Side
•									Aperature Gage Slot
13	5264 670	1	D, P						PLUG, Dash Panel, Drain Hole
14	4716 933	2							PLUG, Body Side Aperture
15	4661 215	2							PLUG, Body, Rear Door
-16	6029 057	2							PLUG, Body, 1.655 Diameter, Round
									Push-In (Rail Reinforcement Left
									Eng. Mount)
-17	2860 332	1							PLUG, Anti-Rattle, Radio Antenna
									Cable Hole
-18	2811 825	1							PLUG, Splash Shield, Accessory
									Pulley Splash Shield
-19	4373 728	2							PLUG, Body Side Aperature Ext

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB


ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Front Fender Figure SPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
1									SHIELD, Wheelhouse
	5008 094AB	1							Right,Front
	5008 095AB	1							Left,Front
-2									BRACKET, Fender Side Shield
_	5008 318AB-	1							To Fascia Stud Plate, Right
	5008 319AB-	1							To Fascia Stud Plate, Left
-3	6030 441	2							PIN, Retainer
4	0000 441	_							BEAM, Upper Load Path
7	4888 900AB	1							Right
	4888 901AB	<u>'</u> 1							Left
_	4000 901AD	'							
5	0504 700	0							U-NUT, M6 x 1.00, M6x1.00
	6501 703	2							Fender To Body Side Aperature
									Attaching
		2							To Front Upper Load, Fender
		2							To Support Front Hinge Pillar
6	4783 805	AR							SHIM, Fender, Load Beam To
									Fender
7									FENDER, Front
	5012 670AB	1							Right
	5012 671AB	1							Left
	5012 672AB	1							BUX - LHD, Right
	5012 673AB	1							BUX - LHD, Left
	5012 674AB	1							BUX - RHD, Right
	5012 675AB	1							BUX - RHD, Left
-8	5008 026AA-	2							BRACKET, Fender, Fender To Fro
									Upper Load Beam, Right & Left
9	6505 860AA	2							SCREW AND WASHER, Hex Head
									M6x1x25, Attaching, Fender
10	6035 155	4							SCREW, Hex Head, .25-14x.875,
10	0000 100								Fender To Hinge Pillar Attaching
11	4888 564	1							SHIELD, Accessory Drive, Pulley
1.1	4000 304	1							Splash, Side Rail, Front
12									PANEL, Fender Side Shield
12	4702 202AB	1							
	4783 302AB								Right
40	4783 303AB	1							Left
13									PANEL, Front Strut Mounting
	5012 736AC	1							Right
	5012 737AC	1							Left
14									EXTENSION, Front Fender Side
									Shield
	5008 056AD	1							Right
	5008 057AD	1							Left
15									SEAL, Fender Blocker
onc= =:	V44011=11	O. E:	· • • • • • • • • • • • • • • • • • • •						
<b>ODGE - PL</b> ERIES	YMOUTH - CHRY: LINE	SLER NE	EON (PL)—— BODY		ENGI	 NF		TRANS	MISSION
Low Line	Z= RHD		-	or, 104.0WB	ECB =	2.0L 4 Cyl. S		DD5 = 5	Speed Manual
=High Line					EBD =	= 1.8L 4Cyl S	OHC		3 Speed Automatic
	D= Chrysl P= Plymou								All Automatic All Manuall

#### **Front Fender** Figure SPL-410



#### **Hood and Hood Release** Figure SPL-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5012 442AB	1							HOOD
2									HINGE, Hood
	4783 878AB	1							Right
	4783 879AB	1							Left
-3	6505 860AA-	4							SCREW AND WASHER, Hex Head,
									M6x1x25, Hood Hinge To Body
4	5008 017AA	1							PROP, Hood
5	6036 083AA	1							CLIP, Prop Rod
6	4888 562AC	1							SILENCER, Hood
-7	4341 060	14							FASTENER, Hood Silencer
8	4724 464AA	1							WEATHERSTRIP, Hood to Radiator
9									RELEASE, Hood Latch
	4783 583	1	D, P						Cable
	4783 804	1	Z						Cable
-10	6102 059AA-	2							SCREW, Hood Release Attaching
-11									GROMMET, Hood Latch Release
	5207 294	1	D, P						
		1	Z						
12	5008 284AA	1							ISOLATOR, Hood Prop Rod
13	4615 516	1							LATCH, Hood
14	6503 102	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00, To Radiator
									Support, Hood Latch
15	4783 419	1							BUMPER, Crossmember To Hood
									Stop
16	4103 165	2							BUMPER, Hood
17	4783 658	1							WEATHERSTRIP, Cowl Plenum to
									Hood
18	4888 913AA	1							BUSHING, Hood Prop Rod Pivot

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

### Seal and Weather Strips (Hood) Figure SPL-520




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4724 464AA	1							WEATHERSTRIP, Hood to Radiator
2									SEAL, Fender to Hood
	5008 136AA	1							Right
	5008 137AA	1							Left
3	4783 658	1							WEATHERSTRIP, Cowl Plenum to
									Hood
4	4724 465AA	2							SEAL, Fender to Hood
5									BAFFLE, Fender, Cowl Side To Cov
									Top, (NOT SERVICED) (Not
									Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Cowl and Dash Panel** Figure SPL-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Plenum
	5014 123AE	1							
	5014 543AE	1	Z						
2									EXTENSION, Cowl Top, (NOT REQUIRED)
3	4783 770	1	Z						BRACKET, A/C to Cowl Plenum
4	4783 772	1	Z						BRACKET, Clutch Pedal
5									SCREEN, Cowl Top
	5008 271AB	1	D, P						
	5008 272AB	1	Z						
6	6036 163AA	5							SCREW, .19-16x1.00, Cowl Screen Attaching
7	4805 119AB	5							GROMMET, Cowl
8	4003 119AB								PANEL, Cowl Top
O	5014 855AA	1							TANLE, COWI TOP
	5014 858AA	1							Export
9	3014 030AA	'							BRACKET, Wiper Motor
<u> </u>	5008 349AA	1	D, P						Left
	5008 352AA	1	Z, I						Right
-10	4278 178	2	_						TAPE, Hole Cover, 50x50x1 mm
11	4270 170	2							PLUG, Cowl Side
<del>''</del>	4888 550	1							Right
	4888 551	1							Left
12	1000 001	•							PANEL, Cowl Side
	5014 672AB	1							Right
	5014 673AB	<u>·</u> 1							Left
13	4783 658	1							WEATHERSTRIP, Cowl Plenum to
									Hood
14									PANEL, Dash Panel Wheelhouse
	4888 886AA	1							Right
	4888 887AA	1							Left
15									SILENCER, Plenum And Dash Pane
	4783 872AB	1	D, P						,
	4783 927AB	1	Z						
16									PANEL, Dash
	5008 341AA	1	Z						
	5014 417AB	1							
-17									PAD, Dash Panel
	4888 921AA-	1	Z						Lower,Left
	4888 918AA-	1	D, P						Lower,Right
	4888 919AA-	1	D, P						Lower,Left
18									PANEL, Dash Upper

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

AR = Use as required -= Non illustrated part # = New this model year

#### **Cowl and Dash Panel** Figure SPL-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
	4888 882AA	1	D, P						
	4888 892AA	1	Z						
19	5264 670	1	D, P						PLUG, Dash Panel
-20									STUD, Weld, M5x1.60x14
	6503 273	8							Cowl Pleum To Dash Panel
		8							Fuel & Brake Line To Dash Panel
21	4888 812AA	1	D, P						PLATE, Accelerator Pedal Attach
22	5264 688	1							TUBE, Drain
23									SCREEN, Cowl Plenum
	5291 554AA	1							Prevents Debris Into Hvac Blower
									Wheel, Right
	5291 555AA	1							Prevents Debris Into Hvac Blower
									Wheel, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Windshield, Backlite and Mirror Figure SPL-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 824	1							WINDSHIELD, Tinted
2	5008 049AC	1							BACKLITE, Electric Heated, Tinted
3	4299 325AB	1							MIRROR, Inside Rear View
4	5008 018AB	1							MIRROR, Inside Rear View, Lighted
5	6031 094	1							SCREW, Pan Head Tapping, .19-
									16x.375
6	4054 098	1							BUTTON, Rear View Mirror
7									SPACER
	4278 662	6							Windshield
		4							Backlite
8	5008 025AB	2							RETAINER, Windshield
-9	5014 559AD-	1							WINDSHIELD, Shipping Assembly -
									30 Lite Glass

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth


41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

## Aperture Panels - Packages (4-Door) Figure SPL-810

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2	5012 848AF 5012 849AF 5014 680AE 5014 681AE	1 1 1 1							PANEL, Body Side Aperture Inner Right Left REINFORCEMENT, Body Side Aperture Right Left
L	DODGE - PL SERIES =Low Line H=High Line	YMOUTH - CHRY LINE Z= RHD D= Dodge D= Chrysl P= Plymo		<b>ON (PL)</b> BODY  41 = 4 Doo	r, 104.0WB	ENGIN ECB = EBD =	NE :2.0L 4 Cyl. S : 1.8L 4Cyl S	OHC OHC	DD5 = 5 DGC = 3 DG0 = A	MISSION 5 Speed Manual 3 Speed Automatic All Automatic All Manuall

### Aperture Panels - 4 Door 4-Door Figure SPL-820



3	5012 856AE 5012 857AE 5012 858AE 5012 859AE 5012 860AE 5012 861AE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	PANEL, Body Side Aperture Front Right Left PANEL, Body Side Aperture Center Right
3	5012 857AE 5012 858AE 5012 859AE 5012 860AE 5012 861AE	1 1 1							Right Left PANEL, Body Side Aperture Cente Right
3	5012 857AE 5012 858AE 5012 859AE 5012 860AE 5012 861AE	1 1 1							Right Left PANEL, Body Side Aperture Cento Right
3	5012 857AE 5012 858AE 5012 859AE 5012 860AE 5012 861AE	1 1 1							Left PANEL, Body Side Aperture Cent Right
3	5012 858AE 5012 859AE 5012 860AE 5012 861AE	1 1							PANEL, Body Side Aperture Cent Right
3	5012 859AE 5012 860AE 5012 861AE	1							Right
3	5012 859AE 5012 860AE 5012 861AE	1							
4	5012 860AE 5012 861AE	1							1 - 44
4	5012 861AE								Left
4	5012 861AE								PANEL, Body Side Aperture Real
4	5012 861AE								With Rocker Sill
4		ı							Right Left
	5012 864AF								
	5012 864AF								PANEL, Body Side Aperture Real Without Rocker Sill
	5012 864AF								
	5012 865AE	1							Right
	5012 865AE	1							Left
5	5012 862AH	1							PANEL PACKAGE, Sill
	5012 863AH								Right
6	3012 663AH	1							Left REINFORCEMENT, Body Side
0									
	5014 680AD	4							Aperture
	5014 681AD	1							B-Pillar, Right B-Pillar, Left
7	3014 001AD	1							FRAME, Windshield Side
	4783 962	4							
	4783 962 4783 963	1 1							Right,Side Left,Side
	4783 984AC	1							FRAME, Windshield, Opening -
	4763 964AC	!							Upper
9									PANEL, Body Side Aperture Inne
	5012 848AE	1							Right
	5012 849AE	1							Left
10	3012 043AL	'							REINFORCEMENT, Body Side
10									Aperture Aperture
	5014 680AD	1							Right
	5014 681AD	1							Left
	4783 931	2							RETAINER, Door Striker
	5264 595AE	1							EXHAUSTER, A/C Air, Interior Tr
12	020+ 000/1L	•							Panel
13	4520 289	AR							SPACER, Door Latch Striker
	4780 259	2							STRIKER, Door, Front and Rear
	4674 669	2							PLATE, Liftgate Striker, Body Fro
-		_							and Rear Door Striker
16	6503 120	4							SCREW AND WASHER, Button
		•							Head Torx, Door Latch Striker
									Attaching
									9


L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Aperture Panels - 4 Door 4-Door** Figure SPL-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17									SILL, Body Side
	5013 126AC	1							Right
	5013 127AC	1							Left
18									EXTENSION, Body Side Aperture
	4888 560AB	1							To Rear Floor Pan, Right
	4888 561AB	1							To Rear Floor Pan, Left
19									REINFORCEMENT, Body Side
									Aperture
	4888 934AB	1							Rear Jack, Right
	4888 935AB	1							Rear Jack, Left
-20	5291 560AA-	1							EXHAUSTER, Bodyside Aperture

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-SERIES LINE BODY

L=Low Line H=High Line

Z= RHD
D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Quarter Panel 4-Door** Figure SPL-910


ITEM

PART NUMBER

QTY

LINE

SERIES



	-			1	•			
Note: Qı	ıarter Panel Ou	ıter Is P	art Of the	Aperture -	See Illustra	ation 820		
1								PANEL, Rear Wheelhouse
	5014 440AA	1						Right
	5014 441AA	1						Left
2								PANEL, Quarter Inner
	4783 980AB	1						Upper,Right
	4783 981AB	1						Upper,Left
3								PANEL, Quarter Inner
	5014 734AC	1						Right
	5014 735AC	1						Left
4								EXTENSION, Quarter Inner Lower
	5008 096AA	1						Right
	5008 097AA	1						Left
5								EXTENSION, Shelf Panel
	4783 852AB	1						Outer,Right
	4783 853AB	1						Outer,Left
6								SUPPORT, Rear Shelf Panel
	4783 322AB	1						To Wheelhouse, Right
	4783 323AB	1						To Wheelhouse, Left
7	6503 318	2						SCREW, Pan Head Tapping,
								M6x1x11, Fuel Filler Door Attach
8	4888 942AA	1						DOOR, Fuel Fill
9	4783 925	1						HOUSING, Fuel Filler
10								LABEL, Unleaded Fuel Only
	4206 059	1						English
	4696 849	1						Splash Back (French)
11	4853 321AA	1						LABEL, Fuel, Spanish
12	4278 178	2						TAPE, Hole Cover, 50x50x1 mm,
								Quarter,Inner,Lower
13								SHIELD, Wheelhouse
	5008 070AB	1						Right,Rear
	5008 071AC	1						Left,Rear
14								REINFORCEMENT, Body Side
								Aperture
	4888 934AB	1						Rear Jack, Right
	4888 935AB	1						Rear Jack, Left
15	5256 863	2						BUMPER, Fuel Door

BODY ENGINE TRANS TRIM

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-


SERIES L=Low Line H=High Line

LINE Z= RHD
D= Dodge
D= Chrysler
P= Plymouth BODY 41 = 4 Door, 104.0WB ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DG0 = All Automatic
DBB = All Manuall

DESCRIPTION

#### **Roof Panel** Figure SPL-1110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1	4783 863	1							ROOF
2	5008 050AA	1							PANEL AND REINFORCEMENT,
									Sunroof, With Sunroof
3	4783 984	1							FRAME, Windshield
4	4888 615AB	1							BOW, Roof
5	4783 855	1							FRAME, Rear Window
6	4278 178	2							TAPE, Hole Cover, 50x50x1 mm
7									SUPPORT, Roof
	4888 851AC	1							Front Corner - Roof Panel Seal,
									Left
	4888 850AC	1							Front Corner - Roof Panel Seal,
									Right
8									SUPPORT, Roof
	4888 792AC	1							Roof Panel Seal, Right
	4888 793AC	1							Roof Panel Seal, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### Sunroof Figure SPL-1210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1	5008 346AA	1							SUNSHADE, Sunroof
2	RZ79 TL2AA	1							WELT, Sunroof Opening
3									DEFLECTOR, Sunroof Wind
	5008 347AA	1							(Use Up To 10-25-99)
	5018 351AA	1							(Use After 10-25-99)
4	5008 344AA	1							MOTOR, Sunroof, w/Wiring
5	5008 345AA	1							GLASS, Sunroof
-6	5008 322AA-	4							GROMMET
7									LOCATOR, Sunroof Drive Cable,
									Drive Tube (Serviced With Item13),
									(NOT SERVICED) (Not Serviced)
8	5008 320AA	1							HOSE, Sunroof Drain, Front, Right
9	5008 321AA	1							HOSE, Sunroof Drain, Front,Left
10									BRACKET, Sunroof Module to Roof
									Rail Rear, (NOT SERVICED) (Not
									Serviced)
11									BRACKET, Sunroof Module to
									Quarter Inner, (NOT SERVICED)
									(Not Serviced)
12									PANEL AND REINFORCEMENT,
									Sunroof, (NOT SERVICED) (Not
									Serviced)
13	5015 542AA	1							MODULE, Sunroof, Without Glass
									and Sunshade
14	6101 712	6							NUT, U, M6x1
-15	6102 103AA-	8							SCREW AND WASHER, Hex Head,
									M6x1x20, Sunroof Modular
									Attaching
-16	5008 348AA-	1							CONTROL UNIT, Sunroof
-17	6101 719	8							SCREW AND WASHER, Tapping,
									M6-1.0x20.0, Sunroof Modular
									Attaching, Front
-18	4681 344AB-	1							SILENCER, Roof, Sun Roof Module
19									GUIDE, Sunroof Track, Serv With
									Item 13, (NOT SERVICED) (Not
									Serviced)
20	5135 963AA	1							CHANNEL, Sunroof Drain

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC

#### **Deck Lid** Figure SPL-1310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECKLID
	5012 455AC	1							(Use Up To 2-7-00)
	5012 455AD	1							(Use After 2-7-00)
2	5288 912AA	2							BUMPER, Deck Lid Overslam
3	6036 214AA	4							SCREW, Pan Head Tapping, .25-
									14x1
4									LATCH, Decklid
	4888 622AF	1							
	4724 313AF	1							Power
5	6101 777	2							SCREW, Hex Flange Head Tapping,
									M6x1.00x20.00
6	6502 925	2							SCREW AND WASHER, Hex Head,
									M6x1x21
7	5008 113AA	1							STRIKER, Decklid Latch
8									HINGE, Deck Lid
	4783 900	1							Right
	4783 901	1							Left
9	6101 805	4							SCREW, Hex Head Tapping,
									M6x1x40
10	6101 718	8	D, P						SCREW AND WASHER, Oval Head,
									M6x1x25
11	5008 281AA	2							SPRING, Deck Lid Hinge
12	4783 903	2							BUMPER, Upstop
13	4103 165	2							BUMPER, Hood, Deck Lid
14	4783 471	1							PANEL, Deck Lower Rear Closure
15	5014 462AA	1							REINFORCEMENT, Deck Opening
									Panel
16									PANEL, Decklid Opening
	4783 476	1							Right
	4783 477	1							Left
17									REINFORCEMENT, Decklid Opening
	4783 478	1							Right
	4783 479	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 E
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 360	1							PANEL, Shelf
2									EXTENSION, Shelf Panel
	4783 852AB	1							Right
	4783 853AB	1							Left
3									REINFORCEMENT, Shelf Panel
									Rear
	4783 848	1							Shoulder Belt Anchor, Right
	4783 849	1							Shoulder Belt Anchor, Left
4									SUPPORT, Rear Shelf Panel
	4783 322	1							To Wheelhouse, Right
	4783 323	1							To Wheelhouse, Left
5	5008 029AA	1							REINFORCEMENT, Shelf Panel
									Rear

DODGE - PLYMOUTH - CHRYSLER NEON (PL)—
SERIES LINE BODY
L=Low Line Z= RHD 41 = 4 D
H=High Line D= Dodge
D= Chrysler
P= Plymouth

41 = 4 Door, 104.0WB

ENGINE ECB =2.0L 4 Cyl. SOHC EBD = 1.8L 4Cyl SOHC